Department of Veterans Affairs Decentralized Hospital Computer Program

DIETETICS USER MANUAL

Version 5.0 October 1995

Hines IRM Field Office Hines, Illinois

Preface

Purpose

The Dietetics User Manual is designed as a reference guide for all Dietetics program users. Options utilized on a daily basis by the general user are explained in detail with associated prompt sequences and outputs included to illustrate program functions.

Scope

The Dietetics User Manual is a guide designed to support the DHCP Dietetics Version 5.0 program. This version enhances already automated functions of Clinical and Administrative Dietetics and adds new functionality to the Food Management and Clinical Quality Care monitoring activities. This manual provides complete documentation for previous and new dietetic functionality for the end user.

Audience

The Dietetics User Manual is intended for use by all Nutrition and Food Service staff. The Diet Order Entry information may be used by Physicians, Nurses and Medical Administration Service ward personnel.

Preface

Table of Contents

| Introduction | 1 |
|---------------------------------------|------|
| Orientation | 3 |
| Package Management | 9 |
| Package Operation | 11 |
| SECTION I | |
| DIETETIC ADMINISTRATION | . 15 |
| AD Dietetic Administration | 18 |
| AM Administrative Menu | . 18 |
| AR Additional Meals Report | 18 |
| PE Enter/Edit Staffing Data | |
| PR Staffing Data Report | |
| QE Enter/Edit Current Ingredient QOH | |
| QW Display Ingredient Inventory List | .35 |
| RE Enter/Edit Served Meals [FHADMR1] | 41 |
| RR Served Meals Report | |
| RS Enter/Edit Cost of Meals Served | |
| SP Cost of Meals Served Report | .55 |
| SR Supplemental Feeding Cost Report | |
| TC Print Tubefeeding Cost Report | |
| PR Production Reports | 64 |
| BW Print Bulk Feedings/Cost Report | .64 |
| DP Print Daily Diet Menus | .66 |
| FM Forecasting | |
| DC Actual Diet Census | |
| DP Diet Census Percentage | .72 |
| FC Forecasted Diet Census | 77 |
| LA Run SF Labels/Consolid Ingred List | 80 |
| MR Meal Production Reports | 91 |
| PU Projected Usage | 116 |
| RP Print Adjusted Recipe | 121 |
| SL Print Standing Order Labels | .123 |
| SO Tabulate Standing Orders | 125 |
| SP Consolidate Standing Orders | 128 |
| TP Tabulate Patient Meal Preferences | .132 |
| WL Ward Supplemental Feeding Lists | 137 |
| WP Print Weekly Menu | 140 |
| WR Print Weekly Menu Blocks | 142 |
| SECTION II | |
| CLINICAL MANAGEMENT | |
| CM Clinical Management | |
| CD Clinical Dietetics | |
| DC Dietetic Consults | 150 |
| AC Review Active Consults | |
| CC Clear/Cancel/Reassign a Consult | |
| IN Consult Inquiry | .154 |
| OC Order Consult | |
| DR Dietetic Lists/Reports | 157 |

| BL Birthday List | .157 |
|--|--------------|
| DA Diet Activity Report/Labels | .158 |
| DC Actual Diet Census | |
| DR Reprint Diet Labels | |
| EL List Early/Late Trays | |
| IL Isolation/Precaution Patient List | .169 |
| LA Run SF Labels/Consolid Ingred List | |
| NL NPO/Pass List | .178 |
| PE List Patient Events | |
| SL Print Standing Order Labels | |
| SO Tabulate Standing Orders | .184 |
| SP Consolidate Standing Orders | 186 |
| TR Tubefeeding Reports/Labels | 190 |
| TF Preparation/Delivery of | .100 |
| Tubefeedings | 190 |
| TL Print Tubefeeding Labels | 10/ |
| TP Tubefeeding Preparation | 200 |
| TV Tubefeeding Dull Lists | . 200 901 |
| TX Tubefeeding Pull Lists | |
| TT Tray Tickets of Diet Battarns | 202 |
| HP History of Diet Patterns | .202 |
| LD List Inpats With No/prev | 004 |
| Patterns | |
| PD Print Diet Cards | |
| PT Print Tray Tickets | .210 |
| WD Ward Diet Order List | .213 |
| WL Ward Supplemental Feeding Lists | |
| WP Print Bulk Feedings/Cost Report | |
| EA Energy/Nutrient Analysis | |
| AA Abbreviated Analysis | |
| AN Print Analysis | .226 |
| MD Input Menu Data | .230 |
| NI Print Nutrient Intake Study | .238 |
| PM View/Print Menu [FHNU1P] | |
| VM View Meal [FHNU1D] | |
| FP Food Preferences | |
| DP Display Patient Preferences | .244 |
| EP Enter/Edit Patient Preferences | |
| TP Tabulate Patient Meal Preferences | .247 |
| LE List Encounters | .252 |
| NM Nutrition Patient Management | .256 |
| DA Display Assessment | |
| EA Enter Assessment | |
| EE Enter/Edit Encounter | .262 |
| ES Enter Patient Nutrition Status | .263 |
| LE List Encounters | |
| LL List Inpats By Nutrition Status Level | |
| PE Patient Encounter Inquiry | |
| PH Print Pat's Nutrition Status History | |
| PP Print Nutrition Profile | .275 |
| | |


| PS Print Screening Report | 921 |
|---|--------------------|
| PE List Patient Events | |
| PM Patient Movements | |
| SF Supplemental Feedings | |
| IN Supplemental Feeding Inquiry | |
| LA Run SF Labels/Consolid Ingred List | |
| SF Change Patient Supplemental Feedings. | |
| SH History of Supplemental Feedings | |
| WL Ward Supplemental Feeding Lists | |
| WP Print Bulk Feedings/Cost Report | |
| WR Review Bulk Ward Feedings | |
| SO Standing Orders | |
| IN Standing Order Inquiry | |
| SC Consolidate Standing Orders | |
| SC Consultate Standing Orders | 31 <i>1</i> 210 |
| SE Enter/Edit Standing Orders | 200 |
| SL Print Standing Order Labels TS Tabulate Standing Orders [FHSP5] | 324 |
| TF Tickler File | |
| CL Clear Tickler File Entries | |
| | |
| DI Display Tickler File | |
| EN Enter Tickler File Item | |
| DO Diet Orders EP Enter/Edit Patient Diet Pattern | |
| | |
| OA Enter Additional Order | |
| OD Order Diet | |
| OE Order Early/Late Tray | |
| ON NPO/Hold Tray | |
| OT Order Tubefeeding | |
| PA Enter/Edit Patient Reaction Data | |
| PF Enter/Edit Patient Preferences | |
| PH Review Diet Orders | |
| PI Enter/Cancel Isolation/Precautions | |
| PP Patient Profile | |
| XE Cancel Early/Late Tray | 362 |
| XN Cancel NPO/Withhold Order | |
| XT Cancel Tubefeeding Order | |
| DM Patient Data Log [FHDMP] | |
| Glossary | 373 |

Table of Contents

Introduction

The DHCP Dietetic Systems software integrates the automation of many Clinical Dietetics and Food Management functions. The Clinical Dietetics activities of Nutrition Screening, Nutrition Assessment, diet order entry, tubefeeding and supplemental feeding orders, patient food preferences, specific diet pattern calculations, nutrient analysis of meals, consult reporting, encounter tracking, and quality care monitoring are all available in this program. Complete automation of food production activities, service and distribution, inventory and cost management, recipe expansion, menu and recipe nutrient analysis, meal and diet pattern development and implementation, diet card and tray ticket printing, quality service tracking, and annual management reports are also available.

Detailed functionality and process activity for Dietetics software are divided into two major areas of use: options that the Manager/ADPAC needs to build files, set parameters, review data, and generate reports, and options the general user needs for normal day-to-day automated Dietetic functions. The areas covered in this manual are shown on the next page.



2

Orientation

The Clinical Ad Hoc Group (CAHG) for the Nutrition Food Service Expert Panel has developed new clinical modules and updated existing modules. These applications provide tools to aid in the evaluation of patients, the provision of nutrition care and the management of the Clinical Dietetics Section.

How to Work with the System

Is this chapter for you?

If you are just learning to use DHCP software, this chapter introduces you to a small but important part of the DHCP world — signing on, entering data, and getting out. You do not have to be a computer expert to use DHCP software or know a lot of technical terms. You do have to follow instructions. And, in general, you need to be curious, flexible, and patient. This chapter will help you to get started. If you are an experienced DHCP user, this chapter can serve as a reminder.

Other Resources:

If you are not familiar with DHCP software applications, we recommend that you study *The DHCP Users Guide to Computing*. This orientation guide is a comprehensive handbook benefiting first time users of any DHCP application. The purpose of the introductory material is to help you become familiar with basic computer terms and the components of a computer. It is reproduced and distributed periodically by the Kernel Development Group. To request a copy, contact your local Information Resource Management (IRM) staff.

How Does DHCP Work?

Decentralized Hospital Computer Program (DHCP) software packages use the computer in an interactive fashion. An interactive system involves a conversation with the computer. The computer asks you to supply information and immediately processes it. You interact with the software by responding to prompts (the questions) in the program. Your responses are recognized by the computer when you complete the interaction by pressing the Return or Enter key.

DHCP software is "menu driven." A menu is a screen display which lists all of the choices (options) available. You see only the menus, options, and functions which you have security clearance to use. Once you make a selection, the software may branch to another menu (submenu) or you might be asked to answer questions which allow the computer to perform tasks.

How to Sign-on

The procedure for establishing a link to the terminal involves access and verify codes. These codes are assigned by IRM staff. Contact your supervisor if you need these codes. For security reasons, the access code and verify code are not displayed on the terminal screen when you type them in. Please do not write your code down or reveal it to others. The sign-on banner shows the date and time when you last signed on. The banner also shows if the account had any unsuccessful attempts at logon. Periodically, you are required to change your verify code.

Press the Return key on the keyboard. A blinking cursor appears on the terminal. You then see:

ACCESS CODE: Enter your assigned access code

VERIFY CODE: Enter your assigned verify code

How to Stop

In most cases, when you begin an option you continue through it to a normal ending. At times however, you might want to exit the option to do something else. To stop what you are doing, enter an up-arrow (^). You can use the up-arrow at almost any prompt to terminate the line of questioning and return to the previous level in the routine. Continue entering the up-arrow to completely exit the system.

How to Enter Data

Each message you type must be followed by pressing the Return key (or Enter key on some keyboards) to indicate you have completed that entry. In many cases, you need only enter the first few letters (called shortcut synonyms) of an option or field, and the computer fills in the rest. Shortcut synonyms help increase speed and accuracy.

If you want to bypass a prompt, press the Return or Enter key and the computer will go on to the next question. You are allowed to bypass a question only if the information is not required to continue with the option.

Some typists use the lower case "L" for the number "1" and the letter "O" for zero. Please keep in mind that with this software the number "1" and the letter "l" are not interchangeable. Also the number "0" and the letter "O" are not interchangeable.

How to Obtain Help

If you need assistance while interacting with the software, enter a question mark or two to receive on-line help.

- ? Entering a single question mark at a prompt provides a brief help message.
- ?? Two question marks entered at a prompt provides a more extensive description and/or a list of choices appropriate to the prompt.

Responding to Prompts

When the computer prompts you with a question, typically a colon (:) follows. Several types of prompts may be used including yes/no, select, and default. Prompts can be a field in a file, like the basic prompt shown below:

DATE OF BIRTH: This type of prompt is waiting for you to enter a value, like March 3, 1960. Don't forget to complete your interaction by pressing the Return or Enter key.

Select Prompt

If the answer to the prompt is a choice of several alternatives, the question can appear prefixed with the word "Select", as below:

```
Select PATIENT NAME:
```

Yes/No Prompt

If the question requires either a Yes or No response (in which case simply Y or N, upper or lower case, is acceptable), the question can be followed by a question mark rather than a colon.

```
ARE YOU SURE?
```

Sometimes, the text of the question will include, within parentheses, the different allowable responses that you can make to that question:

```
ARE YOU SURE (Y/N)?
```

Default Prompt

Sometimes the question the computer is asking you has a standard expected answer. This is known as the default response. In order to save you the trouble of typing the most probable answer, the computer provides the answer followed with

a double slash (//). You either enter nothing (also known as a null response) by pressing the Return key to accept the default response as your answer, or you can type a different response:

```
IS IT OKAY TO DELETE? NO//
```

Invalid Response

The computer software checks each answer immediately after it is entered. Whenever the computer determines that an answer is invalid for any reason, it beeps, displays two spaces and two questions marks, and repeats the question on a new line.

LAYGO

DHCP software checks your answers against an internally stored table of valid answers. If your answer is not stored in this table but the Learn-As-You-GO (LAYGO) mode is allowed, the computer adds your response as one of those valid answers. If LAYGO mode is allowed then a sample dialogue goes something like this:

ARE YOU ADDING A NEW CLINIC? If you respond with a Y (or YES or yes), the software adds the new clinic in its validation table and accepts the answer. If anything other than Yes is entered, the original answer is invalidated and the question is repeated.

How to Enter Dates and Times

When the acceptable answer to a question is a date, use the following answer formats. Note that the response is not case sensitive, upper or lower case input is acceptable:

```
JULY 20, 1969
7/20/69
20 JUL 69
10 jul 69
10 jul 69
072069
TODAY or Today or T or t (today)
TODAY+1 or T+1 or t+1 (tomorrow)
TODAY-7 or T-7 or t-7 (one week ago)
TODAY+3W or T+3W or t+3w (3 weeks hence)
NOW+1H (present time plus one hour)
NOW+4M (present time plus four months)
NOON (12:00 p.m.)
MID (12:00 a.m.)
```

The year portion of the date can be left off; normally the system assumes current year. Occasionally, the software allows you to enter a time-of-day in connection with a date, for example, 4:00 P.M. on July 20, 1994. To do this, type the date in one

of the above forms followed by an at sign (@), followed by the time. For example, you might enter:

```
20 JUL 94@4PM
```

In this mode, you can enter time either as military (four digit) time, hour AM/PM, or hour:minute:second AM/PM, or simply NOW (or Now or now) for the current date/time.

The colon (:) can be omitted and AM/PM can also be omitted if the time being entered is between 6 A.M. and 6 P.M. Thus, today at 3:30 P.M. can be entered as:

T@330

Use MID as a response to mean 12:00 A.M. (midnight) and NOON as a response to mean 12:00 P.M. for time associated with dates:

T+3W@MID

Making Corrections

When you want to delete an answer previously entered, without substituting any other answer, enter an at sign (@) as a response to that prompt. This leaves the answer blank.

DATE OF BIRTH: May 21, 1946//@ In this example, the date on file is erased and now there is no answer to the "DATE OF BIRTH" prompt; it is null.

The system asks you to confirm that you really intend to delete the information. You may not be able to delete a response if the information is required:

ARE YOU SURE? This question is a safety feature, giving you a chance to change your mind now, without re-editing later.

Spacebar Recall Feature

When using this software, you might want to answer a prompt with a code meaning *the same as before*. The computer is capable of remembering what your last response(s) were the last time you signed on. This feature is called spacebar recall and employs the spacebar and Return keys.

You generally can repeat information you entered the first time by entering a space and pressing the Return or Enter key. For example, you might wish to do a series of procedures for one patient. Each time (after the first) you are asked for the patient name, you can enter a space and press the Return key and the computer enters the same patient.

Printing Reports

Frequently, when you have finished some data entry you are asked if you wish to print the record, file, or report. You can display the report on your terminal screen or produce a paper copy. You are prompted to enter a device number of the printer you want to use. If you do not know the device number of the printer, you can type in a question mark for a list of printers. In some cases the device you will use has already been decided for you and you will not be asked where you want to print. If you need assistance in determining the device number, ask your application coordinator or site manager.

Right Margin

Sometimes you are asked to specify the right margin of the report. You are not always asked this since the information might be preset for the device you specify and a default answer provided. Nevertheless, your choices are simple. Generally, "80" is used for standard size paper or for displaying on the terminal screen; "132" is used for wider paper.

```
DEVICE: Right Margin: 80//
```

Display the Report on the Terminal Screen

Display is the word used to indicate data printed to a terminal screen rather than on paper. At the DEVICE prompt, if you want to view a report on your screen, press the Return key. Normally, if you do not specify a device number, the information prints on your screen. After the screen fills with the first page of the report, you are prompted to press the Return key to continue with the next screen of data. The process is repeated at the bottom of every screen. You can exit the option at any time by entering an up-arrow (^).

```
Press <RET> to continue, or '^' to quit
```

Queue Report to a Printer

If you want to queue your output to run in the background, type the letter Q at the DEVICE prompt. Next, you are prompted to enter a device number of the printer you want to use. Finally, enter the date and time you would like the report to print.

DEVICE: Enter the letter Q to queue the print job.
Enter the device name or number.

Requested Start Time: NOW// Press the Return key or enter a time here using the date and time formats discussed above (e.g., NOW+1 for one hour from now).

Package Management

At the present time, the Dietetics software does not contain elements concerning program specific management or other legal considerations. However, this may change with new releases of the program.

Package Management

Package Operation

Administrative Reports Menu

This program captures required statistics and provides administrative and clinical reports to facilitate decision making and quality control. Options produce reports for additional meals, served meals, staffing, and costing of meals, supplements, and tubefeedings. The data provided is aggregated quarterly and yearly. Also within this section is the automation of the Annual Dietetic Report. Some data is automatically retrieved from the other Administrative reports, MAS files, and Fiscal reports. Options provide a mechanism for editing the automatic data as well as manually entering additional data from other areas. The Annual Report prints out in seven sections and fulfills yearly report requirements.

The Inventory module has been added to this section. It includes the printing of an ingredient worksheet sorted by storage location which can be used to record the physical inventory. The on-hand quantities can be entered by looping through the ingredients or editing individual ingredients. The Inventory Report will calculate a grand total and subtotals for each food group.

Production Reports

The User can generate food production reports for each meal for each day based on a sophisticated forecasting system or on the actual census. Reports will tabulate standing orders and food preferences which can be used to refine the automated production reports. Special ingredient and storeroom requisition lists, recipe preparation reports, and expanded recipes can be generated for each meal in a matter of seconds. Supplemental feeding delivery lists and labels as well as bulk ward feeding lists can also be generated from this program. By utilizing the forecasting options, the user can generate estimates of future ingredient requirements which can be used to facilitate the establishment of contract estimates for cost effective purchasing. The complete menu can be printed on weekly or daily basis.

Dietetic Consults

Clinicians will receive nutrition consults from this program based on their Dietetic Ward assignments as defined by the Clinical Manager. Consult Types File is also created by the Manager, and made available to all Dietetic Users to request information or action from the dietitian or technician. The Clinician can respond, save for a later time, reassign to another clinician, or complete the consult and record information in the Dietetic Encounters program.

Diet Order Entry, Tubefeedings, and Diet Order Processing

This is the primary program accessed by all Dietetic users. It allows for the electronic transmission of all routine information about diet orders and meal service from ward personnel to Dietetic Service. This program has pointers to the MAS files and automatically updates patient admission, location, and inpatient status; such as ASIH or Pass. Early or late trays, tubefeedings, hold meals, isolation precautions as well as any diet order or combination can be entered. Several options are also available to track this information for each patient. Diet Activity Reports aggregate this information over time and allow the user to print it periodically to update information for patient food service.

Users can also enter patient specific data which can be stored for an admission or future reference. Individualized diet patterns, standing orders for special foods or utensils, food preferences, and supplemental feedings can be entered, stored, and tabulated for production and service.

Tubefeeding option allows for the entering or editing of one or more products with varying strengths and frequencies. Tubefeedings can be tabulated for pull sheets, and generate preparation instructions, labels, and distribution lists.

Dietetic Lists and Reports support the Communication Office functions by allowing lists to be generated for patient's birthdays, diet activity, early/late trays, NPO/passes, isolation precautions, diet cards and tray tickets. Energy Nutrient Analysis

This program calculates daily and average totals of food nutrient values for a list of entered foods and allows for storage, retrieval, and editing of the food list. Program contains the latest USDA nutrient release, additional fiber data from research, and selected commonly used items from Bowes and Church, 16th edition.

Food Preferences

This program allows user to enter patient food preferences which can be saved from admission to admission. These preferences can be tabulated for use in meal production calculations. Preferences will be printed on the automated diet card or honored by substitution on the tray ticket. The Food Preference File must be pre-built by the Manager/ADPAC.

Nutrition Assessment

The Clinical Assessment will have a default height, if any, from previous assessment.

All titles, names, and options with the word "Nutritional" have been changed to "Nutrition".

Nutrition Patient Management

There are two new options in the Nutrition Patient Management. The option List Inpats By Nutrition Status Level allows the user to view all the inpatients that are on a selected nutritional status. The option Print Pat's Nutrition Status History prints the nutrition status history of an inpatient or outpatient for a selected date range.

Nutrition Profile

Nutrition Profile form now includes diagnosis, diet order, tubefeeding order, and supplemental feedings.

Nutrition Status

All titles, names, and options with the word "Nutritional" have been changed to "Nutrition".

Nutrition Status Change Matrix is the revised Nutrition Status Change Summary. It display status changes over three to seven days from the admission date to now.

Dietetic Encounter

Encounter entries can be edited and/or deleted. User can view own or others encounters.

Dietetic Encounter Statistics report has been redesigned from 80 columns to 132 columns. The print order will now be clinician, encounter category, encounter type, and patient. There will be a subtotal within for each encounter category. The units will be prorated among group encounters. Follow-up encounters will be indicated.

Patient Movements

This option pulls data from MAS and provides users with current information about admissions, discharges, interward transfers, and passes.

Supplemental Feedings

Supplemental Feeding Report can now be printed by Supplemental Feeding Site designations of ward groupings. The Synonym name can be entered for user ease in the Supplemental Feeding file. The Cost Report has been added under the Administrative Menu. The option, Review Supplemental Feedings, has been removed. User can refer to the Tickler File to review Supplemental Feedings.

Standing Orders

Standing Order now allows quantity prompts. Labels and consolidated list have been added to Standing Order. A field has been added in the Standing Order File to indicate whether or not a label should be generated. The Standing Order Report can be generated by new geography and consolidated on a single sheet for multiple service points.

Tickler File

The Tickler File has been added. It allows clinicians to be reminded of clinical care requirements for follow-up.

SECTION I:

DIETETIC ADMINISTRATION

Dietetic Administration

AM Administrative Menu

- AR Additional Meals Report PE Enter/Edit Staffing Data
- PR Staffing Data Report
- QE Enter/Edit Current Ingredient QOH
- QW Display Ingredient Inventory List
- **RE** Enter/Edit Served Meals
- **RR** Served Meals Report
- **RS** Enter/Edit Cost of Meals Served
- SP Cost of Meals Served Report
- SR Supplemental Feeding Cost Report
- TC Print Tubefeeding Cost Report

Overview

The Administrative Menu (AR) provides an electronic method of compiling and computing data for the Administrative Manager. Data can be entered for daily staffing usage, meals served, and costing of meals. Some data is automatically pulled from MAS files while other data must be entered by the dietetic user. Reports can be generated detailing daily staffing and meals served as well as computing totals and averages for any designated time frame, i.e., pay period, month, quarter, or year. Data from these reports can also be used to calculate man minutes per meal.

Staffing and served meals data is automatically pulled from these Administrative Menu options to the Dietetic Annual Report for quarterly and yearly analysis and comparisons. Therefore, in order to have an accurate and complete Annual Report the options contained in the Administrative Menu must be used. Also, the data compiled in these reports can be used for completing the AMIS 224, Cost of Served Meals Report.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR] Option: AR Additional Meals Report [FHADMR3]

This subroutine generates the Additional Meals Report which lists all <u>meals</u> served to anyone other than inpatients; by date, meal and category (Outpatient, OOD, etc.). Daily totals for the time period requested are generated. This report requires 132 column printing.

Prompt/User Entry:

Starting Date: **JAN 1 95 <RET>** (JAN 01, 1995)

Ending Date: JAN 30 95 <RET> (JAN 30, 1995)

The report requires a 132 column printer.

Print on Device: HOME// <RET> PC EHTER NET RIGHT MARGIN: 80// 132 <RET>

Discussion:

Enter date for beginning of report period. Must be one day in the past.

Enter date for end of report period. Must be one day in the past.

Enter printer device OR press <RET> key (enter 132 as shown here) so that the report will wrap on screen - aligned.

Administrative Menu

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR] Option: PE Enter/Edit Staffing Data [FHADMR4]

This option automates the compilation of data for the Nutrition Food Service Staffing Guidelines (RCS 10-0703). Although this report is no longer required, many managers continue to use the data for staffing purposes. FTEE data entered here is automatically passed to the Dietetic Annual Report (see Annual Report Chapter). The first Staffing option allows for the entering of FTEE data and other paid and/or unpaid leave hours. The second option generates the computed report of this data.

This sub-routine allows the user to enter and edit Dietetic staffing data per day. Data should be tabulated from Dietetic Service timekeeping records. FTEE data is entered and stored to three decimals, while leave data is entered and stored to two decimals. Once data is computed for the Staffing Report, figures are rounded to one decimal point for printing purposes. FTEE fields will display default values from the previous day and may be edited.

Within the field descriptions are brief definitions of the terms used in entering and reporting Dietetic staffing. For more information concerning the categories or terms see M-1, Part IX, Chapter 8: Dietetic Staffing Guidelines. The code numbers and column designations listed in parenthesis refer to the formerly used RCS10-0703 activity worksheet. They are provided for reference purposes only.

Field Definitions

Staffing Data Date Field

Enter the date for which you are entering staffing data. Dates can be edited at anytime (Column A).

Daily FTEE Field

Enter the count of all FTEE assigned to Dietetic Service including full time, part time, and temporary employees. Default of the figure entered on the previous day will be displayed (Code 201 - Column B).

Clinical FTEE Field

Enter the total of all Clinical Dietitians and clinical technicians who works with the clinical dietitians in patient care activities. (Code 202 - Column C).

Administrative FTEE Field

Total all FTEE assigned to these positions within Dietetic Service: Chief, Assistant Chief, Chief, Administrative Section, Chief, Clinical Section, Administrative Dietitians, Internship Director, Education and Staff Development Dietitians, and Quality Assurance Dietitians. Enter the total administrative FTEE in this field (Code 203 - Column C).

Support Staff FTEE Field

Total all FTEE assigned to these positions within Dietetic Service: Administrative Technicians, Secretary, Clerk Typist, Cost Accounts Clerk, Timekeeper, and Clinical Dietetic Technicians. Enter this total in the Support Staff FTEE field. Diet communication personnel are NOT included here. They should be tallied as measured FTEE (Code 204 - Column D).

CFWS FTEE Field

This field represents FTEE assigned as Chief, Food Production and Service, supervisory cooks and food service supervisors. Total these FTEE and enter in this field (Code 205 - Column E).

Days Off Hours Field

Enter in this field the total "off day" hours for this date for all Dietetic employees not listed in any of the previous categories; Clinical, Administrative, Support Staff or CFWS (Supervisory). This data must be tallied from the daily timekeeping records. The employees tallied for this and subsequent "hours fields" are referred to as measured FTEE. This field contains the count of hours NOT worked by measured personnel (Column H).

LWOP & AWOL Hours Field

Tally the total hours for this date charged to measured FTEE (see previous field) for LWOP (Leave Without Pay) and AWOL (Absent Without Leave). These are unpaid hours of leave for measured Dietetic FTEE. Enter in this field (Code 316 - Column I).

Overtime Hours Field

Enter the total in this field of overtime hours posted for this day to measured Dietetic FTEE. This field should include only documented and approved overtime hours (Code 301 - Column J).

Unscheduled Hours Field

Tally and enter in this field the total number of unscheduled hours worked by measured Dietetic FTEE, for this date. (Column K)

Intermittent Hours Field

Tally the hours worked by Dietetic employees classified as Intermittent. Enter the total in this field (Column K).

COP Hours Field

Count all hours posted to COP (Continuation of Pay) for this day for measured Dietetic FTEE. COP is associated with work-related injuries. Enter total in this field (Code 302 - Column M).

Annual Leave Hours Field

Enter the total hours of Annual Leave charged to measured Dietetic FTEE for this day in this field (Column N).

Sick Leave Hours Field

Enter the total hours of Sick Leave charged to measured Dietetic FTEE for this day in this field (Column O).

Other Leave Hours Field

Tally the total number of hours charged to other paid leave for measured Dietetic FTEE for this day. Enter the total in this field. Other paid leave includes Jury Duty, Military Leave, Authorized Absence, etc (Column P).

Loaned/Union Hours Field

Total the hours worked by measured Dietetic FTEE who have been loaned to other services or who are working on Union Activities. Enter the total for this day in the field (Code 330 - Column Q).

Comp. Hours Field

This field should have entered for this day the total Comp-Time hours worked by measured Dietetic FTEE. Comp-Time hours are hours worked in excess of scheduled tour but for which overtime is not paid but additional leave hours are accrued (Column R).

Trainee Hours Field

Enter the total hours worked this day by employees enrolled in specific Trainee programs in this field (Column R).

Volunteer Hours Field

Enter the total hours worked on measured Dietetic functions by volunteers on this date, in this field (Code 315 - Column S).

Borrowed Hours Field

Tally and enter in this field (for this date) the total number of hours worked within Dietetic Service by employees being paid by other services (Code 320 - Column T).

You may enter ?? and press return key after each prompt to see the definition of each field. If you do not want to enter any hours, advance to the next prompt by pressing the return key.

Prompt/User Entry:

STAFFING DATA Date: 1/2 <RET> (JAN 02, 1995)

DAILY FTEE: 375// 141.45 <RET>

Discussion:

Enter date that you are entering staffing data.

You may change any of the following FTEEs by entering a number up to 3 decimals, as shown here, or press <RET> key at the // prompt for default of previous FTEEs.

CLINICAL FTEE: 17.5// <RET>

ADMINISTRATIVE FTEE: 70// 8.5 <RET>

SUPPORT STAFF FTEE: 6 <RET>

Administrative Menu

CFWS FTEE: ?? <RET>

This field contains the FTEE of Supervisory Cooks and Supervisory Food Service Workers.

CFWS FTEE: 9 <RET>

DAYS OFF HOURS: 30// 205 <RET>

You may change any of the following hours by entering a number up to 2 decimals, as shown here, or press <RET> key at the // prompt for default of previous hours. Press <RET> key to advance to the next prompt if no hours are to be entered.

LWOP & AWOL HOURS: 24 <RET>

OVERTIME HOURS: <RET>

UNSCHEDULED HOURS: 15 <RET>

INTERMITTENT HOURS: <RET>

COP HOURS: <RET>

ANNUAL LEAVE HOURS: 19 <RET>

SICK LEAVE HOURS: 18 <RET>

OTHER LEAVE HOURS: 60 <RET>

LOANED/UNION HOURS: <RET>

COMP HOURS: <RET>

TRAINEE HOURS: <RET>

VOLUNTEER HOURS: <RET>

BORROWED HOURS: <RET>

STAFFING DATA Date: <RET>

Enter another date to begin entry sequence again.

PE Enter/Edit Staffing Data

STAFFING DATA Date: JAN 2 95 (JAN 02, 1995)

DAILY FTEE: 141.45 CLINICAL FTEE: 17.5 ADMINISTRATIVE FTEE: 8.5 SUPPORT STAFF FTEE: 6

CFWS FTEE: 9

DAYS OFF HOURS: 205 LWOP & AWOL HOURS: 24 OVERTIME HOURS:

UNSCHEDULED HOURS: 15 INTERMITTENT HOURS:

COP HOURS:

ANNUAL LEAVE HOURS: 19 SICK LEAVE HOURS: 18 OTHER LEAVE HOURS: 60 LOANED/UNION HOURS:

COMP. HOURS: TRAINEE HOURS: VOLUNTEER HOURS: BORROWED HOURS:

STAFFING DATA Date: <RET>

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR] Option: PR Staffing Data Report [FHADMR5]

This option generates the Staffing Guidelines Report (formerly RCS-10-0703 Worksheet, VA Form 10-2969-3). Report includes all data entered under the PE Enter/Edit Staffing Data and displays computed fields for measured FTEE, Potential Hours, Total Paid Hours, and Total Hours Worked for each day. Totals for each category are computed, averaged, and displayed for the number of days designated. All leave hours are also computed as percentages of total paid hours.

Additional computations of the Unscheduled (UNS) and Intermittent (INT) hours worked are displayed at the end of this report. The UNS/INT hours are totaled for the designated report period and converted to FTEE by dividing the total by 8. This UNS/INT FTEE is added to the total measured FTEE for the report period. The average measured FTEE is then computed for this report period using this adjusted measured FTEE. These figures are provided as additional staffing tools for management. They are also included in the Staffing section of the Annual Report.

The Staffing Data Report requires 132 column printing and can be generated by entering the beginning and ending date of the report period. Report can be for any designated time frame.

Administrative Menu

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR] Option: QE Enter/Edit Current Ingredient QOH [FHING12]

This option provides an easy looping mechanism for entering inventory quantities for all ingredients. Each ingredient is displayed separately with the date the last quantity was entered. Ingredients appear alphabetically, sorted by storage location or food group. The user can elect to enter data for one food group or storage location at a time or loop through all groups and/or locations. Cost can be updated while entering quantity if a YES is entered at the first prompt for this option. Then the cost per unit of purchase will be displayed as well as the Inventory Quantity on Hand field. Any data entered in this option will automatically update the corresponding fields in the Ingredient File.

Note: Data is stored in the Inventory Program only until the next update. Thus, anytime you enter or edit data you will need to print an Inventory Report for your files. Subsequent changes will delete all previous data.

| Prompt/U | ser Entry: |
|----------|------------|
|----------|------------|

Want to enter Cost along with QOH (Y/N)? Y <RET> YES

Enter Current QOH by INDIVIDUAL
Ingredient (Y/N)? Y <RET> YES

PRICE/UNIT OF PURCHASE: 8.34// <RET>

Discussion:

Enter YES to update price while entering quantities.

If you answered NO, you will not be prompted for price information.

Answer YES if you wish to enter quantity by individual ingredient.

Answer NO if you wish to enter quantity by looping through all ingredients sorted by food group or storage area.

Enter ?? <RET> to get ingredient list. The ingredient name and the date that the quantity was last entered will be displayed.

Enter the price per purchase unit with up to 3 decimals. As a default, the last price entered will display. Press <RET> if you wish the default price to remain. NOTE: This prompt will only appear if Y was selected at the first prompt.

ON HAND (IN U/P): 4// < RET >

Enter the quantity on hand, with up to 2 decimals. As a default, the last QOH will display.

Select INGREDIENT NAME: <RET>

Do you want to re-cost recipes? (Y/N): N < RET >

Enter another ingredient name or press <RET> to continue. When you have entered all the ingredients, proceed to last prompt "Do you want to re-cost recipes", if you updated cost information. If you did not update cost information, the sequence to enter by ingredient is finished.

Select Administrative Menu Option: QE <RET> Enter/Edit Current Ingredient QOH

Enter/Edit Current Ingredient QOH

Want to enter Cost along with QOH (Y/N)? **N** <**RET>** If no entered at second prompt:

Enter Current QOH by INDIVIDUAL
Ingredient (Y/N)? N <RET> NO

Select by F=FOOD GROUPS or S=STORAGE: F// <RET>

Enter F to enter data sorted by Food Group, and S to enter data sorted by Storage Area, or press <RET> at // prompt for default to remain.

Select Food Group (or ALL): 4 <RET>

Ingredient: BEEF, BONELESS, FROZEN,

TOP ROUND

QOH LAST UPDATED ON 22-

MAR-95

ON HAND (IN U/P): 4// ^ <RET>

OR

Select Administrative Menu Option: QE
<RET> Enter/Edit Current Ingredient
QOH

Want to enter Cost along with QOH (Y/N)? YES <RET>

Enter Current QOH by INDIVIDUAL
Ingredient (Y/N)? NO <RET>

Select by F=FOOD GROUPS or S=STORAGE:
S <RET>

Select Storage Location (or ALL): ??
<RET>

CHOOSE FROM:

BASEMENT

FREEZER

KITCHEN

SHELF

Select Storage Location (or ALL):
FREEZER <RET>

INGREDIENT: BEEF, BONELESS, FROZEN,

TOP ROUND FRZ

OOH LAST UPDATED ON 22-

Mar-95

PRICE/UNIT OF PURCHASE: 8.34// <RET>
ON HAND (IN U/P): 4// ^ <RET>

Select Administrative Menu Option: QE
<RET> Enter/Edit Current Ingredient

QOH

Want to enter Cost along with QOH (Y/N)? Y <RET> YES

Enter the Food Group number (1 thru 6) or ALL.

Enter ?? to get listing of Storage Locations, then enter Storage Location name or ALL.

Ingredient names will be displayed in order as they appear on the Food Group or Storage Location list. If ALL is entered, each Food Group and Storage Area will appear separately but will follow consecutively.

The ingredient name and the date that the quantity was last entered will be displayed.

Enter the price per purchase unit with up to 3 decimals. As a default, the last price entered will display. NOTE: This prompt will only appear if Y was selected at the first prompt.

Enter the quantity on hand with up Enter Current QOH by INDIVIDUAL to 2 decimals. As a default, the last Ingredient (Y/N)? Y <RET> YES QOH will display. Select INGREDIENT NAME: <RET> **Ingredients will continue to display** until the end of the Food Group or Storage Location is reached. If you do not wish to update information for that item, enter ^ <RET> at the Price/Unit prompt to continue. If you updated cost information, proceed to last prompt. If not, the sequence to enter by Food Group or Storage Area is finished. Enter Y if you wish to update recipe Do you want to re-cost recipes? (Y/N): costs. and enter N if not. YES <RET> Beginning re-costing of all recipes **NOTE:** This prompt will only appear if Y was selected at first prompt.

Done ...

```
QE Enter/Edit Current Ingredient QOH
Want to enter Cost along with QOH (Y/N)? YES
Enter Current QOH by INDIVIDUAL Ingredient (Y/N)? YES
Select INGREDIENT NAME: BEEF
   1 BEEF LIVER
    2 BEEF PUREE, W/ BEEF BROTH, DIET, LO NA
    3 BEEF STEW, CND, R-T-S
    4 BEEF, BONELESS, FROZEN, TOP ROUND
    5 BEEF, CORNED, FRZ
TYPE '^' TO STOP, OR
CHOOSE 1-5: 4
                        QOH LAST UPDATED ON 22-Mar-95
PRICE/UNIT OF PURCHASE: 8.34
ON HAND (IN U/P): 4
Select INGREDIENT NAME:
Do you want to re-cost recipes? (Y/N): Y
Beginning re-costing of all recipes
Done ...
```

QE Enter/Edit Current Ingredient QOH Want to enter Cost along with QOH (Y/N)? NO Enter Current QOH by INDIVIDUAL Ingredient (Y/N)? NO Select by F=FOOD GROUPS or S=STORAGE: F// Select Food Group (or ALL): 2 Ingredient: CHEESE AND CRACKERS, IND QOH LAST UPDATED ON 21-Mar-95 ON HAND (IN U/P): 11// Ingredient: CHEESE, AMER/SWISS QOH LAST UPDATED ON 21-Mar-95 ON HAND (IN U/P): 15// Ingredient: CHEESE, AMERICAN QOH LAST UPDATED ON 21-Mar-95 ON HAND (IN U/P): 200// Ingredient: CHEESE, CHEDDAR AGED, HARD, BRICK QOH LAST UPDATED ON 21-Mar-95 ON HAND (IN U/P): 90// Ingredient: CHEESE, COTTAGE QOH LAST UPDATED ON 21-Mar-95 ON HAND (IN U/P): 5// Ingredient: CHEESE, CHEDAR, MODIFIED FAT & NA QOH LAST UPDATED ON 21-Mar-95 ON HAND (IN U/P): 50// Ingredient: CHEESECAKE QOH LAST UPDATED ON 9-Dec-94 ON HAND (IN U/P): 0//Ingredient: CREAM, HALF & HALF, QUART QOH LAST UPDATED ON 2-Feb-95 ON HAND (IN U/P): 2// Ingredient: DESSERT CUP, BOSTON CREAM QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 6//

Ingredient: ICE CREAM, CHOCOLATE, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 140//

Ingredient: ICE CREAM, STRAWBERRY, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 180//

Ingredient: ICE CREAM, SUNDAE, CHOCOLATE, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 24//

Ingredient: ICE CREAM, SUNDAE, STRAWBERRY, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 0//

Ingredient: ICE CREAM, VANILLA, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 322//

Ingredient: MILK, 2%, LOWFAT, BULK

QOH LAST UPDATED ON 2-Feb-95

ON HAND (IN U/P): 1//

Ingredient: MILK, 2%, LOWFAT, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 2500//

Ingredient: MILK, BUTTERMILK, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 35//

Ingredient: MILK, CHOCOLATE, IND

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 100//

Ingredient: MILK, DRY, NONFAT, 50LB

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 1//

Ingredient: MILK, EVAPORATED, UNSW

QOH LAST UPDATED ON 21-Mar-95

ON HAND (IN U/P): 1.17//

Menu: AD Dietetic Administration... [FHMGRA] **Submenu: AM Administrative Menu... [FHADMR] Option: QW Display Ingredient Inventory List (80 Column)**

This option allows users to create a worksheet for taking physical inventories and a cost Inventory Report. The worksheet can have ingredients sorted by Food Group or Storage Area. For taking physical inventory storage sort is most useful. On the worksheet will be IFCAP Master Item Number (MIN), name of ingredient, unit of purchase, item cost, date last updated, QOH last month, and a blank line for input of current inventory quantity on hand. All data on the worksheet comes from the Ingredient File.

The Inventory Report lists ingredients alphabetically sorted and subtotaled by Food Group. The report creates columns accordingly: MIN, name of ingredient, unit of purchase, item cost, current quantity on hand and total cost. You can print this report for one food group or ALL. Total cost for all food groups will only print if ALL print option is used. The data from this report can be used to complete the Cost of Meals Served Report (SP) and AMIS 224. This report should always be printed after ingredients have been updated because quantities are not stored. Whenever any data is changed previous data is deleted.

Prompt/User Entry:

Discussion:

Select W=Worksheet or R=Report: W

Enter W or R for listing desired.

Enter Mth/Yr: 4/95// <RET>

Enter month and year for Worksheet or press <RET> key at the // prompt for default.

Select by F=FOOD GROUPS or S=STORAGE: F// <RET>

Enter F to list data by food group, or S to list by storage area.

Enter the Food Group number (1 thru Select Food Group (or ALL): ALL 6) or All. Each group will print on a <RET> separate sheet. DEVICE: HOME// <RET> PC ETHER NET RIGHT MARGIN: 80// <RET> OR Select Storage Location (or ALL): ?? <RET> CHOOSE FROM: BASEMENT FREEZER **Enter the Storage Location name or** KITCHEN All. Each location will print on a SHELF separate sheet. Select Storage Location (or ALL): SHELF <RET> Enter printer name. DEVICE: HOME// <RET> PC ETHER NET RIGHT MARGIN: 80// <RET> Select Administrative Menu Option: QW <RET> Display Ingredient Inventory List If you select R at the first prompt: Select W=Worksheet or R=Report: R <RET> Enter month and year for Report or press <RET> key for default. Enter Mth/Yr: 4/95// <RET> **Enter Food Group number or ALL.** Select Food Group (or ALL): ?? <RET> Total cost will only appear if ALL is Answer with a number 1 to 6 or ALL for all. entered. Select Food Group (or ALL): 3 <RET> DEVICE: HOME// <RET> PC ETHER NET

Enter printer name.

RIGHT MARGIN: 80// <RET>

QW Display Ingredient Inventory List

Select W=Worksheet or R=Report: W <RET>

Enter Mth/Yr: 3/95// <RET>

Select by F=FOOD GROUPS or S=STORAGE: F// <RET>

Select Food Group (or ALL): ? <RET>

Answer with a number 1 to 6 or ALL for all.

Select Food Group (or ALL): 2 <RET>

DEVICE: HOME// HOME <RET> RIGHT MARGIN: 80// <RET>

8-Mar-95 11:26am Page 1

INVENTORY WORKSHEET

March 95

FOOD GROUP: MILK PRODUCTS

| ITEM# CURREN | NAME | U/P | ITEM COST | DATE LAST UPDATE | QOH LAST MTH | QОН |
|-----------------|-----------------------------------|-----|--------------|------------------------|-----------------|-----|
| 3269 | CHEESE AND CRACKERS, IND | CS | 21.600 | 5-Jan-95 | 9.00 | |
| 2693 | CHEESE, AMER/SWISS | LB | 1.570 | 2-Feb-95 | 10.00 | |
| 1651 | CHEESE, AMERICAN | LB | 1.620 | 2-Feb-95 | 250.00 | |
| 7294 | CHEESE, CHEDDAR AGED, HARD, BRICK | LB | 1.890 | 5-Oct-94 | 220.00 | |
| 1810 | CHEESE, COTTAGE | CO | 4.980 | 7-Jun-94 | 18.00 | |
| 1392 | CHEESE, PARMESAN, GRATED, BULK | CS | 33.900 | 8-Nov-93 | 2.66 | |
| 1390 | CHEESE, PARMESAN, GRATED, IND | CS | 13.710 | 14-Jul-94 | 6.00 | |
| 8271 | CHEESE, CHEDAR, MODIFIED FAT & NA | LB | 2.890 | 8-Dec-94 | 80.00 | |
| 3252 | CHEESECAKE | CS | 34.250 | 13-Dec-93 | 0.00 | |
| 1806 | CREAM, HALF & HALF, QUART | QT | 0.790 | 14-Jul-94 | 2.00 | |
| 3621 | DESSERT CUP, BOSTON CREAM | CS | 21.500 | 8-Dec-94 | 3.00 | |
| 1815 | ICE CREAM, CHOCOLATE, IND | DZ | 1.765 | 7-Jun-94 | 48.00 | |

| 1815 ICE CREAM, | STRAWBERRY, IND | DZ | 1.765 | 7-Jun-94 | 71.00 | |
|------------------------|---------------------|----|--------|-----------|---------|--|
| 1818 ICE CREAM, IND | SUNDAE, CHOCOLATE, | DZ | 1.730 | 10-Jun-93 | 6.00 | |
| 1818 ICE CREAM, IND | SUNDAE, STRAWBERRY, | DZ | 1.730 | 10-Jun-93 | 2.00 | |
| 1814 ICE CREAM, | VANILLA, IND | DZ | 1.765 | 7-Jun-94 | 107.00 | |
| 1802 MILK, 2%, I | LOWFAT, BULK | CT | 10.200 | 7-Jun-94 | 1.00 | |
| 1801 MILK, 2%, I | LOWFAT, IND | СТ | 0.129 | 17-Aug-94 | 2000.00 | |

Select Ingredient Management Option: QW Display Ingredient Inventory List

Select W=Worksheet or R=Report: R <RET>

Enter Mth/Yr: 3/95// <RET>

Select Food Group (or ALL): 2 <RET>

DEVICE: HOME// HOME <RET> RIGHT MARGIN: 80// <RET>

8-Mar-95 11:27am Page 1

INVENTORY REPORT

March 95

FOOD GROUP: MILK PRODUCTS

| ITEM# | NAME | U/P | ITEM COST | QOH CURRENT | TOTAL COST |
|-------|--|----------|----------------|----------------|---------------|
| 3269 | CHEESE AND CRACKERS, IND | CS | 21.600 | 9.00 | 194.40 |
| 2693 | CHEESE, AMER/SWISS | LB | 1.570 | 10.00 | 15.70 |
| 1651 | CHEESE, AMERICAN | LB | 1.620 | 250.00 | 405.00 |
| 7294 | CHEESE, CHEDDAR AGED, HARD, BRICK | LB | 1.890 | 220.00 | 415.80 |
| 1810 | CHEESE, COTTAGE | CO | 4.980 | 18.00 | 89.64 |
| 1392 | CHEESE, PARMESAN, GRATED, BULK | CS | 33.900 | 2.66 | 90.17 |
| 1390 | CHEESE, PARMESAN, GRATED, IND | CS | 13.710 | 6.00 | 82.26 |
| 8271 | CHEESE, CHEDAR, MODIFIED FAT & NA | LB | 2.890 | 80.00 | 231.20 |
| 3252 | CHEESECAKE | CS | 34.250 | 0.00 | 0.00 |
| 1806 | CREAM, HALF & HALF, QUART | QT | 0.790 | 2.00 | 1.58 |
| 3621 | DESSERT CUP, BOSTON CREAM | CS | 21.500 | 3.00 | 64.50 |
| 1815 | ICE CREAM, CHOCOLATE, IND | DZ | 1.765 | 48.00 | 84.72 |
| 1815 | ICE CREAM, STRAWBERRY, IND | DZ | 1.765 | 71.00 | 125.32 |
| 1818 | ICE CREAM, SUNDAE, CHOCOLATE, IND | DZ | 1.730 | 6.00 | 10.38 |
| | ICE CREAM, SUNDAE, STRAWBERRY, IND ICE CREAM, VANILLA, IND | DZ DZ | 1.730 1.765 | 2.00 107.00 | |

8-Mar-95 11:27am Page 2

I N V E N T O R Y R E P O R T

March 95

FOOD GROUP: MILK PRODUCTS

| ITEM# | NAME | U/P | ITEM COST | QOH CURRENT | TOTAL COST |
|-------|--|----------|----------------|----------------|---------------|
| 1802 | MILK, 2%, LOWFAT, BULK | CT | 10.200 | 1.00 | 10.20 |
| 1801 | MILK, 2%, LOWFAT, IND | CT | 0.129 | 2000.00 | 258.00 |
| | MILK, BUTTERMILK, IND MILK, CHOCOLATE, IND | CT CT | 0.480 0.146 | 48.00 50.00 | 23.04 7.30 |
| 1958 | MILK, DRY, NONFAT, 50LB | SA | 71.500 | 0.00 | 0.00 |
| 3130 | MILK, EVAPORATED, UNSW | CS | 25.900 | 1.00 | 25.90 |
| 1803 | MILK, SKIM, IND | CT | 0.135 | 350.00 | 47.25 |
| 1800 | MILK, WHOLE, IND | CT | 0.136 | 200.00 | 27.20 |
| | PUDDING, IND. 4 OZ, CHOCOLATE | CS | 8.260 | 8.00 | 66.08 |
| | PUDDING, IND. 4 OZ, VANILLA | CS | 8.260 | 6.50 | 53.69 |
| 1816 | SHERBET, LEMON | DZ | 1.580 | 42.00 | 66.36 |
| 1816 | SHERBET, LIME | DZ | 1.580 | 77.00 | 121.66 |
| 1816 | SHERBET, ORANGE, IND | DZ | 1.580 | 69.00 | 109.02 |
| 1816 | SHERBET, RASPBERRY, IND | DZ | 1.580 | 77.00 | 121.66 |
| 1809 | SOUR CREAM, FRESH, BULK | PT | 0.730 | 4.00 | 2.92 |
| 5778 | STRAWBERRY CREME CUP | CS | 21.750 | 9.00 | 195.75 |
| 1811 | YOGURT, FRUIT, IND | CT | 0.390 | 36.00 | 14.04 |
| 1811 | YOGURT, PLAIN, IND | CT | 0.390 | 0.00 | 0.00 |
| | | | | TOTAL: | 3153.05 |

Served Meals Data

The following options allow for the compiling and computation of all meals served by Dietetic Service to inpatients, outpatients, and all other paid or gratuitous meals. Data is stored by date and can be tabulated for any designated time period.

The Cost of Meals Served options allow for storing computing and printing of total dollars spent on each Dietetic food group for a month, quarter, or year. This report utilizes the Served Meals Report data to compute cost per meal.

Data from these options is automatically passed to the Annual Dietetic Report.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR] Option: RE Enter/Edit Served Meals [FHADMR1]

This option allows the user to edit the calculated MAS census data for Hospital Inpatients, Nursing Home Care Unit and Domiciliary patients. This data is used in calculating total meals served for a selected date.

Once a date has been entered the program computes the census for each category from MAS files. Daily absences for each category are also tallied. Any of these fields can be edited if you know the MAS calculation is inaccurate. The MAS census figure minus the absences is multiplied by 3 to equal the served meals displayed on the Served Meals Report.

Note: The prompt sequence for Enter/Edit Served Meals displays the calculated <u>census</u>, not the number of served meals. The conversion to meals will be displayed when the report is printed.

Due to adjustments of data by MAS, it is recommended that this option be used four to five days in the past. This delay will allow for MAS corrections to be entered before Dietetics calculates the census values.

This option also has fields for entering meals served to outpatients and others. Meals are entered by date with separate tallies for each mealtime; breakfast, noon, and evening. The other categories for classifying meals are: contract, paid, OOD, (Officer of the Day), volunteer and gratuitous. See field definitions for further explanation of categories. The data for these fields is manually compiled from Dietetic records.

Two other fields used for classifying meals are included in this option. They are cafeteria and NPO meals. The data for these categories is automatically tallied from the diet order census each day at 5:55 p.m. Within the option the figures displayed are the census number for NPO orders and Cafeteria orders multiplied by 3. Therefore, these fields reflect the total number of MEALS per day of Cafeteria patients and NPO patients. The NPO category includes all inpatients

with diet order of NPO, on tubefeeding with no other diet order, and those patient having no diet order. These figures are compiled for the manager to use when considering staffing needs. They are not used in the calculation of total meals served.

Field Definitions

Served Meals Date Field

Enter the date that you want the census calculated for inpatients and that you want to enter meals served to outpatients and others. Date entered must be at least one day in the past, however, MAS recommends even farther back, 4-6 days, to allow for MAS corrections and adjustments to census.

Once the date is entered the program immediately calculates the census values. Each time a date is entered the program will compute census, even if it has already been calculated. Thus, if you enter data for a specific date, print the report, then go back to that date to edit data, and you may get different census values if MAS has made adjustments. This is due to the recalculation each time the date is entered. Remember to always print a report when you complete your edits.

DOM Patients Field

This field appears only if your facility has an authorized (MAS) Domiciliary. The figure in this field is the calculated census of inpatients in the Domiciliary on this date according to MAS records. This number may be changed if needed. Remember, a single change of one patient represents a three meal difference plus or minus.

DOM Absences Field

The calculated number of Domiciliary patients on authorized PASS for this date will be displayed. This figure can be edited if needed. In the Served Meals Report, these absences will be subtracted from the Domiciliary census before the calculation into meals.

NHCU Patients Field

This prompt will only appear if your facility has an authorized (MAS) Nursing Home Care Unit (NHCU). The figure displayed is the calculated census for NHCU inpatients for this day. The number may be edited if needed.

NHCU Absences Field

This field displays the calculated number of NHCU patients on authorized PASS for the day. This number will be subtracted from the NHCU census figure before the calculation into meals on the Served Meals Report. This number can be edited if needed.

Hospital Inpatients Field

The total of all Hospital inpatients (excluding DOM and NHCU) for this date will be calculated from MAS files and displayed here. Number may be edited if needed.

Hospital Absences Field

The calculated number of Hospital patients on authorized PASS for this day will be displayed. This figure may be edited. These absences will be subtracted from the Hospital census before the meals calculation is made for the Served Meals Report.

The following fields are for tabulating individual meals served to outpatients and others. The data may be entered for each category for each mealtime, breakfast, noon, or evening, or may be manually totaled for the day and entered under any one mealtime. The breakdown by mealtime will be displayed on the Additional Meals Report. Only the three meal total, either automatically computed from the individual mealtime entries or the single meal manual total entry will be displayed on the Served Meals Report.

Contract Breakfast, Noon, Evening Fields

Enter the number of Contracted meals served at each mealtime for this date. Consolidated total for day may be entered at one meal. Number can be edited.

Other Paid Breakfast, Noon, Evening Fields

Enter the number of Paid meals served for this date for each mealtime or as a consolidated total for the day under one mealtime. Figure can be edited at anytime.

OOD Breakfast, Noon, Evening Fields

Total the number of meals served to OODs (Officers of the Day - authorized personnel required to be on duty overnight, such as residents, medical students,

etc.) for each mealtime. Remember to include any sack lunches given for overnight feedings in one of the mealtimes. Enter the figures by mealtime or as a consolidated total for the day at one mealtime. Edit number as needed.

Volunteer Breakfast, Noon, Evening Fields

Enter the total number of meals served to Volunteers for this date for each mealtime or as a consolidated total for the day at one mealtime. Figure can be edited at anytime.

Grat Other Breakfast, Noon, Evening Fields

These fields represent meals served as authorized gratuitous meals. Totals for each mealtime or the day as a whole may be entered. Figures may be edited.

The next two fields are used to tally data for staffing purposes. This data may be useful to managers when planning staffing schedules. These numbers are NOT used as any part of the Served Meals calculation.

Cafeteria Meals Field

This field displays the number of meals served in Cafeterias for this date as calculated by the program each day at 5:55 p.m. This automatic tally totals the number of patients who have cafeteria as their designated type of serve in the diet order program and multiplies it by three to determine the cafeteria meals per day. This number can be edited by user at anytime.

NPO Meals Field

The figure displayed reflects the calculated total number of meals for the day of all inpatients on NPO, on tube feeding with no diet order, and on NO Order where no diet order currently exists. This number is calculated automatically at 5:55 p.m. each day from the Actual Census and is multiplied by 3 to reflect a days worth of meals. This number can be edited at anytime. Enter ?? to get a definition of each field.

Prompt/User Entry:

SERVED MEALS Date: 1/1 <RET> (JAN 01, 1995)

Calculating Census Values

DOM PATIENTS: 150// 140 <RET>

DOM ABSENCES: 0// <RET>

NHCU PATIENTS: 225// 220 <RET>

NHCU ABSENCES: 0// <RET>

HOSP INPATIENTS: 804// <RET>

HOSPITAL ABSENCES: 0// 100 <RET>

OUTPATIENT BREAKFAST: 30 <RET>

OUTPATIENT NOON: 215 <RET>

OUTPATIENT EVENING: 20 <RET>

CONTRACT BREAK: 13 <RET>

CONTRACT NOON: 13 <RET>

CONTRACT EVENING: 3 <RET>

Discussion:

Enter date. Date must be at least one day in the past. Recommend a delay of four to five days occurs to allow for corrections and adjustments of MAS files. Program calculates every time a date is entered.

Census number appears from MAS-ADT files. It may be changed by entering a new number, as shown here. Domiciliary and NHCU prompts appear only if the facility has these units.

Calculated number of passes from the DOM appears. You may edit or press <RET> key at the // prompt for the default figure.

Enter or edit the number of meals for all of the following fields (see

Column K from 10-2969-4).

See Column J, Code 301.

See Column K.

See Column K.

See Column L.

See Column L.

OTHER PAID BREAK: 10 <RET> Column M.

OTHER PAID NOON: 15 <RET> Column M.

OTHER PAID EVENING: 5 <RET> Column M.

OOD BREAK: 2 <RET> Column N.

OOD NOON: 5 <RET> Column N.

OOD EVENING: 2 <RET> Column N.

VOLUNTEER BREAK: 40 <RET> Column O.

VOLUNTEER NOON: 170 <RET> Column O.

VOLUNTEER EVENING: 45 <RET> Column O.

GRAT OTHER BREAK: 12 <RET> Column P.

GRAT OTHER NOON: 15 <RET> Column P.

GRAT OTHER EVENING: 6 <RET> Column P.

CAFETERIA MEALS: 309// <RET>
Number of total Cafeteria meals for

the day appears. It is calculated from an automatic 5:55 p.m. census

multiplied by 3.

Diet orders assigned as DR-C Cafeteria or (Dining Room-

Cafeteria) will be counted. Edit if actual meal count is tallied or

<RET>.

NPO MEALS: 110// 60 <RET> Total NPO meals for this date

appears. It is from the 5:55 p.m. automatic diet census and is multiplied by 3 to equal meals per day. It is a sum of NPO+ Tube Feedings w/o Diet Orders + No

Orders.

SERVED MEALS Date: <RET>

This allows entry for another date. Repeat above steps.

```
RE Enter/Edit Served Meals
SERVED MEALS Date: T-80 (JAN 01, 1995)
Calculating Census Values ...
NHCU PATIENTS: 227//
NHCU ABSENCES: 0//
HOSP INPATIENTS: 472//
HOSP ABSENCES: 27//
OUTPATIENT BREAKFAST: 1//
OUTPATIENT NOON:
OUTPATIENT EVENING:
CONTRACT BREAK: 1//
CONTRACT NOON:
CONTRACT EVENING:
OTHER PAID BREAK:
OTHER PAID NOON:
OTHER PAID EVENING:
OOD BREAK: 10//
OOD NOON:
OOD EVENING:
VOLUNTEER BREAK:
VOLUNTEER NOON:
VOLUNTEER EVENING:
GRAT OTHER BREAK: 39//
GRAT OTHER NOON:
GRAT OTHER EVENING:
CAFETERIA MEALS: 39//
NPO MEALS: 309//
SERVED MEALS Date:
```

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR]

Option: RR Served Meals Report (132 Column) [FHADMR2]

This routine generates the Served Meals Worksheet as previously reported on VA Form 10-2969-4. Meals are automatically calculated from the data entered under Enter/Edit Served Meals (RE). The meals are served to others; outpatients, paid, and gratuitous are displayed as a daily total. Individual meal breakdown is available in the Additional Meals Report (AR). Totals are printed for each day and for the time period requested as well as an average daily total for the selected period.

Note: Column J lists the total meals for inpatients and column R lists the total meals served for the day. Columns T, U, and V provide additional data about served meals for staffing purposes but are not used in the calculation of the Served Meals data.

Other meals (outpatient, gratuitous, and paid) are tallied as cafeteria trays and displayed in column T. The assembled trays figure displayed in column V is calculated by subtracting Cafeteria and NPO/Tube Fed Meals from the total daily served meals, column R.

Prompt/User Entry:

Discussion:

| Starting Date: 1/1 <ret></ret> (JAN 01, 1995) | Enter date for beginning of report period. Must be one day in the past. |
|---|---|
| Ending Date: 1/30 <ret> (JAN 30, 1995)</ret> | Enter date for end of report period. Must be one day in the past. |
| Print on Device: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// 132 <ret></ret></ret> | Enter printer instructions (requires a 132 column printer) OR press <ret> and enter 132 <ret> as shown here and report will wrap on screen - aligned.</ret></ret> |

Menu: AD Dietetic Administration... [FHMGRA]
Submenu: AM Administrative Menu... [FHADMR]
Option: RS Enter/Edit Cost of Meals Served [FHCMRR1]

This routine automates the calculations of the Cost of Meals Served Report, VAF 10-2969-1 and provides the data necessary for AMIS 224. The results of this routine are also passed to the Annual Dietetic Report for quarterly and yearly documentation.

This option allows the user to enter or edit the beginning inventory, issue costs, and closing inventory for each food group on a monthly basis. The program will calculate monthly cumulative usage for each food group each quarter. Food cost, percentage of total cost and deviation from the recommended percentage of cost will also be computed for each food group and totaled. The standard recommended percentage of cost is the default value used in calculations. This percentage can be edited.

Field Definitions

Month/Year Field

Enter the month and year of the data which is to be used in calculating.

Beg In Grp 1,2,3,4,5,6 Fields

These fields represent the cost of the beginning inventory for each of the VA food groups.

Once the first inventory cost is entered, the beginning inventory will be carried from the first to third month of the quarter as the default value. At the start of the next quarter, the ending inventory from the previous quarter will become the default beginning inventory of the new quarter. Therefore, the beginning inventory only needs to be entered once and is then automatically generated for all future months. The default beginning inventory can be edited.

Issue Cost Grp 1,2,3,4,5,6 Fields

The issue cost or dollar amount of all food purchased during the month needs to be entered for each food group. These costs can be obtained from the monthly IFCAP Dietetic Cost Report.

Clos Inv Grp 1,2,3,4,5,6 Fields

The closing inventory on hand cost for the month must be entered for each food group. These costs can be computed using the Inventory Worksheet and Report Options under Ingredient Management. Once computed the totals can be manually entered into these fields. The values entered for the third month of each quarter will be carried over as the beginning inventory for the next quarter.

% Cost Grp 1,2,3,4,5,6 Fields

The default value displayed in each of these fields is the standard recommended percentage of total cost for each food group. These values can be edited as needed, however, the default will always remain the same. Therefore, value would have to be edited each time.

Prompt/User Entry:

Discussion:

Enter Month/Year of Cost of Meals
Served: 1/95 <RET> (JAN 1995)

Enter month/year for data.

Note: Displays same beginning inventory for each month of quarter.

BEG INV GRP 1: 2000// 1000 <RET>

Edit, as shown here, or <RET> for default total cost for Food Groups 1 thru 6 in each of these fields.

```
BEG INV GRP 2: 5000// <RET>
BEG INV GRP 3: 4000// <RET>
BEG INV GRP 4: 4500// <RET>
BEG INV GRP 5: 7500// <RET>
BEG INV GRP 6: 5500// <RET>
ISSUE COST GRP 1: 800// <RET>
```

Enter 0 to 9999999 or <RET> for the default value of Issue Cost of Food Groups 1 thru 6.

```
ISSUE COST GRP 2: 700// <RET>
ISSUE COST GRP 3: 900// <RET>
ISSUE COST GRP 4: 1230// <RET>
ISSUE COST GRP 5: 1140// <RET>
ISSUE COST GRP 6: 1320// <RET>
```

Note: Closing inventory for the third month of the quarter will become beginning inventory for next quarter.

| CLOS INV GRP 1: 2530// <ret></ret> | Enter 0 to 999999 or <ret> for the default value of Closing Inventory of Food Groups 1 thru 6.</ret> |
|---|--|
| CLOS INV GRP 2: 5830// <ret></ret> | |
| CLOS INV GRP 3: 4720// <ret></ret> | |
| CLOS INV GRP 4: 4790// <ret></ret> | |
| CLOS INV GRP 5: 8250// <ret></ret> | |
| CLOS INV GRP 6: 6010// <ret></ret> | |
| | |
| % COST GRP 1: 35// <ret></ret> | Enter 1 to 99 or <ret> for default of % Cost Recommended for Food Groups 1 thru 6.</ret> |
| % COST GRP 1: 35// <ret> % COST GRP 2: 12// <ret></ret></ret> | Cost Recommended for Food Groups 1 |
| | Cost Recommended for Food Groups 1 |
| % COST GRP 2: 12// <ret></ret> | Cost Recommended for Food Groups 1 |
| % COST GRP 2: 12// <ret> % COST GRP 3: 22// <ret></ret></ret> | Cost Recommended for Food Groups 1 |

This allows entry of another month. Repeat above steps.

Enter Month/Year of Cost of
Meals Served: <RET>

```
RS Enter/Edit Cost of Meals Served
Enter Month/Year of Cost of Meals Served: 1 95 <RET> (JAN 1995)
BEG INV GRP 1: 25542//
BEG INV GRP 2: 5096//
BEG INV GRP 3: 13847//
BEG INV GRP 4: 6774//
BEG INV GRP 5: 15994//
BEG INV GRP 6: 10482//
ISSUE COST GRP 1: 24562//
ISSUE COST GRP 2: 11476//
ISSUE COST GRP 3: 31394//
ISSUE COST GRP 4: 12454//
ISSUE COST GRP 5: 13092//
ISSUE COST GRP 6: 12161//
CLOS INV GRP 1: 15017//
CLOS INV GRP 2: 3153//
CLOS INV GRP 3: 12443//
CLOS INV GRP 4: 5633//
CLOS INV GRP 5: 9300//
CLOS INV GRP 6: 8906//
% COST GRP 1: 35//
% COST GRP 2: 12//
% COST GRP 3: 22//
% COST GRP 4: 6//
% COST GRP 5: 12//
% COST GRP 6: 13//
```

Enter Month/Year of Cost of Meals Served:

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR]

Option: SP Cost of Meals Served Report (80 Column) [FHCMRR2]

This option generates the computed Cost of Meals Served Report. It contains the beginning and ending inventory costs, purchases, and computed usage, food cost, percentage of total cost, and deviation from recommended cost percentage for each food group for the specified time frame. The total served meals for the selected time period are automatically picked up from the Served Meals Report (RR) and are used in calculating the average food cost per served meal as displayed in column H of this report. Monthly cost reports can be generated, however, the single print of the second and third months of the quarter are actually cumulative for the first and second months and then first, second and third months.

Example:

- 1) When printing October's Cost of Meals Served Report, user will see issues, and computed usage, percentages and food costs for the month of October.
- 2) When printing November's Cost of Meals Served Report, user will see issues and computed usage, percentages and food costs for October and November.
- 3) When printing December's Cost of Meals Served Report, user will see data for all three months.
- 4) When printing January's Cost of Meals Served Report, user will see data for only January, as the sequence starts over with the new quarter.

Prompt/User Entry:

Starting Month/Year: 10/94 <RET> (OCT 01, 1994)

Ending Month/Year: 12/94 <RET> (DEC
31, 1994)

Print on Device: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Discussion:

Enter beginning month/year for report.

Enter ending month/year for report.

Enter printer instructions.

8-Mar-95 10:00am

Oct 1994-Dec 1994

COST OF MEALS SERVED WORKSHEET

Page 1

| Food Group | Beg Inv A | Issue B | Close Inv C | Usage D | % Rec E | % Act F | % Dev G | Food Cost H |
|--------------------------|---|---|--|---|---------------------------------------|---------------------------------|---------------------|--|
| I II IV V VI | 26,669 4,153 13,832 6,635 13,503 8,974 | 100,083 41,115 98,886 40,170 44,523 37,393 | 25,542 5,096 13,847 6,774 15,994 10,482 | 101,210 40,172 98,871 40,031 42,032 35,885 | 35% 12% 22% 6% 12% 13% | 28% 11% 28% 11% 12% | -7% -1% -6% -5% -3% | 0.4520 0.1794 0.4415 0.1788 0.1877 0.1602 |
| Total | 73,766 | 362,170 | 77,735 | 358,201 | 100% | 100% | 0% | 1.5996 |

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR]

Option: SR Supplemental Feeding Cost Report (80 Column) [FHNO11]

This report tallies all supplemental feeding orders, current at time of report generation, for all three delivery times and calculates cost. This list can be printed by Dietetic Ward or Supplemental Feeding Site, which is a grouping of wards specific to supplemental feeding delivery requirements at each facility (see Dietetic Facilities - DF). Each print type can generate a consolidated list as well as individual breakdowns by ward or supplemental feeding site. This results in a daily individual item and total supplemental feeding cost for all or selected areas. Since this report can only be generated for the current day, NO past data can be computed. If weekly or monthly data is required, this report will have to be printed daily and manually averaged for a week or month.

When printing the report, if ALL is selected for either type of list, a prompt will ask: "Summary only? Y//". If YES, is entered a single consolidated list of all supplemental feeding quantities and costs will print. If NO, is entered lists totaling each Supplemental Feeding Site or Ward will be printed separately without a grand total.

Each List computes and prints for the selected area or all areas the following information:

- Each supplemental feeding item and its cost.
- Quantity ordered and total cost of each item broken down by clinical classification of Dietary, meaning part of the diet order or Therapeutic, meaning in addition to the diet order.
- Overall quantity and total cost for each item.
- Calculated total cost of all items per selected area.
- The average cost of supplemental feedings per patient in the selected area. This is a prorated cost applied to total census for the area.
- The average cost per recipient in the selected area. This is a prorated cost applied only to the total number of patients in the area receiving supplements.
- The percentage of patients in selected area who are receiving supplemental feedings.

Note: An accurate Supplemental Feeding Cost Report can only be generated **IF** each supplemental feeding has an associated recipe with appropriate ingredients which have current updated costs (see Supplemental Feeding Management - XS, Recipe Management - XR, and Ingredient Management - XI).

Prompt/User Entry:

Select by S=SUPPLEMENTAL FEEDING SITE

or W=WARD: S <RET>

Select SUPPLEMENTAL FEEDING SITE (or

ALL): **N228 <RET>**

Select LIST Printer: HOME// PC ETHER

NET RIGHT MARGIN: 80// <RET>

Discussion:

Enter S or W for report area. Upper case only.

Enter name of Supplemental Feeding Site or ALL.

Enter printer instructions.

8-Mar-95 10:01am

SUPPLEMENTAL FEEDING COSTS

Page 1

N228

| | | DII | ETARY | THERA | APEUTIC | Т | OTAL |
|----------------------|-------|-----|-------|-------|---------|-----|-------|
| Supplemental Feeding | Cost | Qty | Total | Qty | Total | Qty | Total |
| COOKIE, LP-2 | 0.479 | 1 | 0.48 | 1 | 0.48 | 2 | 0.96 |
| CRAX, CHEESE PKG | 0.180 | 2 | 0.36 | | 0.00 | 2 | 0.36 |
| CRAX,GRAHAM,PKG | 0.050 | 14 | 0.70 | | 0.00 | 14 | 0.70 |
| CRAX,LS,PKG | 0.028 | 5 | 0.14 | | 0.00 | 5 | 0.14 |
| CRAX,P/B PKG | 0.149 | 4 | 0.60 | | 0.00 | 4 | 0.60 |
| FRUIT, CND, REG/SP | 0.151 | 1 | 0.15 | | 0.00 | 1 | 0.15 |
| ICE CREAM - CHOC | 0.147 | 1 | 0.15 | | 0.00 | 1 | 0.15 |
| JUICE OF DAY | 0.113 | 4 | 0.45 | | 0.00 | 4 | 0.45 |
| JUICE, ORANGE | 0.113 | 1 | 0.11 | | 0.00 | 1 | 0.11 |
| LEMONADE | 0.080 | 1 | 0.08 | | 0.00 | 1 | 0.08 |
| MILK,2% | 0.129 | 19 | 2.45 | | 0.00 | 19 | 2.45 |
| RST BF SAND/MUSTARD | 0.423 | 1 | 0.42 | | 0.00 | 1 | 0.42 |
| SHAKEUP, VARIETY | 0.291 | | 0.00 | 2 | 0.58 | 2 | 0.58 |
| | | | | | | | |
| Total | | | 6.09 | | 1.06 | | 7.15 |
| Cost/Patient: | | 176 | 0.03 | 176 | 0.01 | 176 | 0.04 |
| Cost/Recipient: | | 24 | 0.25 | 1 | 1.06 | 25 | 0.29 |
| Recipient %: | | | 14 | | 1 | | 14 |

Menu: AD Dietetic Administration... [FHMGRA] Submenu: AM Administrative Menu... [FHADMR]

Option: TC Print Tubefeeding Cost Report (80 Column) [FHORTF5C]

This report tallies all current tube feeding orders and calculates total tube feeding product quantities and cost for all or selected areas. This report can be printed by Communication Office or Ward and generated as a consolidated report or separate listings for each area. This report can only be generated for the current day, so no past data can be tabulated. If weekly or monthly data is required, this report should be run daily and manually calculated for a week or a month.

Each report calculates and prints the following information for the selected area or consolidated for all areas.

- Each tube feeding product name, unit of purchase and unit cost.
- The number or patients in the selected area on each product.
- The total quantity and cost of each product for the selected area.
- The total cost for all tube feeding products being served in the selected area.
- The total number or patients in the selected area on tube feedings.
- The tally of tube fed patients in the selected area broken down by whether or not the patients are also receiving trays, supplemental feedings or both.
- The average daily cost per patient for tube feeding. This is total tube feeding cost per day divided by the number of patients on tube feedings in the selected areas.

Note: An accurate Tube Feeding Cost Report can only be generated **IF** each tube feeding has an associated recipe which has appropriate ingredients with current updated costs (see - Diet Order Management - XD, Recipe Management - XR, and Ingredient Management - XI).

Prompt/User Entry:

Discussion:

Select C=COMMUNICATION OFFICE or
W=WARD: C <RET>

Enter C or W for report area.

Select COMMUNICATION OFFICE or ALL:
?? <RET>

CHOOSE FROM:
ALLENDALE
COMMUNICATION OFFICE
NORTH POLE
SCOTTVILLE

Communication Offices, then select name or ALL.

Enter ?? to get names of

Select COMMUNICATION OFFICE or ALL:
ALL <RET>

Consolidated Report Only? Y// <RET>

Press <RET> for YES, to get consolidated report of all Communication Offices, or enter No for separate lists for each.

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Enter printer instructions.

OR

Select C=COMMUNICATION OFFICE or W=WARD: W <RET>

Enter name of Ward (enter ?? to see list of wards) or ALL.

Select WARD (or ALL): ALL <RET>

Consolidated Report Only? Y// N
<RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Enter printer instructions OR press <RET> for report to show on screen.

HELPFUL HINTS AND NOTES

- 1. Print the Additional Meals Report (AR), Staffing Data Worksheet Standards Report (PR) and Served Meals Report (RR) on 132 column paper.
- 2. In Enter/Edit Served Meals (RE), every day should be entered in order to retrieve data.
- 3. Data is saved indefinitely. To obtain a quarterly, cumulative report, use the first day of the quarter for the starting date and the last day of the quarter as the ending date.
- 4. Other meals (outpatient, gratuitous, paid) are added to the Cafeteria trays column on the Served Meals Worksheet.

5. Assembled trays are calculated by subtracting Cafeteria and NPO/Tube Fed meals from the Total Daily Served Meals.

TC Print Tubefeeding Cost Report

Select C=COMMUNICATION OFFICE or W=WARD: C <RET>

Select COMMUNICATION OFFICE (or ALL): C1-TCC <RET>

Select LIST Printer: HOME// <RET> HOME RIGHT MARGIN: 80// <RET>

| 8-Mar-95 | TUBEFE | E D I N G | COST | R E P O R | . Т | Page 1 |
|-------------|--------|-----------|---------|-----------|-----------|--------|
| | | C1 | -TCC | | | |
| Product | | # Patient | Unit | # Units | Cost/Unit | Total |
| ENSURE PLUS | | 4 | CAN | 23 | 0.36 | 8.21 |
| ENSURE | | 2 | CAN | 14 | 0.30 | 4.26 |
| NEPRO | | 3 | CN | 10 | 2.50 | 25.00 |
| OSMOLITE HN | | 4 | CAN | 26 | 0.36 | 9.33 |
| PROPAC | | 3 | PKG | 6 | 0.71 | 4.27 |
| PULMOCARE | | 1 | CAN | 5 | 0.85 | 4.25 |
| TWO CAL | | 2 | 8-OZ CN | 5 | 0.58 | 2.90 |
| ULTRACAL | | 7 | CN | 58 | 0.45 | 25.81 |
| Total: | | | | | | 84.03 |

No. of Patients on TF: 12
No. of Patients on TF and Tray: 8
No. of Patients on TF and SF:
No. of Patients on ALL Three: 3
Cost/Patient: 7.00

PR Production Reports

- **BW** Print Bulk Ward Feedings
- **DP** Print Daily Diet Menus
- FM Forecasting...
- LA Run SF Labels/Consolid Ingred List
- MR Meal Production Reports
- PU Projected Usage
- **RP** Print Adjusted Recipe
- **SO** Tabulate Standing Order Labels
- SP Consolidate Standing Orders
- **TP** Tabulate Patient Meal Preferences
- WL Ward Supplemental Feeding Lists
- WP Print Weekly Menu
- WR Print Weekly Menu Blocks

Overview

The Production Reports chapter is a collection of reports designed to meet the needs of various food production practices: ingredient control or storeroom requisition, recipe preparation, food distribution, tray assembly, and food usage estimation. Before these outputs can be obtained, it is necessary to complete extensive file building which is described under Production Management and Food Production chapters.

This chapter deals with some of the output generated under Production Reports (PR) which are shown in boldface below. (Descriptions of other options are found elsewhere in the program documentation.) The majority of the production reports are 132 column. They may be compressed to fit 8 1/2" x 11" paper using 16.5 cpi print. However, two reports, the Weekly Menu and Daily Diet Menu, require compressed print on 11" x 14" (132 column) paper. The site manager must adjust the Terminal Type File to allow for printing in compressed print. This is described in the Installation Guide. Samples and Helpful Hints follow each section.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM]

Option: BW Print Bulk Feedings/Cost Report [FHNO10]

This option will print a composite list of all wards with their assigned bulk feedings. It is divided by service point and includes the ingredient pull list, unit cost, a total cost, and a cost for vehicles for meds. Labels can be generated which include all information on the list, except cost. In addition, ingredient pull lists appear at the end of each service point with a composite listing for all units printed at the end.

This option is used by administrative or clinical Section Chiefs to monitor costs, and by food service workers to prepare and deliver bulk feedings. Diet personnel use a hard copy as a backup in case of computer failure.

| Prompt/User Entry: | Discussion: |
|--|---|
| Select SUPPLEMENTAL FEEDING SITE (or ALL): ALL <ret></ret> | Select one Supplemental Feeding Site (enter ?? <ret> for listing) or ALL.</ret> |
| Do you want Labels? N// <ret></ret> | Only press <ret> if you do not want labels (default is No//), but enter Y for Yes if you want labels to be printed.</ret> |
| Select LIST Printer: HOME// <ret> RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer device OR press <ret> as shown for report to show on screen.</ret> |

Page 1

4-May-95 9:34am --- NEW 1 EAST ---3 GINGER ALE/STRAW 10 COOKIES 3 FRUIT, CND/SPOON 2 JELLO/SPOON 1 BANANA 1 PEANUT BUTTER 1TSP 1 APPLE DUMPLINGS 6 JUICE OF THE DAY 6 MILK, 2% 1 CUSTARD/SPOON BULK NOURISHMENTS FOR: ALL SITES Page 2 4-May-95 9:34am --- NEW 2 WEST ---3 MILK, 2% 3 CRAX, REG, PKG 2 APPLESAUCE/SPOON 2 ICE CREAM/SPOON 1 JUICE, APPLE 1 SANDWICH DB I 2 POPSICLE 2 COOKIES 2 GATORADE --- NEW 3 NORTH ---BULK NOURISHMENTS FOR: ALL SITES Page 3 4-May-95 9:34am 1 KOOLADE 1 JUICE, ORANGE QT 2 HARD CANDY 2 CUSTARD/SPOON 1 MILKSHAKE VANILLA 2 APPLE DUMPLINGS 1 BRAN 2 POPSICLE 1 BANANA --- NEW 4 SOUTH ---2 CEREAL I/BOWL/SPOON

BULK NOURISHMENTS FOR: ALL SITES

Menu: AD Dietetic Administration... [FHMGRA]
Submenu: PR Production Reports... [FHADM]
Option: DP Print Daily Diet Menus (132 Column Compressed) [FHPRC11]

This option displays a daily diet menu for any specified production diet. The user must select the option Enter/Edit Production Diets (PE) to specify the print order on the daily diet menu and to specify if a production diet is to be printed on the daily diet menu. The regular diet and portion size will appear on each page, followed by up to five additional production diets. A minimum of one production diet other than the regular production diet must be specified to print in order for this option to function. The number of pages that are generated will depend upon the number of production diets that have been specified to print. Refer to Production Management (XP) and Enter/Edit Production Diets (PE). This report requires 132 column paper and a printing device that is capable of providing compressed print.

The menu may be printed in two formats. One format allows full names of recipe items to be printed for regular and all modified diets. The other format prints full names of recipe items for the regular diet and appropriate regular diet item or the full name of a substitute item. This format has the disadvantage of numbers not being horizontally aligned across the modified diet columns. Set the format by answering YES or NO to the Full Names on Daily Menu prompt under Modify Site Parameters (SP).

The daily diet menu may be used in place of the standard typed menu (VAF 10-2835) on the trayline to assess tray accuracy. This report can be used to supplement the standard typed menus particularly in the area of combination diet information. The daily diet menu can be used to evaluate the menu-writing process and to determine the adequacy of each production diet.

Prompt/User Entry:

Select PRODUCTION FACILITY: MAIN KITCHEN <RET>

Select Date: 3/8 <RET> (MAR 08, 1995)

Select LIST Printer: HOME// <RET> PC
ETHER NET <RET> RIGHT MARGIN: 80//
132 <RET>

Discussion:

Select Production Facility. Enter ?? <RET> to get listing of Facilities.

Select the date of the desired menu.

Enter printer device OR press <RET> key and enter 132 for report to wrap on screen -- aligned.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: FM Forecasting... [FHPRFM]

DC Actual Diet Census

DP Diet Census Percentage

FC Forecasted Diet Census

This option consists of three report routines: Actual Diet Census (DC), Diet Census Percentage (DP), and Forecasted Diet Census (FC). The Actual Diet Census (DC) is calculated from the Diet Order Entry program. The Forecasted Diet Census (FC) is a projected census calculated from MAS census and the Production Diet Percentages Table. The objective of these reports is to generate census figures (either actual or projected) for specific production diets and service points. These census figures will be used to generate Meal Production Reports (MR) and will result in food production tallies.

Both Actual and Forecasted Diet Census reports can be generated independently or in conjunction with the Meal Production Reports (MR).

Menu: AD Dietetic Administration... [FHMGRA] **Submenu: PR Production Reports... [FHADM]**

Option: FM Forecasting... [FHPRFM]

Suboption: DC Actual Diet Census [FHORD11]

This routine counts all diet orders in existence at the time this report is requested. Each patient's diet order, regardless of the number of modifications, is tallied only once according to the lowest tally order production diet. Production diets and tally orders are explained more fully in the Production Management chapter (XP). It counts by production diet and tally order and lists by print order.

Actual Diet Census can be generated for separate or ALL Service Points. If ALL is selected an actual census for each service point as well as a consolidated list will be generated. Quantities are listed for each production diet and separated by service type: Tray, Cafeteria or Dining Room, with a grand total. If no quantities exist, the production diet does not appear on the report.

The Percent Column lists the percentage of each production diet at the specified service point. These figures are helpful in determining and updating the **Production Diet Percentages (PP) Table.**

When Actual Diet Census is run today (T) and also run T+1, the numbers generated may not be the same even though they were run on the same day within minutes of each other. The difference results from the program looking ahead to the designated day for time limited diet orders, and tallying them accordingly. Example: Patient (Mr. X) is on NPO today with an expiration date for tomorrow and a Diet Order of Regular. When actual census is run today, Mr. X is tallied as Not Eating but the census run T+1 will tally Mr. X as a regular production diet.

Prompt/User Entry:

Select PRODUCTION FACILITY: M <RET>

MAIN KITCHEN

Effective Date/Time: T <RET> (MAR 08, 1995)

Select LIST Printer: HOME// <RET> PC ETHER NET RIGHT MARGIN: 80// 132 <RET>

Discussion:

User will see this prompt if there is more than one Production Facility. **Enter ?? <RET> to get listing of** facilities, then select facility.

Enter T. N. or a future date (cannot be a day in the past).

Enter printer device OR press <RET> and enter 132 as shown, so that printout will wrap on screen -aligned.

This report prints one page for each service point and a consolidated census. The report displays production diets but does not include other gratuitous or paid meals. The modifications (previously known as minor modifications) are also shown.

DC Actual Diet Census

Effective Date/Time: T (MAR 08, 1995)

Select LIST Printer: HOME// HOME RIGHT MARGIN: 80// 132

8-Mar-95 10:41am ACTUAL DIET CENSUS

MAIN KITCHEN

Wednesday 8-Mar-95

| | B217 | B228 | DR200 | T200 | Tray | Cafe | Total |
|---------------------------------|------|------|-------|------|------|------|-------|
| REGULAR | 15 | 123 | 17 | 49 | 187 | 17 | 204 |
| HPHC | | 4 | | 5 | 9 | | 9 |
| HIGH FIBER | | 2 | | 1 | 3 | | 3 |
| MODERATE SODIUM (87 -130) | 10 | 7 | 1 | 16 | 33 | 1 | 34 |
| CHOLESTEROL RESTRICTED | | 6 | 1 | 2 | 8 | 1 | 9 |
| 87/CHOL | 1 | 8 | 2 | 17 | 26 | 2 | 28 |
| 87/CHOL/MECH | | | | 1 | 1 | | 1 |
| CARDIAC (87NA, LOCHOL, HIFIBER) | 1 | | 2 | 27 | 28 | 2 | 30 |
| DIABETIC/LO CAL | 16 | 14 | 1 | 23 | 53 | 1 | 54 |
| 87/DIAB | 9 | 2 | 2 | 13 | 24 | 2 | 26 |
| CHOL/DIAB | 2 | 1 | | | 3 | | 3 |
| DIAB/MECH | 5 | | | 1 | 6 | | 6 |
| 87/DIAB/MECH | | | | 1 | 1 | | 1 |
| 87/DIAB/HF | 1 | | | | 1 | | 1 |
| 87/CHOL/DIAB | 2 | | 4 | 8 | 10 | 4 | 14 |
| DIAL/DIAB | 1 | | 1 | 5 | 6 | 1 | 7 |
| LOW PROTEIN | 2 | | | 5 | 7 | | 7 |
| DIALYSIS/LOW NA (43-22) | 2 | 1 | 1 | 6 | 9 | 1 | 10 |
| ASPIRATION RISK REDUCTION | 8 | | | 1 | 9 | | 9 |
| GERIATRIC/ECC | 34 | | | | 34 | | 34 |
| MECHANICAL/DYSPHAGIA | 15 | 2 | | 14 | 31 | | 31 |
| 87/MECH-DYS | 1 | 1 | | 5 | 7 | | 7 |
| MODIFIED BLAND | | | | 3 | 3 | | 3 |
| 87/MOD BLAND | | 1 | | | 1 | | 1 |
| GROUND MODIFIED BLAND | 7 | 2 | | 2 | 11 | | 11 |
| PUREED | 22 | | | 14 | 36 | | 36 |
| FULL LIQUID | | 1 | | 4 | 5 | | 5 |
| CLEAR LIQUID | 1 | | | 5 | 6 | | 6 |
| SELECT-REGULAR | 25 | | | 32 | 57 | | 57 |
| SELECT-ECC | 38 | | | | 38 | | 38 |
| SELECT-DIABETIC | 16 | | | 2 | 18 | | 18 |
| ECC-DIABETIC | 2 | | | | 2 | | 2 |
| N P O | 3 | | | 31 | 34 | | 34 |
| PASS | | | | | | | 0 |
| TF Only | 24 | | | 20 | 44 | | 44 |
| No Order | 1 | 1 | | 7 | 9 | | 9 |
| TOTAL MEALS | 264 | 176 | 32 | 320 | 760 | 32 | 792 |

Menu: AD Dietetic Administration... [FHMGRA]
Submenu: PR Production Reports... [FHADM]
Ontion: FM Forecasting [FHDDFM]

Option: FM Forecasting... [FHPRFM]

Suboption: DP Diet Census Percentage [FHORD15]

This option allows user to display the Actual Diet Census Percentage or the Forecasted or Actual Diet Census Percentage of meals.

Prompt/User Entry:

Do you want DIET CENSUS PERCENTAGE for MEAL? (Y/N): Y <RET>

Select PRODUCTION FACILITY: TACO
BELL <RET>

Select Date: T+1 <RET> (MAR 08,
1995)

Select MEAL (B,N,E or ALL): ?? <RET>
Select B for Breakfast, N for Noon,
or E for Evening or ALL for all meals

Select MEAL (B,N,E or ALL): B <RET>

Use CENSUS or FORECAST? (C OR F): F <RET>

Forecasting ...

Service Point: PARK BENCH
Forecast Census: 0// 2 <RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Discussion:

Enter Yes or No.

Enter ?? <RET> to see Production Facilities, then select appropriate facility.

Enter date (month, date) or as shown.

Enter printer device OR press <RET> as shown.

DP Diet Census Percentage

Do you want DIET CENSUS PERCENTAGE for MEAL? (Y/N): Y

Select Date: T (MAR 08, 1995)

Select MEAL (B,N,E or ALL): B

Use CENSUS or FORECAST? (C OR F): C

Select LIST Printer: HOME// HOME RIGHT MARGIN: 80// 132

8-Mar-95 10:43am ACTUAL DIET CENSUS Page 1 PERCENTAGES

MAIN KITCHEN

Wednesday 8-Mar-95 BREAKFAST

| | B217 % | B228 % | DR200 % | T200 % |
|---------------------------------|--------|--------|---------|--------|
| REGULAR | 5.7 | 69.9 | 70.9 | 15.3 |
| HPHC. | 0.0 | 2.3 | 0.0 | 1.6 |
| HIGH FIBER | 0.0 | 1.1 | 0.0 | 0.3 |
| MODERATE SODIUM (87 -130) | 3.8 | 4.0 | 1.2 | 5.0 |
| CHOLESTEROL RESTRICTED | 0.0 | 3.4 | 1.2 | 0.6 |
| 87/CHOL | 0.4 | 4.5 | 2.3 | 5.3 |
| 87/CHOL/MECH | 0.0 | 0.0 | 0.0 | 0.3 |
| CARDIAC (87NA, LOCHOL, HIFIBER) | 0.4 | 0.0 | 2.3 | 8.4 |
| DIABETIC/LO CALL | 6.1 | 8.0 | 12.8 | 7.2 |
| 87/DIAB | 3.4 | 1.1 | 2.3 | 4.1 |
| CHOL/DIAB | 0.8 | 0.6 | 0.0 | 0.0 |
| DIAB/MECH | 1.9 | 0.0 | 0.0 | 0.3 |
| 87/DIAB/MECH | 0.0 | 0.0 | 0.0 | 0.3 |
| 87/DIAB/HF | 0.4 | 0.0 | 0.0 | 0.0 |
| 87/CHOL/DIAB | 0.8 | 0.0 | 4.7 | 2.5 |
| DIAL/DIAB | 0.4 | 0.0 | 1.2 | 1.6 |
| LOW PROTEIN | 0.8 | 0.0 | 0.0 | 1.6 |
| DIALYSIS/LOW NA (43-22) | 0.8 | 0.6 | 1.2 | 1.9 |
| ASPIRATION RISK REDUCTION | 3.0 | 0.0 | 0.0 | 0.3 |
| GERIATRIC/ECC | 12.9 | 0.0 | 0.0 | 0.0 |
| MECHANICAL/DYSPHAGIA | 5.7 | 1.1 | 0.0 | 4.4 |
| 87/MECH-DYS | 0.4 | 0.6 | 0.0 | 1.6 |
| MODIFIED BLAND | 0.0 | 0.0 | 0.0 | 0.9 |
| 87/MOD BLAND | 0.0 | 0.6 | 0.0 | 0.0 |
| GROUND MODIFIED BLAND | 2.7 | 1.1 | 0.0 | 0.6 |
| PUREED | 8.3 | 0.0 | 0.0 | 4.4 |
| FULL LIQUID | 0.0 | 0.6 | 0.0 | 1.3 |
| CLEAR LIQUID | 0.4 | 0.0 | 0.0 | 1.6 |
| SELECT-REGULAR | 9.5 | 0.0 | 0.0 | 10.0 |
| SELECT-ECC | 14.4 | 0.0 | 0.0 | 0.0 |
| SELECT-DIABETIC | 6.1 | 0.0 | 0.0 | 0.6 |
| ECC-DIABETIC | 0.8 | 0.0 | 0.0 | 0.0 |
| N P O | 1.1 | 0.0 | 0.0 | 9.7 |
| PASS | 0.0 | 0.0 | 0.0 | 0.0 |
| TF Only | 9.1 | 0.0 | 0.0 | 6.3 |
| No Order | 0.4 | 0.6 | 0.0 | 2.2 |

DP Diet Census Percentage

Do you want DIET CENSUS PERCENTAGE for MEAL? (Y/N): N

Select PRODUCTION FACILITY: ??

Choose from:
MAIN KITCHEN
REMOTE

Select PRODUCTION FACILITY: MAIN KITCHEN

Select Date: T (MAR 08, 1995)

Select LIST Printer: HOME// HOME RIGHT MARGIN: 80// 132

8-Mar-95 10:45am ACTUAL DIET CENSUS Page 1 PERCENTAGES

MAIN KITCHEN

Wednesday 8-Mar-95

| | B217 % | B228 % | DR200 % | T200 % |
|---------------------------------|--------|--------|---------|--------|
| REGULAR | 5.7 | 69.9 | 53.1 | 15.3 |
| HPHC | 0.0 | 2.3 | 0.0 | 1.6 |
| HIGH FIBER | 0.0 | 1.1 | 0.0 | 0.3 |
| MODERATE SODIUM (87 -130) | 3.8 | 4.0 | 3.1 | 5.0 |
| CHOLESTEROL RESTRICTED | 0.0 | 3.4 | 3.1 | 0.6 |
| 87/CHOL | 0.4 | 4.5 | 6.3 | 5.3 |
| 87/CHOL/MECH | 0.0 | 0.0 | 0.0 | 0.3 |
| CARDIAC (87NA, LOCHOL, HIFIBER) | 0.4 | 0.0 | 6.3 | 8.4 |
| DIABETIC/LO CAL | 6.1 | 8.0 | 3.1 | 7.2 |
| 87/DIAB | 3.4 | 1.1 | 6.3 | 4.1 |
| CHOL/DIAB | 0.8 | 0.6 | 0.0 | 0.0 |
| DIAB/MECH | 1.9 | 0.0 | 0.0 | 0.3 |
| 87/DIAB/MECH | 0.0 | 0.0 | 0.0 | 0.3 |
| 87/DIAB/HF | 0.4 | 0.0 | 0.0 | 0.0 |
| 87/CHOL/DIAB | 0.8 | 0.0 | 12.5 | 2.5 |
| DIAL/DIAB | 0.4 | 0.0 | 3.1 | 1.6 |
| LOW PROTEIN | 0.8 | 0.0 | 0.0 | 1.6 |
| DIALYSIS/LOW NA (43-22) | 0.8 | 0.6 | 3.1 | 1.9 |
| ASPIRATION RISK REDUCTION | 3.0 | 0.0 | 0.0 | 0.3 |
| GERIATRIC/ECC | 12.9 | 0.0 | 0.0 | 0.0 |
| MECHANICAL/DYSPHAGIA | 5.7 | 1.1 | 0.0 | 4.4 |
| 87/MECH-DYS | 0.4 | 0.6 | 0.0 | 1.6 |
| MODIFIED BLAND | 0.0 | 0.0 | 0.0 | 0.9 |
| 87/MOD BLAND | 0.0 | 0.6 | 0.0 | 0.0 |
| GROUND MODIFIED BLAND | 2.7 | 1.1 | 0.0 | 0.6 |
| PUREED | 8.3 | 0.0 | 0.0 | 4.4 |
| FULL LIQUID | 0.0 | 0.6 | 0.0 | 1.3 |
| CLEAR LIQUID | 0.4 | 0.0 | 0.0 | 1.6 |
| SELECT-REGULAR | 9.5 | 0.0 | 0.0 | 10.0 |
| SELECT-ECC | 14.4 | 0.0 | 0.0 | 0.0 |
| SELECT-DIABETIC | 6.1 | 0.0 | 0.0 | 0.6 |
| ECC-DIABETIC | 0.8 | 0.0 | 0.0 | 0.0 |
| N P O | 1.1 | 0.0 | 0.0 | 9.7 |
| PASS | 0.0 | 0.0 | 0.0 | 0.0 |
| TF Only No Order | 9.1 | 0.0 | 0.0 | 6.3 |
| NO Order | 0.4 | 0.6 | 0.0 | 2.2 |

DP Diet Census Percentage

Do you want DIET CENSUS PERCENTAGE for MEAL? (Y/N): Y

Select PRODUCTION FACILITY: ??

Choose from:
MAIN KITCHEN
REMOTE

Select PRODUCTION FACILITY: MAIN KITCHEN

Select Date: T (MAR 08, 1995)

Select MEAL (B,N,E or ALL): B

Use CENSUS or FORECAST? (C OR F): F

Forecasting ...

Service Point: B217 TL Forecast Census: 263 //

Service Point: B228 TL Forecast Census: 167 //

Service Point: T200 Forecast Census: 296 //

Service Point: DR200 Forecast Census: 34 //

Select LIST Printer: HOME// HOME RIGHT MARGIN: 80// 132

8-Mar-95 10:46am FORECASTED DIET CENSUS Page 1 PERCENTAGES

MAIN KITCHEN

Wednesday 8-Mar-95 BREAKFAST

| | B217 % | B228 % | DR200 % | T200 % |
|-------------------------------|--------|--------|---------|--------|
| REGULAR | 3.1 | 44.7 | 64.8 | 20.9 |
| HPHC | 1.0 | 1.8 | 0.0 | 3.2 |
| HIGH FIBER | 0.3 | 1.1 | 1.1 | 0.4 |
| MODERATE SODIUM (87 -130) | 2.4 | 1.8 | 1.1 | 3.2 |
| 87/HF | 0.0 | 0.0 | 1.1 | 0.0 |
| CHOLESTEROL RESTRICTED | 0.0 | 1.1 | 2.2 | 1.1 |
| 87/CHOL | 1.0 | 1.1 | 1.1 | 8.5 |
| CARDIAC (87NA,LOCHOL,HIFIBER) | 0.0 | 0.7 | 0.0 | 4.3 |
| DIABETIC/LO CAL | 4.5 | 1.8 | 16.5 | 9.6 |
| 87/DIAB | 2.4 | 1.1 | 3.3 | 3.2 |
| CHOL/DIAB | 0.0 | 0.4 | 4.4 | 0.4 |
| DIAB/MECH | 1.4 | 0.4 | 0.0 | 1.1 |
| DIAB/HF | 0.3 | 0.0 | 0.0 | 0.4 |
| 87/CHOL/DIAB | 1.0 | 1.1 | 0.0 | 4.3 |
| 87/CHOL/DIAB/MECH | 0.3 | 0.0 | 0.0 | 0.0 |
| DIAL/DIAB | 0.3 | 0.0 | 0.0 | 1.4 |
| LOW PROTEIN | 1.0 | 0.7 | 1.1 | 1.1 |
| DIALYSIS/LOW NA (43-22) | 1.0 | 0.4 | 0.0 | 3.2 |
| ASPIRATION RISK REDUCTION | 0.3 | 0.0 | 0.0 | 0.4 |

| GERIATRIC/ECC | 13.5 | 0.0 | 0.0 | 0.0 |
|-----------------------|------|-----|-----|-----|
| MECHANICAL/DYSPHAGIA | 7.3 | 0.0 | 1.1 | 4.3 |
| 87/MECH-DYS | 1.0 | 1.1 | 0.0 | 1.4 |
| MODIFIED BLAND | 0.3 | 0.4 | 1.1 | 1.1 |
| GROUND MODIFIED BLAND | 2.8 | 0.4 | 1.1 | 0.4 |
| PUREED | 9.7 | 0.4 | 0.0 | 4.3 |
| FULL LIQUID | 1.0 | 0.4 | 0.0 | 2.1 |
| CLEAR LIOUID | 0.3 | 0.0 | 0.0 | 4.3 |

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM]

Option: FM Forecasting... [FHPRFM]

Suboption: FC Forecasted Diet Census (132 Column) [FHPRF2]

This option generates a forecasted census for each production diet for any specified date and service point. This routine interfaces with the MAS census and the Production Diet Percentage Table (PP).

The Forecasted Diet Census report will list:

- 1) Production diets sorted by production diet print order.
- 2) Production Diet Census for each service point and type of service.
- 3) Consolidated total census for each production diet and service point.

| Prompt/User Entry: | Discussion: |
|---|---|
| Forecast Date: 3/8 <ret></ret> (MAR 08, 1995) | Enter date. |
| Select PRODUCTION FACILITY: TRAY LINE <ret></ret> | User will see this prompt only if there is more than one Production Facility. |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer device OR press <ret> as shown.</ret> |

Once the forecast date and service point have been selected, the following process takes place:

1. Determining projected census:

- a) MAS census values for each ward assigned to a service point are added up for the selected date; i.e., Sunday, Monday, etc. Values are determined for this day of the week for each of the past nine weeks.
- b) This nine week data, with greater weight given to the most recent weeks, is used to determine a forecast census value for the selected date. The result is a number called the "uncorrected forecast".
- c) The uncorrected forecast census value is compared to the actual census figures for the last three days. A greater weighted value is given to the most recent days census and a "corrected forecast" figure is determined if needed.

- 2. Determining projected production diet quantities.
 - d) The Production Diet Percentages (PP) are then applied to this corrected forecast and specific figures for each production diet are calculated.
 - e) If Tray is the only designated meal service type, the forecasted numbers will appear in that column according to production diet on the Forecast Diet Census.

3. Other Adjustments

f) If Cafeteria service is also available and a "% Cafeteria" has been entered in the Production Diet File, this Cafeteria percentage will be applied to the calculated production diet forecast. The Tray (T) and Cafeteria (C) values will be listed accordingly on the Forecasted Diet Census.

For accuracy Forecasted Diet Census should be compared to the Actual Diet Census on or near the day of production. Adjustments should be made in Production Diet Percentages on a periodic basis or whenever an appreciable fluctuation in patient census or diet type is known.

HELPFUL HINTS

- 1. After completing the Production Diets File, Actual Diet Census (DC) can be used immediately. The percentages appearing on this report may be useful in building the Production Diet Percentage Table (PP).
- 2. After completing the Production Diets Percentage Table, Forecasted Diet Census (FC) should be run consistently. Initial forecasts will not be very accurate because of insufficient historical data. After two or three months, the forecast should be quite accurate. If the relative mix of production diets seems to be off, the production diet percentages may need to be adjusted.
- 3. If actual census is the only figure appearing on Forecast History, it is because option FC has not been used.

FC Forecasted Diet Census

Forecast Date: T (MAR 08, 1995)

Select LIST Printer: HOME// HOME RIGHT MARGIN: 80// 132

8-Mar-95 10:49am FORECASTED DIET CENSUS

MAIN KITCHEN

WEDNESDAY 8-Mar-95

| | B217 | B228 | DR200 | T200 | Tray | Cafe | Total |
|---------------------------------|------|------|-------|------|------|------|-------|
| | | | | | | | |
| REGULAR | 9 | 127 | 15 | 59 | 195 | 15 | 210 |
| НРНС | 3 | 5 | | 9 | 17 | | 17 |
| HIGH FIBER | 1 | 3 | 1 | 1 | 5 | 1 | 6 |
| MODERATE SODIUM (87 -130) | 7 | 5 | 1 | 9 | 21 | 1 | 22 |
| 87/HF | | | 1 | | | 1 | 1 |
| CHOLESTEROL RESTRICTED | | 3 | 2 | 3 | 6 | 2 | 8 |
| 87/CHOL | 3 | 3 | 1 | 24 | 30 | 1 | 31 |
| CARDIAC (87NA, LOCHOL, HIFIBER) | | 2 | | 12 | 14 | | 14 |
| DIABETIC/LO CAL | 13 | 5 | 5 | 27 | 45 | 5 | 50 |
| 87/DIAB | 7 | 3 | 3 | 9 | 19 | 3 | 22 |
| CHOL/DIAB | | 1 | 4 | 1 | 2 | 4 | 6 |
| DIAB/MECH | 4 | 1 | | 3 | 8 | | 8 |
| DIAB/HF | 1 | | | 1 | 2 | | 2 |
| 87/CHOL/DIAB | 3 | 3 | | 12 | 18 | | 18 |
| 87/CHOL/DIAB/MECH | 1 | | | | 1 | | 1 |
| DIAL/DIAB | 1 | | | 4 | 5 | | 5 |
| LOW PROTEIN | 3 | 2 | 1 | 3 | 8 | 1 | 9 |
| DIALYSIS/LOW NA (43-22) | 3 | 1 | | 9 | 13 | | 13 |
| ASPIRATION RISK REDUCTION | 1 | | | 1 | 2 | | 2 |
| GERIATRIC/ECC | 39 | | | | 39 | | 39 |
| MECHANICAL/DYSPHAGIA | 21 | | 1 | 12 | 33 | 1 | 34 |
| 87/MECH-DYS | 3 | 3 | | 4 | 10 | | 10 |
| MODIFIED BLAND | 1 | 1 | 1 | 3 | 5 | 1 | 6 |
| GROUND MODIFIED BLAND | 8 | 1 | 1 | 1 | 10 | 1 | 11 |
| PUREED | 28 | 1 | | 12 | 41 | | 41 |
| FULL LIQUID | 3 | 1 | | 6 | 10 | | 10 |
| CLEAR LIQUID | 1 | | | 12 | 13 | | 13 |
| STANDING ORDER | 26 | 8 | | 15 | 49 | | 49 |
| DOUBLE PORTIONS | | 105 | | | 105 | | 105 |
| SELECT-REGULAR | 26 | | | 30 | 56 | | 56 |
| SELECT-ECC | 39 | | | | 39 | | 39 |
| SELECT-DIABETIC | 21 | | | | 21 | | 21 |
| ECC-DIABETIC | 12 | | | | 12 | | 12 |
| TOTAL MEALS | 288 | 284 | 37 | 282 | 854 | 37 | 891 |

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: LA Run SF Labels/Consolid Ingred List [FHNO2]

Labels may be printed with an ingredient list, or an ingredient list alone may be printed with this option. An ingredient list is used by the Ingredient Control Unit to pull quantities needed for the production area. Gummed labels produced are placed on bags, sandwiches and other items to identify the patient and food items. Labels provide patient name, location, items, quantity to be delivered and time period. No labels will be printed for an NPO patient if this version is running and the Site Parameter (SP) response to suspension of nourishments is "Yes".

Three time periods are available to run labels (i.e., 10:00 a.m., 2:00 p.m. and 8:00 p.m.). A facility may choose one time period or all time periods. Time periods chosen to run labels can be divided into multiple service points (there must be at least one service point). A service point is an intermediate distribution point between the production area and the patient.

Labels may be aligned in the printer before initiating the program or at the moment designated by the program. It is helpful to mark the printer housing with some type of alignment markings. Several label runs may be required to establish the correct location for these marks.

If the patient is on an isolation procedure that Nursing delivers, "NURSE" will be printed on the label.

Prompt/User Entry:

Select by S=SUPPLEMENTAL FEEDING SITE
or W=WARD: S <RET>

Select SUPPLEMENTAL FEEDING SITE:
SAMMY'S SOUP SALON <RET>

Select Supplemental Feeding Time
(10,2,8, ALL): 10 <RET>

Do you want Ingredient list only? N// <RET>

Place Labels in Printer

Discussion:

Enter S or W as shown.

Select a Supplemental Feeding Site. Enter ?? <RET> to get a listing of feeding sites or to get help at any of the prompts.

No will print labels with ingredient list at the end.

Labels may be printed on paper, instead of labels.

Select LABEL Printer: HOME// <RET>
PC ETHER NET RIGHT MARGIN: 80//
<RET>

Enter printer device OR press <RET> for labels to show on screen.

Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: W <RET>

OR if W is entered in the first prompt:

Select WARD: 10E <RET>

Select Supplemental Feeding Time
(10,2,8,ALL): ALL <RET>

Do you want Ingredient list only? N// Y <RET>

Consolidated List only? Y// <RET>

"Y" will print a consolidated list of ingredients, summed for the ward.

"N" will print a list for the selected time or three lists for all the times.

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Enter the proper printer designation OR press <RET> and the labels will show only on the screen. A delay of 10-25 seconds is normal.

```
LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N// Y
Consolidated List only? Y//
Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
    **** CONSOLIDATED ****
   **** INGREDIENTS LIST ****
     SUPPLEMENTAL FEEDINGS
        15-Mar-95 ALL
APPLESAUCE/SPOON
                              1
BANANA
CEREAL I/BOWL/SPOON
CRAX, GRAHAM, PKG
                              6
                              2
                              1
CUSTARD/SPOON
DESSERT OF THE DAY
                             10
FRUIT, FRESH
                              2
ICE CREAM/SPOON
MILK, SKIM
                              5
                              5
MILK,2%
                              1
SANDWICH DB HALF
                              1
SANDWICH DB II
    **** PATIENTS = 11 ****
```

82

```
Select Production Reports Option: LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N// Y
Consolidated List only? Y// N
Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
   **** INGREDIENTS LIST ****
      SUPPLEMENTAL FEEDINGS
        15-Mar-95 10 AM
APPLESAUCE/SPOON
BANANA
CEREAL I/BOWL/SPOON
                              6
ICE CREAM/SPOON
                              2
                              1
MILK, SKIM
MILK,2%
                               5
    **** PATIENTS = 8 ****
   **** INGREDIENTS LIST ****
      SUPPLEMENTAL FEEDINGS
        15-Mar-95 2 PM
APPLESAUCE/SPOON
DESSERT OF THE DAY
FRUIT, FRESH
SANDWICH DB II
    **** PATIENTS = 6 ****
   **** INGREDIENTS LIST ****
      SUPPLEMENTAL FEEDINGS
        15-Mar-95 8 PM
CRAX, GRAHAM, PKG
CUSTARD/SPOON
DESSERT OF THE DAY
MILK, SKIM
SANDWICH DB HALF
```

**** PATIENTS = 9 ****

```
Select Production Reports Option: LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N//
Place Labels in Printer
Select LABEL Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
HOOK, CAPTAIN NEW 1 EAST/101-04
  8688
               15-Mar-95 10 AM
 1 APPLESAUCE/SPOON
 1 ICE CREAM/SPOON
PONCHO, PINTA NEW 1 EAST/103-01
  4444 15-Mar-95 10 AM
 1 BANANA
 1 CEREAL I/BOWL/SPOON
 1 MILK, SKIM
JUAREZ, JULIO NEW 1 EAST/
   3285 *NURSE 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
ADMIT,TWO NEW 1 EAST/
2725 15-Mar-95 10 AM
 1 APPLESAUCE/SPOON
 1 ICE CREAM/SPOON
NHCU, FINAL NEW 1 EASI,
15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
NHCU, FRED NEW 1 EAST,
1717 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
GERI,ATRIC NEW 1 EAST/
0191 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
```

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM 1 CEREAL I/BOWL/SPOON 1 MILK,2% **** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 10 AM APPLESAUCE/SPOON 2 BANANA 1 CEREAL I/BOWL/SPOON 6 ICE CREAM/SPOON 1 MILK, SKIM MILK,2% **** PATIENTS = 8 **** PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 2 PM 1 APPLESAUCE/SPOON 2 FRUIT, FRESH 1 SANDWICH DB II JUAREZ, JULIO NEW 1 EAST/ 3285 *NURSE 15-Mar-95 2 PM 1 DESSERT OF THE DAY NHCU,FINAL NEW 1 EAST/ 8262 15-Mar-95 2 PM 1 DESSERT OF THE DAY NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 2 PM 1 DESSERT OF THE DAY GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 2 PM 1 DESSERT OF THE DAY NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 2 PM 1 DESSERT OF THE DAY

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 2 PM

| APPLESAUCE/SPOON | 1 |
|--------------------|---|
| DESSERT OF THE DAY | 5 |
| FRUIT, FRESH | 2 |
| SANDWICH DB II | 1 |

**** PATIENTS = 6 ****

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 8 PM

1 MILK, SKIM 1 CUSTARD/SPOON

JUAREZ, JULIO NEW 1 EAST/
3285 *NURSE 15-Mar-95 8 PM
1 DESSERT OF THE DAY

ELLIOTT, MARGUERITE NEW 1 EAST/ 5432 *NURSE 15-Mar-95 8 PM 1 MILK, SKIM 1 CRAX, GRAHAM, PKG

NHCU,FINAL NEW 1 EAST/ 8262 15-Mar-95 8 PM 1 DESSERT OF THE DAY

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 8 PM 1 DESSERT OF THE DAY

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 8 PM 1 DESSERT OF THE DAY

| NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 8 PM 1 DESSERT OF THE DAY |
|--|
| TEST,TT NEW 4 SOUTH/414-01 0912 15-Mar-95 8 PM 1 MILK, SKIM 1 SANDWICH DB HALF |
| TEST, MAX NEW 4 SOUTH/412-01 9281 15-Mar-95 8 PM 1 MILK, SKIM 1 CRAX, GRAHAM, PKG |
| **** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 8 PM |
| CRAX, GRAHAM, PKG 2 CUSTARD/SPOON 1 DESSERT OF THE DAY 5 |

**** PATIENTS = 9 ****

October 1995

MILK, SKIM

SANDWICH DB HALF

4

This is an example of how label print when separate Supp Fdg labels is indicated in the Supplemental Feeding Site parameter.

LA Run SF Labels/Consolid Ingred List

Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S <RET>

Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS <RET>

Select Supplemental Feeding Time (10,2,8,ALL): ALL <RET>

Do you want Ingredient list only? N// <RET>

Place Labels in Printer

Select LABEL Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80//

HOOK, CAPTAIN NEW 1 EAST/101-04 8688 15-Mar-95 10 AM

1 APPLESAUCE/SPOON

HOOK, CAPTAIN NEW 1 EAST/101-04 8688 15-Mar-95 10 AM

1 ICE CREAM/SPOON

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 10 AM

1 BANANA

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 10 AM

1 MILK, SKIM

JUAREZ, JULIO NEW 1 EAST/ 3285 *NURSE 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

JUAREZ, JULIO NEW 1 EAST/ 3285 *NURSE 15-Mar-95 10 AM

1 MILK,2%

ADMIT,TWO NEW 1 EAST/ 2725 15-Mar-95 10 AM

1 APPLESAUCE/SPOON

ADMIT,TWO NEW 1 EAST/ 2725 15-Mar-95 10 AM

1 ICE CREAM/SPOON

NHCU, FINAL NEW 1 EAST/ 8262 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

NHCU, FINAL NEW 1 EAST/ 8262 15-Mar-95 10 AM

1 MILK,2%

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 10 AM

1 MILK,2%

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 10 AM

1 MILK,2%

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM

1 MILK,2%

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 10 AM

| APPLESAUCE/SPOON | 2 |
|---------------------|---|
| BANANA | 1 |
| CEREAL I/BOWL/SPOON | 6 |
| ICE CREAM/SPOON | 2 |
| MILK, SKIM | 1 |
| MILK, 2% | 5 |

**** PATIENTS = 8 ****

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM]

Option: MR Meal Production Reports (132 Column) [FHPRO5)]

This section discusses how the Food Management files are used to generate the on-demand output for the operation of the program. All reports are generated under option MR Meal Production Reports. Production reports have been designed to meet the needs of various food production practices.

The Meal Production Reports (MR) option will generate six reports separately or in combination. One prompt sequence gives the user the opportunity to select which reports to print. Each of the reports will be described in this section:

Production Summary

Meal Distribution Report

Meal Service Summary

Recipe Preparation

Storeroom Requisition

Printed Recipes

A census cover page is always printed before each production report. It will identify whether the report was generated from a forecasted census or from an actual census. Both reports include:

- 1. Production diets sorted by production diet print order.
- 2. Service point census for each production diet.
- 3. A consolidated census for each production diet.
- 4. A label in the upper right corner showing census or forecast.

If the Production Report is based on forecast, production quantities are predicted from MAS data and production diet percentages; gratuitous and paid meals are included. If the report is based on actual census, production quantities are based on an actual tally of diet orders with gratuitous and paid meals added in. Production Reports do not include special menu items or add-ons. Adjustments for these must be made manually. The day and date of printing is displayed at the top as well as the meal and "actual" or "forecast" census. To initiate any one of the five (5) reports, the user must specify the date requested, service point, meal, and whether to base the report on a forecasted or actual census.

It is intended that Meal Production Reports be run using forecast census to anticipate storeroom pull and recipe preparation requirements. Closer to actual

production time, these reports should be run based on actual census to determine actual production needs and identify any significant variances.

If Forecast Census is selected under Meal Production Reports (MR) the user has the ability to override the predicted census for each service point. The program will use the "override" census value to calculate production needs for the selected service point according to its production diet percentages. Since the forecasting process is not accurate for holidays, this override function is useful for adjusting census to a more reasonable number. It is also useful when you are aware of large census variations for any given meal.

Example:

Many patients (75) from a service point will be going out on a picnic. You do not want to prepare the usual amount of food because you know the patients will be gone. You can override the forecasted census (200) and enter a lower census value (125). The production servings will be planned for the lower census value (125).

This override can also be used if you anticipated a larger than normal census; i.e., extra patients are coming in for a special test. The forecasted census for the needed service point can be overridden and a larger census figure used to plan production needs.

The following prompt sequence is used to generate the production report(s) either based on a "forecasted" census or "actual" census. Production Report printouts will be preceded by the census for the meal specified - either actual or forecasted.

Prompt/User Entry:

If there is more than one production facility, user will see:

Select PRODUCTION FACILITY: MAIN
KITCHEN <RET>

Select Date: **4/1 <RET>** (APR 01, 1995)

Select MEAL (B,N,E or ALL): ?? <RET>
Select B for Breakfast, N for Noon,
or E for Evening or ALL for all meals

Select MEAL (B,N,E or ALL): B <RET>

Do you want PRODUCTION Summary? (Y/N): Y <RET>

Discussion:

Enter ?? <RET> to get a listing of Production Facilities or at any other prompt to get help.

Enter date of report requested.

Enter meal requested. If ALL is selected, a census cover page will print before each meal.

Y for yes; N for no.

Do you want MEAL SERVICE Summary (Y/N): Y <RET>

Do you want RECIPE PREPARATION Sheet?

(Y/N): Y < RET >

Do you want STOREROOM REQUISITION

Sheet? (Y/N): Y < RET >

Do you want PRINTED RECIPES? (Y/N)

N// Y <RET>

Use CENSUS or FORECAST?(C or F): C
<RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// 132
<RET>

If yes is selected, then all recipes that have a yes in the Print Recipe field under Enter/Edit Recipe (RE) will be adjusted and printed along with report. If no is selected, no recipes will print.

Any of the reports can be based on actual census or forecasted census.

OR

Use CENSUS or FORECAST?(C or F): F
<RET>

Forecasting...

Service Point: SCI
Forecast Census: 101// <RET>

Service Point: MED/SURG//
Forecast Census: 532//557 <RET>

If forecast is selected, the prompt will be displayed as automatically forecasting the census for each service point. The user may override a forecasted census by inserting a new census number after the slashes //.

If the user chooses to override the forecasted census, the program will adjust all production diet percentages.

If the actual census is selected in #9, the report will begin with the actual diet census and the selected reports will automatically follow the census.

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// 132
<RET>

Enter printer device OR press <RET> as shown for report to only show on screen.

Production Summary

This report can be printed on a single page or on separate pages for distribution to the various preparation areas by answering "YES" to Separate Pages under Modify Site Parameters (SP). If the report is printed on one page, the recipe name will be followed by the preparation area in parentheses. If the report is printed on separate pages, the preparation area will be printed in the header.

The report is designed as follows:

Content Title of Report: Production Summary

Date Printed (upper left)

Day, Date and Meal Requested (center)

Preparation Area

Printed from Forecast or Census (Actual) (upper right)

Recipes for the Meal Selected

Portion Size

Utensil

Production Amounts for both Tray and Cafeteria by Service Point

Total Production Amount for each recipe

Sorted By Preparation Area

Alphabetically Within Each Preparation Area

Possible Uses

- 1. Provides a listing of all menu items and the portions required for each service point. Can be used by preparation area personnel. Bulk quantities can be portioned and sent to the appropriate service point(s).
- 2. If a preparation area entitled "trayline" is established, traylines can be stocked with all necessary items prior to each meal.

3. Consolidated menu item reference for management.

Meal Distribution Report

This report is optional. It is automatically printed after the Production Summary report if the answer is "YES" to the prompt Print Meal Distribution Report under Modify Site Parameters (SP). This report uses the Production Summary Site Parameter for separate pages. This report lists the quantities by weight or number for portions for all recipe items to be sent to each service point. The report is designed as follows:

Content Title of Report: Meal Distribution Report

Date Printed (upper left)

Day, Date, and Meal Requested (center)

Service Point

Printed from Forecast or Census (Actual) (upper right)

Recipes for the Meal Selected

Preparation Area

Portion Size

Weight or Number of Portions

Consolidated Portions, Weights, and Volume

Sorted By Preparation Area

Alphabetically Within Each Preparation Area

Possible Uses

- 1. Provides a listing of all menu items and the quantities required for each service point. Can be used by preparation area personnel. Bulk quantities can be weighed, measured, or portioned and sent to the appropriate service point(s).
- 2. If food has traditionally been tallied or

- amounts for preparation have been based on weight or volume rather than by portions, this report can replace that manual function.
- 3. If a preparation area entitled "trayline" is established, traylines can be stocked with all necessary items prior to each meal.
- 4. Consolidated menu item reference for management.

Meal Service Summary

This report will be printed on separate pages for each service point. If more than eighteen (18) production diet codes exist, a second page will print. The report is designed as follows:

Content Title of Report: Meal Service Summary

Date Printed (upper right)

Day, Date, and Meal Requested (Center)

Service Point (upper left)

Printed from Forecast or Census (Actual)

(upper right)

Recipes for the Meal Selected

Portion Size

Utensil

Production Diet Codes for Each Recipe (according

to production diet print order)

Portion Amounts by Type of Meal Service

(Cafeteria, Tray)

Consolidated Portion Amounts by

Service Point

Sorted By Service Point, Preparation Area

Within Each Preparation Area

October 1995

Possible Uses

- 1. May be used to verify accuracy of menu items based upon production diet codes.
- 2. May be used as a trayline guide for serving modified diets.

Recipe Preparation

This report can be produced on a single page or separate pages for distribution to the various preparation areas if the user answers "YES" to the prompt for Separate Pages under Modify Site Parameters (SP). If the report is printed on separate pages, the preparation area will appear in the header; otherwise it will appear in parentheses after each food item. The report is designed as follows:

Content Title of Report: Recipe Preparation

Date Printed (upper left)

Day, Date, and Meal Requested (center)

Preparation Area

Printed from Forecast or Census (Actual) (upper right)

Recipes for the Meal Selected

Number of Portions

Ingredients Contained in Each

Recipe

Ingredient Quantities in the recipe unit. See

Enter/Edit Ingredients (IE).

Storeroom Amount which is the issue unit. See

Enter/Edit Ingredients (IE).

Sorted By Preparation Area

Alphabetically Within Each Preparation

Area

Possible Uses

1. Can be used by ingredient control personnel to group ingredients together for each recipe.

2. Experienced cooks may find this useful for basic recipes or recipes used on a daily basis (i.e., breakfast items), eliminating the need to print all recipes, particularly in facilities that use convenience food items.

Storeroom Requisition

This report lists each required ingredient for the meal selected and the recipes containing that ingredient. It can be produced as a single page or as separate pages sorted by storeroom by answering "YES" to Separate Pages under Modify Site Parameters (SP). If the report is printed on separate pages, the Storeroom location will appear in the header; otherwise it will appear in parentheses after each food item. The report is designed as follows:

Content Title of Report: Storeroom Requisition

Date Printed (upper left)

Day, Date, and Meal Requested (center)

Storeroom Location

Printed from Forecast or Census (Actual) (upper right)

Ingredients for the Meal Selected

Storeroom Amount in the Issue Unit

Recipes Associated with a Particular Ingredient

Quantity in the Recipe Unit

Storeroom Location

Alphabetically Within Each Storeroom

Location

1. Can be used by Dietetic warehouseman to pull ingredients from storeroom.

Possible Uses

Sorted By

^{*}Storeroom quantities that are less than 5% of the issue unit will appear as a zero.

- 2. If the 'Recipe Preparation' option is not selected, the ingredient control personnel may use the storeroom requisition to group ingredients for each recipe.
- 3. Can be used to update a perpetual inventory.
- 4. Can be used to pull frozen foods by running several days in advance.

HELPFUL HINTS

- 1. Quantity is presented in the Recipe Unit. Fractions are automatically converted to the next smaller unit. This is done so that quantities do not appear in decimal form, e.g. 14.48 LB.
- 2. Storeroom Amount is rounded to the nearest whole Issue Unit.

Print Recipes

Adjusted recipes will print out on separate pages, if the user answered "YES" to the prompt for printing recipes in Enter/Edit Recipes (RE). Recipes are automatically adjusted according to the census, but not for standing orders or food preferences. To adjust these, it will be necessary to reprint the recipe using Print Adjusted Recipe (RP) option for a new quantity. If a recipe appears more than once in a meal, the quantities will be combined.

If a separate census is desired to accompany recipes, answer "NO" to all prompts under Meal Production Reports (MR) except for the prompt 'Print Recipes'. Recipes for all three meals can be printed at the same time and a census will precede each meal.

The report is designed as follows:

Content Title of Report: Adjusted Recipe

Date Printed (upper right)

Portion Size/Number of Portions Required from Forecasted or

^{*}Specifying storeroom locations is recommended to facilitate the pulling of ingredients. Any items which do not have a storeroom specified will print on a separate page at the end of this report.

Actual Census

Preparation Time

Equipment

Serving Utensil

Category

Ingredients and Amounts Required from Forecasted or Actual Census

Directions for Preparation

Sorted By

Recipe Preparation Area

Possible Uses

- 1. Adjusted recipes provide an accurate reference for the food production staff in the preparation of menu items.
- 2. Hard copies of recipes are generated according to the forecasted or actual census for a particular meal or day and can be discarded after the meal.

HELPFUL HINTS

- 1. The samples show one method of handling diet recipes. The use of embedded recipes can eliminate much data entry.
- 2. Rounding occurs at the smallest unit.
- 3. Since recipes automatically printed with meal production reports are not automatically adjusted to include standing orders and food preferences, the usefulness of this auto-print function should be evaluated. It may be simpler to print the recipes once for the correct quantity using option Print Adjusted Recipe (RP).

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM]

Option: PU Projected Usage (132 Column Compressed) [FHPRR1]

This option displays the quantity of ingredients required for a specified time period based upon the recipes entered into Enter/Edit Meals (ME) and a census specified by the user. This report requires 132 column paper.

This report provides the user with quantity and cost data from the information entered into Enter/Edit Ingredients (IE) and from the information entered into Enter/Edit Meals (ME). The average census entered by the user is adjusted according to the production diet percentages to arrive at a quantity of ingredients required for the specified time period. This report is based upon ingredients in the menus; therefore, tube feedings, standing orders, bulk ward feedings, and supplemental feedings must be manually accounted for when ordering or determining budget projections.

Content Title of Report: Production Requirements

Date Printed (upper left)

Date of Timeframe Specified (center)

Average Total Census (upper left)

Ingredient

Purchase Quantity (total amount consumed in U/P for specified period)

Cost of Purchase Quantity

Issue Quantity

(total amount as Ingredient Unit)

Recipe Quantity (total amount as Recipe Unit)

Total Cost of Purchase Quantity

Sorted By Vendor

Alphabetically Within Each Vendor

Possible Uses

- 1. The ingredient usage data can be tracked for days, weeks, months, quarters, or annually to determine actual usage and to determine changes in usage patterns.
- 2. This report will enhance the accuracy of ordering procedures.
- 3. If cost data has been entered into Enter/Edit Ingredients (IE), the report can be used as a budget projection tool.

Prompt/User Entry:

Select PRODUCTION FACILITY: MAIN
KITCHEN <RET>

Starting Date: **1/1 <RET>** (JAN 01, 1995)

Ending Date: 1/31/95 <RET> (JAN

31, 1995)

Service Point: HOSPITAL TL
Average Census: 220 <RET>

Service Point: HOSPITAL CL Average Census: 320 <RET>

Sort by Vendor: Y// Y <RET>

Select LIST Printer: HOME// <RET>
PC ETHER NET RIGHT MARGIN: 132//
<RET>

Discussion:

Enter ?? <RET> to get listing of Production Facilities.

Enter beginning and ending dates of a menu cycle or weekly menu.

Enter an estimated census number that would ensure sufficient ordering projections, e.g., 220.

Enter an estimated census number that would ensure sufficient ordering projections, e.g., 320. Continue entering census numbers until you reach Sort by Vendor prompt.

Answer YES if vendors have been specified in Enter/Edit Ingredients (IE). If a vendor has not been specified, the items will be listed at the top in alphabetical order.

Enter printer device OR press <RET> as shown and enter 132 so that report will show on screen -- aligned.

HELPFUL HINTS

1. If an entire cycle is selected, the amount of time required to generate the report is approximately one (1) hour.

PRINTING SCHEDULE

A suggested report printing schedule has been included to assist the user in developing a meal production report schedule that meets the needs of each facility. The type of report, the printing times and dates, and the patient turnover rate will vary for each facility; therefore, this is a general guideline.

This schedule is based upon a facility that has a high patient turnover rate, an ingredient control unit that is staffed five days per week, with tray assembly beginning at 6:30 a.m. for the breakfast (B) meal, 11:30 a.m. for the noon (N) meal, and 4:30 p.m. for the evening (E) meal.

Run STOREROOM REQUISITION (Forecast Census)

| At 7:30 a.m. |
|--------------|--------------|--------------|--------------|------------------|
| On: Monday | Tuesday | Wednesday | Thursday | Friday |
| For: Tuesday | Wednesday | Thursday | Friday | Saturday, Sunday |
| All Meals | All Meals | All Meals | All Meals | Monday |

Run Production Summary (Actual Census) Meal Service Summary (Actual Census) Recipe Preparation (Actual Census) Print Recipes (Actual Census)

| On: Monday | Tuesday | Wednesday | Thursday | Friday |
|----------------|----------------|----------------|----------------|--------------|
| For: Monday | Tuesday | Wednesday | Thursday | Friday |
| N @ 8:00 a.m. | N @ 8:00a.m. |
| E @ 11:30 a.m. | E @11:30a.m. |
| Tuesday | Wednesday | Thursday | Friday | Saturday B @ |
| B @ 11:30 a.m. | 11:30 a.m |

| On: Sat | Sun |
|----------------|----------------|
| For:Sat | Sun |
| N @ 8:00 a.m. | N @ 8:00 a.m. |
| E @ 11:30 a.m. | E @ 11:30 a.m. |
| Sun | Mon |
| B @ 11:30 a.m. | B @ 11:30 a.m. |

HELPFUL HINTS

- 1. Decide what reports are needed when and whether they should be run on forecasted or actual census data.
- 2. Reports run in advance should be done on forecast. Reports run closer to service time should be done on actual census data.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM]

Option: RP Print Adjusted Recipe (80 Column) [FHREC2]

This option allows the user to print a recipe for any number of servings. All quantities of ingredients are automatically adjusted for the desired yield. Quantities are rounded off to the smallest unit of measure to avoid fractions. Some recipes have embedded recipes. This means there is a recipe within a recipe, e.g., Turkey Pot Pie is the principle recipe with Batter Topping used as an embedded recipe. If the principle recipe is printed, the embedded recipe automatically prints, and is designated by an asterisk.

This option can be used after Ingredient and Recipe Files have been completed. To introduce the food production staff to computerization many facilities may choose to use the Print Adjusted Recipe (RP) option prior to building the Meal File under Menu Cycle Management (XM).

Prompt/User Entry: Discussion:

| Select RECIPE NAME: TURKEY POT PIE <ret></ret> | Enter desired Recipe Name. Enter ?? <ret> to get listing of names.</ret> |
|--|--|
| Number of Portions: 256 <ret></ret> | Enter a number between 1 and 5000, e.g., 256. |
| Select Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer device OR press <ret> as shown so that report will show on screen.</ret> |

In the following samples, note the number of portions in both the recipe and the embedded recipe. The Batter Topping recipe will automatically print with the Turkey Pot Pie recipe. It is not necessary to request each recipe separately.

HELPFUL HINTS

- 1. Print hard copies of all recipes in a standardized amount (e.g., 100 portions) to be used as back-up references.
- 2. Recipe units are automatically adjusted downward through the next two smaller measures. The smallest measure that will print is 1/8 tsp.
- 3. If some production quantities or recipes need to be adjusted after running Meal Production Reports, run RP Print Adjusted Recipe for

just those recipes, rather than re-running all of Meal Production Reports.

For printout, refer to Meal Production Report.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: SL Print Standing Order Labels [FHSP8]

This option allows the user to print labels for standing orders.

Select SERVICE POINT (or ALL): ALL
<RET>

Enter ?? <RET> to get listing of Service Points, then select Service Point as shown.

Select Meal (B,N,E, or ALL): ??
<RET>

Enter B for Breakfast, N for Noon, E for Evening or ALL for all meals

Select Meal (B,N,E, or ALL): N <RET>

Place Labels in Printer

Select LABEL Printer: HOME// <RET>
PC ETHER NET RIGHT MARGIN: 80//
<RET>

Enter B, N, E, or ALL.

Enter printer instructions OR press <RET> to see report on screen.

ADAMS,CYNTHIA NEW 2 WEST/ 6789 *NURSE 15-Mar-95 NOON 1 APPLE

ADAMS,CYNTHIA NEW 2 WEST/ 6789 *NURSE 15-Mar-95 NOON 2 LEMON COOKIES

TEST, ASIH NEW 2 WEST/205-01 3456 15-Mar-95 NOON 2 APPLE

TEST, PASS NEW 2 WEST/207-02 3347 15-Mar-95 NOON 1 APPLE

TEST, PASS NEW 2 WEST/207-02 3347 15-Mar-95 NOON 3 LEMON COOKIES

GALTON, FRANCIS NEW 3 NORTH/
9258 15-Mar-95 NOON
1 DOUBLE PORTIONS

GALTON, FRANCIS NEW 3 NORTH/ 9258 15-Mar-95 NOON 1 FRUIT PUCH (ART)

GALTON, FRANCIS NEW 3 NORTH/
9258 15-Mar-95 NOON
1 PUDDING (WHOLE MILK)

Menu: AD Dietetic Administration... [FHMGRA]
Submenu: PR Production Reports... [FHADM]

Option: SO Tabulate Standing Orders (80 Column) [FHSP5]

The purpose of this option is to print the totals of the standing orders by meal. The totals change when discharges occur.

Prompt/User Entry:

Discussion:

Select SERVICE POINT (or ALL): ALL
<RET>

Enter ?? <RET> to get listing of Service Points, then select Service Point as shown.

Select Meal (B,N,E, or ALL): ??
<RET>

Enter B, N, E, or ALL.

Enter B for Breakfast, N for Noon, E for Evening or ALL for all meals $\,$

Select Meal (B,N,E, or ALL): N <RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Enter printer instructions OR press <RET> to see report on screen.

15-Mar-95 8:37am STANDING ORDERS

Page 1

NOON

| Quantity | Order |
|----------|-----------------------|
| 14 | APPLE |
| 9 | BEEF BLENDER |
| 2 | CANNED FRUIT |
| 1 | CHICKEN BROTH |
| 2 | CHICKEN LEG |
| 2 | CHICKEN SOUP |
| 3 | COKE |
| 3 | COLE SLAW |
| 2 | DIET PUDDING |
| 1 | DOUBLE PORTIONS |
| 1 | FRESH SALAD |
| 1 | FRUIT PUCH (ART) |
| 1 | FRUIT PUNCH (NATURAL) |
| 5 | GRILLED CHEESE |
| 1 | HEATH BAR |
| 4 | HOT CHICKEN WINGS |
| 36 | LADY FINGERS |
| 25 | LEMON COOKIES |
| 7 | OREO COOKIES |
| 1 | PEACHES |
| 1 | PEPSI |
| 3 | POTATO PANCAKE |
| 1 | POTATO SALAD (HOME) |
| 1 | PUDDING |
| 2 | PUDDING (NONE LACTIC) |
| 1 | PUDDING (WHOLE MILK) |
| 2 | SOUR CREAM |
| 1 | SPINACH |
| 1 | WHALE BLUBBER |
| 2 | WHITE BREAD |

HELPFUL HINTS AND NOTES

- 1. The tabulated standing orders do not have patient identification or location.
- 2. All orders appear on one sheet. Duplicate sheets may need to be run for different preparation areas.
- 3. Reminder: Standing Orders are not saved after discharge.

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: SP Consolidate Standing Orders [FHSP7]

This option allows user to tally by Service Point and consolidate by meal or day.

| Prompt/User Entry: | Discussion: |
|---|---|
| <pre>Select SERVICE POINT (or ALL): ALL <ret></ret></pre> | Enter ?? <ret> to get listing of Service Points, then select Service Point or ALL as shown.</ret> |
| <pre>Select Meal (B,N,E, or ALL): ALL <ret></ret></pre> | Enter B, N, E, or ALL. |
| Consolidated List Only? Y// ?? <ret> Answer YES or NO</ret> | |
| Consolidated List Only? Y// NO <ret></ret> | Only press <ret> if answer (default) is yes.</ret> |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer instructions OR press <ret> to see report on screen.</ret> |

```
15-Mar-95
          STANDING ORDERS LIST
                                                                Page 1
8:38am
                                HOSP T
                             15-Mar-95 Noon
                           7 APPLE
                           3 BEEF BLENDER
                          1 CANNED FRUIT
                          2 CHICKEN SOUP
                          2 COKE
                          1 COLE SLAW
                          1 DIET PUDDING
                          1 DOUBLE PORTIONS
                          1 FRUIT PUCH (ART)
                          1 GRILLED CHEESE
                          4 HOT CHICKEN WINGS
                          16 LADY FINGERS
                          9 LEMON COOKIES
                          1 PUDDING
                          2 PUDDING (NONE LACTIC)
                          1 PUDDING (WHOLE MILK)
                          1 SPINACH
                          1 WHALE BLUBBER
                          **** PATIENTS = 11 ****
15-Mar-95 STANDING ORDERS LIST Page 2
8:38am
                                 NH C
                             15-Mar-95 Noon
                           6 APPLE
                           6 BEEF BLENDER
                           1 CANNED FRUIT
                          1 CHICKEN BROTH
                           2 CHICKEN LEG
                           1 COKE
                           2 COLE SLAW
                          1 FRESH SALAD
                          1 FRUIT PUNCH (NATURAL)
                          3 GRILLED CHEESE
                          1 HEATH BAR
                          16 LADY FINGERS
                          14 LEMON COOKIES
                          7 OREO COOKIES
                          1 PEPSI
                          3 POTATO PANCAKE
                          1 POTATO SALAD (HOME)
                           2 SOUR CREAM
                           2 WHITE BREAD
                          **** PATIENTS = 13 ****
15-Mar-95
             STANDING ORDERS LIST
                                                               Page 3
8:38am
```

NURHC 15-Mar-95 Noon

- 1 APPLE
- 1 DIET PUDDING
- 1 GRILLED CHEESE
- 4 LADY FINGERS
- 2 LEMON COOKIES
- 1 PEACHES

**** PATIENTS = 2 ****

Select Production Reports Option: SP Consolidate Standing Orders

Select SERVICE POINT (or ALL): ALL

Select Meal (B,N,E,or ALL): N

Consolidated List Only? Y//

Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

15-Mar-95 CONSOLIDATED STANDING ORDERS Page 1 8:39am

15-Mar-95 Noon

| | HOSP T | NH C | NURHC | TOTAL |
|-----------------------|--------|------|-------|-------|
| APPLE | 7 | 6 | 1 | 14 |
| BEEF BLENDER | 3 | 6 | _ | 9 |
| CANNED FRUIT | 1 | 1 | | 2 |
| CHICKEN BROTH | | 1 | | 1 |
| CHICKEN LEG | | 2 | | 2 |
| CHICKEN SOUP | 2 | | | 2 |
| COKE | 2 | 1 | | 3 |
| COLE SLAW | 1 | 2 | | 3 |
| DIET PUDDING | 1 | | 1 | 2 |
| DOUBLE PORTIONS | 1 | | | 1 |
| FRESH SALAD | | 1 | | 1 |
| FRUIT PUCH (ART) | 1 | | | 1 |
| FRUIT PUNCH (NATURAL) | | 1 | | 1 |
| GRILLED CHEESE | 1 | 3 | 1 | 5 |
| HEATH BAR | | 1 | | 1 |
| HOT CHICKEN WINGS | 4 | | | 4 |
| LADY FINGERS | 16 | 16 | 4 | 36 |
| LEMON COOKIES | 9 | 14 | 2 | 25 |
| OREO COOKIES | | 7 | | 7 |
| PEACHES | | | 1 | 1 |
| PEPSI | | 1 | | 1 |
| POTATO PANCAKE | | 3 | | 3 |
| POTATO SALAD (HOME) | | 1 | | 1 |
| PUDDING | 1 | | | 1 |
| PUDDING (NONE LACTIC) | 2 | | | 2 |
| PUDDING (WHOLE MILK) | 1 | | | 1 |
| SOUR CREAM | | 2 | | 2 |
| SPINACH | 1 | | | 1 |

| WHALE BLUBBER | 1 | | | 1 |
|---------------|----|----|---|----|
| WHITE BREAD | | 2 | | 2 |
| | | | | |
| # OF PATIENTS | 11 | 13 | 2 | 26 |

Menu: AD Dietetic Administration... [FHMGRA]
Submenu: PR Production Reports... [FHADM]
Option: TP Tabulate Patient Meal Preferences (80 Column) [FHSEL5]

This option tabulates preferences which are relevant for the meal designated. This can only be done if the menu and recipes have been entered in the computer. If the menu is in the computer, the program knows which food items are to be served for the meals.

The report will not simply total the name of the preference, e.g., "18 NO LIVER". It will instead, tally the recipes involved:

DIET SWISS LIVER (2 OZ) 3 DIET SWISS LIVER (3 OZ) 1 GRILLED LIVER W/ONIONS (3 OZ) 14

Therefore, if there is no liver in the meal, it will ignore liver preferences.

The information on this report is important in determining and adjusting production needs for the meal.

| Prom | pt/ | User | Entry | : |
|-----------|-----|------|--------------|---|
| 1 1 0 111 | D U | | THE T | • |

Discussion:

| <pre>Select SERVICE POINT (OR ALL): ALL <ret></ret></pre> | If only one Service Point exists, this prompt will not appear. |
|---|--|
| Tabulate By Menu Specific? N// <ret></ret> | If Yes, to tabulate by recipes. If No, to tabulate by Food Preferences. |
| Select MEAL (B,N,E or ALL): N <ret></ret> | Select one meal at a time or ALL. |
| Break Down By Production Diets? N// Y <ret></ret> | |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter the proper printer designation OR <ret> as shown for report to show on screen.</ret> |

| 15-Mar-95 8:40am M E | A L P R | EFER | E N C E | S | Page 1 |
|---|-----------------------|-----------------------|---------|-----------------------|--------|
| | WEDNESDAY | 15-Mar-9 | 5 NOON | | |
| Preference | HOSP T | NH C | NURHC | TOTAL | |
| | | | | | |
| | L I | K E S | | | |
| Prod. Diet: CHOLESTEROL REST | 'RI | | | | |
| WHOLE-WHEAT BREAD | | 1 | | 1 | |
| Prod. Diet: CLEAR LIQUID | | | | | |
| BEEF BURGER GELATIN SPAGHETTI TEA WHOLE-WHEAT BREAD | | 2 2 1 1 3 | | 2 2 1 1 3 | |
| Prod. Diet: LOW CHOLESTEROL | | | | | |
| BROCCOLI CHILI MAC ICE CREAM MILK POTATO CHIPS SKIM MILK | 1 1 3 1 1 | | | 1 1 3 1 1 | |
| Prod. Diet: MODERATE SODIUM | (8 | | | | |
| BEEF BURGER | 1 | | | 1 | |
| CHILI MAC ICE CREAM WHOLE-WHEAT BREAD | 1 2 2 | | | 1 2 2 | |
| Prod. Diet: REGULAR | | | | | |
| BEEF BURGER BROCCOLI CHILI MAC | 1 | 1 1 1 | | 2 1 1 | |
| 15-Mar-95 8:40am M E | A L P R | EFER | E N C E | S | Page 2 |
| | WEDNESDAY | 15-Mar-9 | 5 NOON | | |
| Preference | HOSP T | NH C | NURHC | TOTAL | |
| CHOC MILK GELATIN PANCAKE PIZZA PUFFS | 2 1 | 1 | 1 | 1 3 1 1 | |

| POTATO CHIPS RYE BREAD SHRIMP SKIM MILK SPAGHETTI TACO TANGERINE TEA WHITE BREAD WHOLE-WHEAT BREAD | | 1 1 2 1 1 | | | | 1 1 1 3 | 1 | 1 1 1 1 3 1 2 1 1 3 |
|---|----|--------------------------------------|---|-----------------|-----|------------------|----------------|---|
| D I | - | S | L | Ι | K | Ε | S | |
| Prod. Diet: CHOLESTEROL RESTRI | | | | | | | | |
| NO CHICKEN WATER | | 1 | | | | 1 1 | | 1 2 |
| Prod. Diet: CLEAR LIQUID | | | | | | | | |
| NO GREEN FOODS | | | | | | 1 | | 1 |
| Prod. Diet: HIGH FIBER | | | | | | | | |
| NO FISH | | | | | | 1 | | 1 |
| Prod. Diet: LOW CHOLESTEROL | | | | | | | | |
| NO BEEF NO CHICKEN NO CONDIMENT NO FISH NO HAM NO Jell-O NO PORK NO SOUP NO TACO NO TURKEY NO WHOLE WHEAT BREAD | | 1 1 1 1 1 1 1 1 | | | | | | 1 1 1 1 1 1 1 1 1 1 1 |
| Prod. Diet: MODERATE SODIUM (8 | | | | | | | | |
| NO BEEF NO SHRIMPS | | 1 1 | | | | 1 | | 1 2 |
| Select Production Reports Option: T | 'P | | Т | ab [.] | ula | at | e Patient Meal | Preferences |
| Select SERVICE POINT (or ALL): ALL | | | | | | | | |
| Tabulate By Menu Specific? N// Y | | | | | | | | |
| Select Date: T (MAR 15, 1995) | | | | | | | | |
| Select MEAL (B,N,E or ALL): N | | | | | | | | |
| Break Down By Production Diets? N// | , | Y | | | | | | |

Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

15-Mar-95 8:40am MEAL PREFERENCES Page 1

MENU SPECIFIC

WEDNESDAY 15-Mar-95 NOON

Recipe HOSP T NH C NURHC TOTAL

DISLIKES

Prod. Diet: MODERATE SODIUM (8

 CREAMER
 1
 1

 SALT SUB.
 1
 1

 SUGAR IND
 1
 1

Prod. Diet: REGULAR

PORK CHOP SUEY/RICE 1 2 3

Select Production Reports Option: TP Tabulate Patient Meal Preferences

Select SERVICE POINT (or ALL): ALL

Tabulate By Menu Specific? N// Y

Select Date: T (MAR 15, 1995)

Select MEAL (B,N,E or ALL): N

PINEAPPLE/GRPFRT JUICE, IND

Break Down By Production Diets? N//

Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

15-Mar-95 8:47am MEAL PREFERENCES Page 1

MENU SPECIFIC

WEDNESDAY 15-Mar-95 NOON

HOSP T NH C NURHC TOTAL Recipe

LIKES WHOLE WHEAT BREAD 1 4 1 6 DISLIKES APPLE JUICE, 40Z IND 1 1 1 1 2 2 BEEF BARLEY SOUP BEEF STROGANOFF 3 COFFEE CAKE 1 1 2 2 GREEN BEANS-MUSHROOMS 4 1

1

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: WL Ward Supplemental Feeding Lists [FHNO3]

The purpose of this option is to list all patients who receive supplemental feedings. If the patient is on an isolation which requires delivery by Nursing Service, "NURSE" will appear under the "ISOLAT" column. The date shown under "REVIEW" is the last date any transaction was made for that patient. When the date is over two weeks old, an asterisk will flag it for attention.

This facilitates the review mandated by M-2, Part III (3.06c). Ward Supplemental Feeding Lists (WL) can be viewed or printed.

| Prompt/User Entry: | Discussion: |
|---|--|
| Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S <ret></ret> | Enter S or W as shown. |
| Select SUPPLEMENTAL FEEDING SITE (or ALL): Supp Site 1 <ret></ret> | Select one Supplemental Feeding Site or ALL. Enter ?? <ret> to get listing of Feeding Sites.</ret> |
| Print Patients: (A=Alphabetically R=Room-Bed) R// | Take default by pressing <ret> to print report by Room-Bed or A for alphabetical order of patients' names.</ret> |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter the proper printer designation. (If only <ret> is pressed as shown, the information will show only on the screen. A delay of 10-25 seconds is normal.)</ret> |

The total quantities of supplemental feedings may be printed for each ward, including time period, if the Site Parameter is set for printing ingredients on ward lists.

Production Reports

| WARD SUPPLEMENTAL FEEDING LIS | T Page 1 |
|---|------------|
| Ward: NEW 3 NORTH 3-May | -95 1:23pm |
| ROOM PATIENT ID# SUPP MENU ISOLAT | REVIEW |
| GALTON, FRANCIS 9258 DB 1800 LS 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | 03-23* |
| MAS,TEN 1171 F/L 10AM 1 APPLESAUCE/SPOON; 1 ICE CREAM/SPOON | 03-15* |
| 312-01 DENNISTON, WILBUR 8987 ANTI *NURSE 10AM 1 CEREAL II/BOWL/SPOON; 1 MILK, SKIM; 2 CRAX PEANUT B 2PM 1 CRAX PEANUT BUTTER; 1 JUICE, ORANGE 40Z 8PM 1 SANDWICH DB HALF | |
| PORTER, JACK 3690 DB 1800 LS 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | 04-26 |
| WARD SUPPLEMENTAL FEEDING LIS | T Page 2 |
| - | -95 1:23pm |
| ROOM PATIENT ID# SUPP MENU ISOLAT | REVIEW |
| 312-03 TEST,ADMIT 9021 DB 1800 LS 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | 03-22* |
| 314-01 IONA,MISSY 2444 DB 1800 LS *NURSE 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | 03-22* |
| 314-02 TEST,TSIX 9010 ANTI 10AM 1 CEREAL II/BOWL/SPOON; 1 MILK, SKIM; 2 CRAX PEANUT B 2PM 1 CRAX PEANUT BUTTER; 1 JUICE, ORANGE 40Z | |
| 8PM 1 SANDWICH DB HALF | 0 |

Production Reports

WARD SUPPLEMENTAL FEEDING LIST Page 3

3-May-95 1:23pm Ward: NEW 3 NORTH

ID# SUPP MENU ISOLAT REVIEW ROOM PATIENT

316-01 ADMIT, ONE 2724 DB1900 ADA 03-15*

8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG

FULTON, THEODORE 7256 DB1800 ADA 03-10* 316-04

8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG

NEW 3 NORTH INGREDIENT LIST FOR 3-May-95

--- 10 AM ------ 2 PM ------ 8 PM ---

2 MILK, SKIM
2 CRAX PEANUT BUTTER
7 MILK, SKIM
1 ICE CREAM/SPOON
2 JUICE, ORANGE 40Z
7 CRAX, GRAHAM, PKG
1 APPLESAUCE/SPOON
2 SANDWICH DR HATE

4 CRAX PEANUT BUTTER

2 CEREAL II/BOWL/SPOON

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: WP Print Weekly Menu (132 Column Compressed) [FHPRC7]

This option displays a Weekly Menu for any specified production diet or all production diets. The order of the production diets, when "ALL" is selected, is determined by the print order specified in Enter/Edit Production Diets (PE). This report requires 132-column paper and a printing device that is capable of producing compressed print. One production diet is printed per page; however, if a production diet such as the regular diet contains numerous recipe names, the production diet will continue on a second page.

Recipe names will print in the orders specified by the Meal Print Order for the Recipe Category (CE). The recipe names are printed in alphabetical order within the same recipe category.

This report is useful for verifying the accuracy of the menus and for menu revisions. In facilities that display menus in long term care areas or in dining rooms, the weekly menu can be posted to inform patients of the current meals. This report will not be a usable document unless an entire week of menus has been entered into Enter/Edit Meals (ME). If the weekly menu is printed prior to entering an entire week of menus, inappropriate data will appear on the report.

Prompt/User Entry:

Select PRODUCTION DIET (or ALL): REGULAR <RET>

Select SUNDAY Date: 3/5 <RET> (MAR
05, 1995)

Select LIST Printer: HOME// <RET>
PC ETHER NET RIGHT MARGIN: 80// 132
<RET>

Discussion:

Enter Production Diet name or ALL. Enter ?? <RET> for listing of diets.

Enter Sunday's date for the week requested.

Enter printer device OR press <RET> and enter 132 as shown, and report will wrap on screen -- aligned.

Production Reports

Menu: AD Dietetic Administration... [FHMGRA] Submenu: PR Production Reports... [FHADM] Option: WR Print Weekly Menu Blocks (132 Column Compressed) [FHPRC12]

This option displays a weekly menu for any Recipe Category of any specified Production Diet or all Production Diets. It will print all recipe names in the order specified by the meal print order for the Recipe Category.

This report requires 132 column paper and a printing device that is capable of producing compressed print.

| Prompt/User Entry: | Discussion: |
|---|---|
| Select RECIPE CATEGORY: ENTREE <ret></ret> | Enter one Recipe Category name. Enter ?? <ret> at this prompt or any prompt below for help.</ret> |
| <pre>Select PRODUCTION DIET (or ALL): REGULAR <ret></ret></pre> | Enter a Production Diet or ALL. |
| Enter SUNDAY Date: 3/5 <ret> (MAR 05, 1995)</ret> | Enter a Sunday's date for the week requested. |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// 132 <ret></ret></ret> | Enter printer device OR press <ret> and enter 132 as shown, and report will wrap on screen aligned.</ret> |

Production Reports

Production Reports

SECTION II:

CLINICAL MANAGEMENT

Clinical Management

CD Clinical Dietetics ...

DC Dietetic Consults ...

- **AC** Review Active Consults
- CC Clear/Cancel/Reassign a Consult
- IN Consult Inquiry
- **OC** Order Consult

DR Dietetic Lists/Reports ...

- **BL** Birthday List
- DA Diet Activity Report/Labels
- DC Actual Diet Census
- **DR** Reprint Diet Labels
- **EL** List Early/Late Trays
- IL Isolation/Precaution Patient List
- LA Run SF Labels/Consolid Ingred List
- NL NPO/Pass List
- **PE** List Patient Events
- **SL** Print Standing Order Labels
- **SO** Tabulate Standing Orders
- **SP** Consolidate Standing Orders
- TR Tubefeeding Reports/Labels ...
 - TF Preparation/Delivery of Tubefeedings
 - **TL** Print Tubefeeding Labels
 - TP Tubefeeding Preparation
 - TX Tubefeeding Pull Lists
- TT Tray Tickets ...
 - **HP** History of Diet Patterns
 - LD List Inpats With No/prev Patterns
 - PD Print Diet Cards
 - **PT** Print Tray Tickets
- **WD** Ward Diet Order List
- **WL** Ward Supplemental Feeding Lists
- WP Print Bulk Feedings/Cost Report

EA Energy/Nutrient Analysis ...

- **AA** Abbreviated Analysis
- AN Print Analysis (32 Nutrients)
- **MD** Input Menu Data
- NI Print Nutrient Intake Study (10 Nutrients)
- PM View/Print Menu
- VM View Meal

FP Food Preferences ...

| | DP | Display Patient Preferences |
|-------|-------------|---------------------------------------|
| | EP | Enter/Edit Patient Preferences |
| | TP | Tabulate Patient Meal Preferences |
| | | |
| LE | List l | Encounters |
| 272.5 | 3. 7 | |
| NM | Nutr | ition Patient Management |
| | DA | Display Assessment |
| | EA | |
| | EE | Enter/Edit Encounter |
| | ES | Enter Patient Nutrition Status |
| | LE | List Encounters |
| | LL | List Inpats By Nutrition Status Level |
| | PE | Patient Encounter Inquiry |
| | PH | |
| | PP | Print Nutrition Profile |
| | PS | Print Screening Report |
| | -~ | |
| PE | List I | Patient Events |
| PM | Patie | nt Movements |
| | | |
| SF | Supp | lemental Feedings |
| | TNI | Complemental Fooding Insuring |
| | IN | Supplemental Feeding Inquiry |
| | LA | Run SF Labels/Consolid Ingred List |
| | SF | Change Patient Supplemental Feedings |
| | SH | History of Supplemental Feedings |
| | WL | |
| | WP | Print Bulk Feedings/Cost Report |
| | WR | Review Bulk Ward Feedings |
| SO | Stan | ding Orders |
| | IN | Standing Order Inquiry |
| | SC | Consolidate Standing Orders |
| | SE | Enter/Edit Standing Orders |
| | SL | Print Standing Order Labels |
| | TS | Tabulate Standing Orders |
| TF | Tickl | er File |
| | CI | Class Trables Erle E. 4 |
| | CL | Clear Tickler File Entries |
| | DI | Display Tickler File |
| | EN | Enter Tickler File Item |

DO Diet Orders ...

- EP **Enter/Edit Patient Diet Pattern**
- OA **Enter Additional Order**
- OD **Order Diet**
- **Order Early/Late Tray OE**
- NPO/Hold Tray ON \mathbf{OT}
- Order Tubefeeding
 Enter/Edit Patient Reaction Data PA
- **Enter/Edit Patient Preferences** PF
- **Review Diet Orders** PH
- PΙ **Enter/Cancel Isolation/Precautions**
- PP **Patient Profile**
- **Cancel Early/Late Tray** XE
- Cancel NPO/Withhold Order XN
- **Cancel Tubefeeding Order** XT

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DC Dietetic Consults... [FHORCM] Suboption: AC Review Active Consults [FHORC2]

Dietitians and supervisory dietitians may check daily workloads by using this option. The result is a screen display or hard copy of all active consults for a specified dietitian. Each consult is listed in chronological order by the date and time ordered, the brief name of the consult, the patient identification and the responsible dietitian.

Prompt/User Entry:

Discussion:

| Select | CLINICIAN | (or | ALL): | ALL | <ret></ret> |
|--------|-----------|-----|-------|-----|-------------|
|--------|-----------|-----|-------|-----|-------------|

Enter ?? <RET> to see listing of Clinicians. Choose one Clinician or ALL.

Select LIST PRINTER: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80//
<RET>

Enter printer device OR press <RET> for display to show on screen.

ACTIVE CONSULTS

| Date/Time Ordered | Request | ID# | Patient | Clinician |
|-------------------|-----------|------|-----------------|----------------|
| 16-Mar-95 10:58am | WT RED/DB | 6789 | ADAMS, CYNTHIA | LANE, RUSS |
| 15-Nov-94 3:17pm | OTHER | 6789 | ADAMS, CYNTHIA | DDD,DDD |
| 18-Jan-94 11:43am | FOOD PREF | 8079 | TEST, NEW | ACKERMAN, ZZZ |
| 30-Nov-94 3:47pm | TEACH | 4567 | CALLAHAN, DORIS | ACKERMAN, NIEN |
| 16-Mar-95 10:58am | BULIMIA | 0100 | TINA, BELINDA | ACKERMAN, NIEN |
| 30-Apr-91 8:11am | DR/EVAL | 6789 | ADAMS, CYNTHIA | LANE, RUSS |
| 30-Apr-91 9:58am | TEACH | 6789 | ADAMS, CYNTHIA | DIET, DIET |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DC Dietetic Consults... [FHORCM]

Suboption: CC Clear/Cancel/Reassign a Consult [FHORC4]

All consults remain on the Review Active Consults (AC) list until the responsible dietitian disposes it.

After dietitian selection, all active consults for that user are displayed including consult type, comment, and date ordered. Each consult must be cleared properly so that resulting reports accurately reflect workload.

Prompt/User Entry:

Discussion:

Select CLINICIAN: ATKINS, ZZZ <RET> Enter name of Clinician.

ADAMS, CYNTHIA Admitted: 24-May-94

12:10pm Ward: NEW 2 WEST

Consult: ACCESS CALORIE LEVEL-WT

RED/DIAB DIETS Comment: TEST Status: ACTIVE

Ordered: 16-Mar-95 10:58am Clinician: ATKINS,ZZZ

Disposition (C=Complete, X=Cancelled,
R=Reassign, RETURN to bypass): C
<RET>

Initial or Follow-up (I/F)? F <RET>
... done

DATE/TIME OF ENCOUNTER: TODAY// <RET> (APR 21, 1995)

CLINICIAN: DIET, DIET// ATKINS, ZZZ <RET>

ENCOUNTER TYPE: INSTR-WEIGHT <RET>
EVENT LOCATION: 1 EAST <RET>

INITIAL/FOLLOWUP: F <RET> FOLLOWUP

TIME UNITS: 15// <RET>

GROUP/INDIVIDUAL: I <RET> INDIVIDUAL

EVENT COMMENT: **DONE <RET>**Select PATIENT: **ADAMS, CYNTHIA <RET>** 01-12-41 123456789

COLLATERAL

COLLATERALS: 2 <RET>
PATIENT COMMENT: DONE <RET>

GROUP SIZE: 3// <RET>

Complete. Credit is given in the form of time units.

Canceled. Cannot be completed because the patient was discharged or expired. No record is kept.

Reassign. May be assigned or forwarded to another user. The new dietitian will receive a new message through Mailman, e.g., in the event of an absent staff member.

Clinical Dietetics

```
CC Clear/Cancel/Reassign a Consult
Select CLINICIAN: ACKERMAN
     1 ACKERT, NANCY
       ACKERMAN, TAMMIE
     3 ACKERMAN, XXX
     4 ACKERMAN, ZZZ
CHOOSE 1-4: 1
CALLAHAN, DORIS
                         Admitted: 14-Dec-90 10:16am Ward: NEW 1 EAST
Consult: DIET INSTRUCTION: PATIENT OR FAMILY
Comment: TEST 1 2 3
Status: ACTIVE
Ordered: 30-Nov-94 3:47pm
                                      Clinician: ACKERT, NANCY
Disposition (C=Complete, X=Cancelled, R=Reassign, RETURN to bypass): C
Initial or Follow-up (I/F)? I ... done
DATE/TIME OF ENCOUNTER: TODAY// (MAR 22, 1995)
CLINICIAN: ACKERT, NANCY//
ENCOUNTER TYPE: ?
Answer with ENCOUNTER TYPES NAME
Choose from:
  CLASS: WT REDUCTION
  COMMUNITY
  FOOD-DRUG INSTRUCTION
  INSTR-WEIGHT
  INSTR: RENAL
  INSTRUCTION - CHOL
  INSTRUCTION - DIABETIC
ENCOUNTER TYPE: INSTR
     1 INSTR-WEIGHT
     2 INSTR: RENAL
     3 INSTRUCTION - CHOL
     4 INSTRUCTION - DIABETIC
CHOOSE 1-4: 4
EVENT LOCATION: ?
Answer with HOSPITAL LOCATION NAME
Choose from:
  1 EAST
  2 WEST
  3 NORTH
   4 SOUTH
EVENT LOCATION: 2 WEST
INITIAL/FOLLOWUP: F FOLLOWUP
TIME UNITS: 30//
EVENT COMMENT: XXXXXX
Select PATIENT: ZULLY, SALLY 11-11-37 523777222 COLLATERAL
 # COLLATERALS: 2
 PATIENT COMMENT: XXXXX
Select PATIENT: TEST, AM 10-12-86 777899123 COLLATERAL
 # COLLATERALS: 1
 PATIENT COMMENT:
Select PATIENT:
GROUP SIZE: 5//
```

TINA, BELINDA Admitted: 28-Jul-94 10:33am Ward: NEW 1 EAST Consult: BULIMIA DISORDER TREATMENT Comment: XXXXX Status: ACTIVE Ordered: 16-Mar-95 10:58am Clinician: ACKERT, NANCY Disposition (C=Complete, X=Cancelled, R=Reassign, RETURN to bypass): X ... done DATE/TIME OF ENCOUNTER: TODAY// (MAR 22, 1995) CLINICIAN: ACKERT, NANCY// ENCOUNTER TYPE: INSTRUCTION - DIABETIC// INST 1 INSTR-WEIGHT INSTR: RENAL INSTRUCTION - CHOL 4 INSTRUCTION - DIABETIC CHOOSE 1-4: 1 EVENT LOCATION: 2 WEST// 1 EAST INITIAL/FOLLOWUP: F FOLLOWUP TIME UNITS: 15// GROUP/INDIVIDUAL: I INDIVIDUAL EVENT COMMENT: Select PATIENT: PORTER, JACK 12-01-47 444823690 COLLATERAL # COLLATERALS: 1 PATIENT COMMENT: GROUP SIZE: 2// TEST, MAX Admitted: 28-Oct-92 3:54pm Ward: NEW 4 SOUTH Consult: ANOREXIA DISORDER TREATMENT Comment: First session. Status: ACTIVE Ordered: 22-Mar-95 11:23am Clinician: ACKERT, NANCY Disposition (C=Complete, X=Cancelled, R=Reassign, RETURN to bypass): Admitted: 14-Jun-93 3:38pm Ward: NEW 4 SOUTH TEST, NEW Consult: NURSING HOME PLACEMENT/VNA REFERRAL Comment: COMMENTS Status: ACTIVE Ordered: 22-Mar-95 11:25am Clinician: ACKERT, NANCY Disposition (C=Complete, X=Cancelled, R=Reassign, RETURN to bypass): R REASSIGN to Clinician: DIET, DIET ... done

Select CLINICIAN:

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DC Dietetic Consults... [FHORCM] Suboption: IN Consult Inquiry [FHORC3]

This option permits checking all consults by patient's name. All admissions are displayed by date. Upon selection of an admission, all consults are displayed including consult type and comment.

Prompt/User Entry:

```
Select Patient (Name or SSN): ADAMS, CYNTHIA <RET> 01-12-41 123456789 COLLATERAL
```

Choose from:

1 12-11-1990 @ 08:54:15 541 05-24-1994 @ 12:10:09

Select ADMISSION: 541 <RET>

Choose from:

1 11-15-1994 @ 15:17:53 2 11-30-1994 @ 15:32:59 3 03-16-1995 @ 10:58:22

Select CONSULTATION DATE/TIME ENTERED: 1 <RET>

ADAMS, CYNTHIA Admitted: 24-May-94 12:10pm Ward: NEW 2 WEST

Consult: OTHER

Comment: BULIMIA TREATMENT II

Status: ACTIVE

Ordered: 15-Nov-94 3:17pm Clinician: DDD,DDD

Order Entered: ALVIN, CHIP

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DC Dietetic Consults... [FHORCM] Suboption: OC Order Consult [FHORC1]

This is a simple way to send a message about a particular patient to the responsible dietitian. All entries into the Consult File will be displayed as choices. This option appears in this program for ward personnel. For Dietetic employees, it will be included in the Dietetic Consults (DC) program.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN):

CALLAHAN, DORIS <RET> 07-21-55
234234567 COLLATERAL

FOOD PREFERENCES OR EATING PROBLEMS
DIET INSTRUCTION: PATIENT OR FAMILY
RECOMMEND DIET, SUPPLEMENT OR TUBEFEEDING
NUTRITIONAL ASSESSMENT OR CONSULT
NUTRIENT INTAKE STUDY (CAL COUNT)
OTHER
NURSING HOME PLACEMENT/VNA REFERRAL
EVALUATE FOR DINING ROOM
ACCESS CALORIE LEVEL-WT RED/DIAB DIETS
CONSULT RENAL DIETITIAN
BULIMIA DISORDER TREATMENT
ANOREXIA DISORDER TREATMENT
NEW2
NEW3

Select DIETETIC CONSULTS NAME: NURSING HOME PLACEMENT/VNA REF <RET>

A list of Dietetic Consults Names will appear after a Patient's Name is selected at the first prompt.

Comment: Patient needs 24 hour care
<RET>
Ok to Enter Request? Y// <RET>

OR If user enters No

Ok to Enter Request? Y// No <RET>

Consult entry is TERMINATED - No request entered!

Clinical Dietetics

OC Order Consult

Select Patient (Name or SSN): TEST, MAX 11-19-80 233099281 COLLATERAL

FOOD PREFERENCES OR EATING PROBLEMS
DIET INSTRUCTION: PATIENT OR FAMILY
RECOMMEND DIET, SUPPLEMENT OR TUBEFEEDING
NUTRITIONAL ASSESSMENT OR CONSULT
NUTRIENT INTAKE STUDY (CAL COUNT)
OTHER
NURSING HOME PLACEMENT/VNA REFERRAL
EVALUATE FOR DINING ROOM
ACCESS CALORIE LEVEL-WT RED/DIAB DIETS
CONSULT RENAL DIETITIAN
BULIMIA DISORDER TREATMENT

ANOREXIA DISORDER TREATMENT

Select DIETETIC CONSULTS NAME: ANOREXIA DISORDER TREATMENT Comment: First session.
Ok to Enter Request? Y//

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: BL Birthday List... [FHBIR]**

This list provides the patients' names, locations, and birthdays. The birthday may be requested by specific date.

Prompt/User Entry:

Discussion:

Select COMMUNICATION OFFICE (or ALL): ?? <RET>

Enter Communication Office. Enter ?? <RET> for help.

Choose from: COM OFFICE 2 COMMUNICATION OFFICE

Select COMMUNICATION OFFICE (or ALL):

ALL <RET>

Birthday DATE: T-1 <RET> (FEB 24,

1995)

Enter date as shown, or you may enter date as April 25.

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80//

<RET>

Enter printer device.

15-Mar-95 8:55am BIRTHDAY LIST

Page 1

24-Feb

Birthday Name Ward Room ELLIOTT, MARGUERITE

NEW 1 EAST 24-Feb-47 NEW 3 NORTH 313-01 24-Feb-35 JOHNSTON, DALE

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: DA Diet Activity Report/Labels (132 Column) [FHORD13]

Diet Activity Report has been redesigned and is now event driven. The report contains all additional orders, tubefeedings as well as all diet order activity. It can now be back dated and all data will be reproduced, no data is lost.

List Format

The list format will print all changes occurring since the last time it was run, or from any date/time entered. It contains old and new ward/room/bed information old and new diet information, admissions, discharges, isolation information, NPOs or hold trays, flags for existing supplemental feedings or standing orders, and type of service information. Previously stored allergies and preferences will appear upon a patient re admission.

| Prompt/User Entry: | Discussion: |
|---|--|
| Select COMMUNICATION OFFICE: COM OFFICE 2 <ret></ret> | Enter Communication Office. |
| Do you want labels? N// <ret></ret> | N (no) will print the list format. Y (yes) will print labels. |
| Changes since Date/Time: 21-Dec-94 12:15pm // <ret></ret> | A <ret> will cause the printing of all changes occurring since the last run. Another Date/Time may be entered. Standard DHCP Date/Time notation applies.</ret> |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer device OR <ret> as shown and report will show on screen.</ret> |

DIET ACTIVITY REPORT Page 1 21-Dec-94 12:15pm - 16-Mar-95 10:49am Ward-Room Patient ID# Sup/Std Service 8901 SF SO NEW 2 WEST 207-04 TEST, AGAIN T Diet: CLEAR LIQUID Old: NO ORDER SO: 3 LADY FINGERS (B) SO: 1 COKE (B) SO: 1 PEPSI (N) SO: 2 PEANUT BUTTER COOKIES (E) NEW 2 WEST 6789 SF SO T ADAMS, CYNTHIA Diet: CLEAR LIQUID Old: FULL LIQUID AO: APPLE SO: 3 LADY FINGERS (B) SO: 1 COKE (B) SO: 1 PEPSI (N) SO: 2 PEANUT BUTTER COOKIES (E) SO: 2 FRENCH TOAST (B) Canceled SO: 1 FRUIT PUNCH (NATURAL) (B) Canceled SO: 3 BEEF BLENDER (N) Canceled SO: 1 CORN BEEF (E) NEW 4 SOUTH 410-02 NEW, ADMISSION 8970 Т Admit to NEW 4 SOUTH 410-02 Diet: FULL LIQUID Т NEW 4 SOUTH 412-01 9281 SF SO TEST, MAX Discharge from NEW 4 SOUTH 412-01 Admit to NEW 4 SOUTH 412-01 Discharge from NEW 4 SOUTH 410-02 Admit to NEW 4 SOUTH 412-01 Diet: REGULAR Old: REGULAR TF: 1 POWDER CITROEN SO: 1 APPLE (B) Canceled SO: 2 POTATO PANCAKE (B) Canceled SO: 3 PEANUTS (B) Canceled SO: 1 APPLE (N) Canceled Select Dietetic Lists/Reports Option: DA Diet Activity Report/Labels Select COMMUNICATION OFFICE: COMMUNICATION OFFICE Do you want labels? N// Y Changes since Date/Time: 22-Sep-94 4:11pm //

Select LABEL Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

Clinical Dietetics

| ******* | ***** | **** | * * * * |
|--------------------------|----------|-----------|-------------------|
| | r-95 10: | | * * |
| ^^^^^ | | ^ ^ ^ ^ ^ | ^ ^ ^ |
| TEST, PASS 3347 | Т | NEW | 2 WEST 207-02 |
| REGULAR | | | |
| | | | |
| TEST, AGAIN 8901 * | Т | NEW | 2 WEST 207-04 |
| CLEAR LIQUID | | | |
| | | | |
| ADAMS, CYNTHIA 6789 | T-CN | NEW | 2 WEST |
| CLEAR LIQUID | | | |
| | | | |
| NEW, ADMISSION 8970 * | Т | NEW ' | 4 SOUTH 410-02 |
| FULL LIQUID | | | |
| | | | |
| TEST, NEW 8079 | Т | NEW ' | 4 SOUTH 410-04 |
| 2 GM SODIUM, 2 | 2 GM POT | Т | |
| | | | |
| DIET,TWO 9990 | T-PN | NEW ' | 4 SOUTH 410-01 |
| RADIATION II | | | |
| | | | |
| TEST,MAX 9281 * | Т | NEW ' | 4 SOUTH 412-01 |
| REGULAR | | | |

Diet Card Label Format

Use the Diet Activity Report/Labels (DA) option to print labels for diet cards. The printed label contains the patient's name, current ward/room location, 4-digit Social Security Number (SSN) identifying code, the current diet in its abbreviated form, the T, C, or D designating tray, cafeteria or dining room, and isolation information.

Relationship Between Report and Label Formats

There is a close relationship between the list format and label format. The list format contains the information included on labels with the addition of interward transfers, bed changes, and the letters SF when a supplemental feeding exists for a patient. The SF will appear with discharge orders if the SF was in effect. The labels will contain only the new location. If both outputs are used, the sequence of printing may affect information given.

If labels are printed, it is recommended that the list format also be run.

Printing Sequence

Always run the list format first (answer No to "Do you want labels"); then run labels immediately afterward (answer Yes to "Do you want labels").

The default date/time in the prompt "Changes since..." will enable the user to list all the changes since the default. The user can go back in time and list from a past date/time and list all the changes from that time. The default date/time will be the date/time the user has last run the report. Even when you run back-date/time the default date/time for the next run would be the last time the report has been run and not the date/time of the change.

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: DC Actual Diet Census [FHORD11]**

This routine counts all diet orders in existence at the time this report is requested. Each patient's diet order, regardless of the number of modifications, is tallied only once according to the lowest tally order production diet. Production diets and tally orders are explained more fully in the Production Management chapter (XP). It counts by production diet and tally order and lists by print order.

Actual Diet Census can be generated for separate or ALL Service Points. If ALL is selected an actual census for each service point as well as a consolidated list will be generated. Quantities are listed for each production diet and separated by service type: Tray, Cafeteria or Dining Room, with a grand total. If no quantities exist, the production diet does not appear on the report.

The Percent Column lists the percentage of each production diet at the specified service point. These figures are helpful in determining and updating the **Production Diet Percentages (PP) Table.**

When Actual Diet Census is run today (T) and also run T+1, the numbers generated may not be the same even though they were run on the same day within minutes of each other. The difference results from the program looking ahead to the designated day for time limited diet orders, and tallying them accordingly. Example: Patient (Mr. X) is on NPO today with an expiration date for tomorrow and a Diet Order of Regular. When actual census is run today, Mr. X is tallied as Not Eating but the census run T+1 will tally Mr. X as a regular production diet.

Prompt/User Entry:

Discussion:

aligned.

<RET> and enter 132 as shown, so

that printout will wrap on screen --

| Select PRODUCTION FACILITY: M <ret> MAIN KITCHEN</ret> | User will see this prompt if there is more than one Production Facility. Enter ?? <ret> to get listing of facilities, then select facility.</ret> |
|---|---|
| Effective Date/Time: T <ret> (MAR 08, 1995)</ret> | Enter T, N, or a future date (cannot be a day in the past). |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// 132</ret> | Enter printer device OR press |

<RET>

This report prints one page for each service point and a consolidated census. The report displays production diets but does not include other gratuitous or paid meals. The modifications (previously known as minor modifications) are also shown.

8-Mar-95 10:41am ACTUAL DIET CENSUS

MAIN KITCHEN

Wednesday 8-Mar-95

PRODUCTION DIETS

| | B217 | B228 | DR200 | T200 | Tray | Cafe | Total |
|---------------------------------|------|------|-------|------|------|------|-------|
| REGULAR | 15 | 123 | 17 | 49 | 187 | 17 | 204 |
| HPHC | | 4 | | 5 | 9 | | 9 |
| HIGH FIBER | | 2 | | 1 | 3 | | 3 |
| MODERATE SODIUM (87 -130) | 10 | 7 | 1 | 16 | 33 | 1 | 34 |
| CHOLESTEROL RESTRICTED | | 6 | 1 | 2 | 8 | 1 | 9 |
| 87/CHOL | 1 | 8 | 2 | 17 | 26 | 2 | 28 |
| 87/CHOL/MECH | | | | 1 | 1 | | 1 |
| CARDIAC (87NA, LOCHOL, HIFIBER) | 1 | | 2 | 27 | 28 | 2 | 30 |
| DIABETIC/LO CAL | 16 | 14 | 1 | 23 | 53 | 1 | 54 |
| 87/DIAB | 9 | 2 | 2 | 13 | 24 | 2 | 26 |
| CHOL/DIAB | 2 | 1 | | | 3 | | 3 |
| DIAB/MECH | 5 | | | 1 | 6 | | 6 |
| 87/DIAB/MECH | | | | 1 | 1 | | 1 |
| 87/DIAB/HF | 1 | | | | 1 | | 1 |
| 87/CHOL/DIAB | 2 | | 4 | 8 | 10 | 4 | 14 |
| DIAL/DIAB | 1 | | 1 | 5 | 6 | 1 | 7 |
| LOW PROTEIN | 2 | | | 5 | 7 | | 7 |
| DIALYSIS/LOW NA (43-22) | 2 | 1 | 1 | 6 | 9 | 1 | 10 |
| ASPIRATION RISK REDUCTION | 8 | | | 1 | 9 | | 9 |
| GERIATRIC/ECC | 34 | | | | 34 | | 34 |
| MECHANICAL/DYSPHAGIA | 15 | 2 | | 14 | 31 | | 31 |
| 87/MECH-DYS | 1 | 1 | | 5 | 7 | | 7 |
| MODIFIED BLAND | | | | 3 | 3 | | 3 |
| 87/MOD BLAND | | 1 | | | 1 | | 1 |
| GROUND MODIFIED BLAND | 7 | 2 | | 2 | 11 | | 11 |
| PUREED | 22 | | | 14 | 36 | | 36 |
| FULL LIQUID | | 1 | | 4 | 5 | | 5 |
| CLEAR LIQUID | 1 | | | 5 | 6 | | 6 |
| SELECT-REGULAR | 25 | | | 32 | 57 | | 57 |
| SELECT-ECC | 38 | | | | 38 | | 38 |
| SELECT-DIABETIC | 16 | | | 2 | 18 | | 18 |
| ECC-DIABETIC | 2 | | | | 2 | | 2 |
| N P O | 3 | | | 31 | 34 | | 34 |
| PASS | | | | | | | 0 |
| TF Only | 24 | | | 20 | 44 | | 44 |
| No Order | 1 | 1 | | 7 | 9 | | 9 |
| TOTAL MEALS | 264 | 176 | 32 | 320 | 760 | 32 | 792 |

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET]** Option: DR Dietetic Lists/Reports... [FHCDLST] **Suboption: DR Reprint Diet Labels [FHORD14]**

This option will reprint a diet card label for an individual patient or for all patients on a specified ward.

Prompt/User Entry:

Reprint by COMMUNICATION OFFICE, PATIENT or WARD? PATIENT// <RET>

Select Patient (Name or SSN): ADAMS, CYNTHIA <RET> 01-12-41 123456789 COLLATERAL

Reprint by COMMUNICATION OFFICE, PATIENT, or WARD? PATIENT// WARD <RET>

Select WARD: ?? <RET>

Choose from: NEW 1 EAST NEW 2 WEST

NEW 3 NORTH NEW 4 SOUTH NEW 5 CENTRAL

Select WARD: NEW 5 CENTRAL <RET>

Select LABEL Printer: HOME// <RET> PC ETHER NET RIGHT MARGIN: 80// <RET>

Discussion:

Select Communication Office, Patient or Ward. You only need to press <RET> if Patient is selected (default).

Enter ?? <RET> to see a list of patients.

OR

choose Ward, as shown.

Enter printer device or press <RET> as shown.

DR Reprint Diet Labels

REPRINT DIET LABELS

Reprint by COMMUNICATION OFFICE, PATIENT, or WARD? PATIENT// C <RET>

Select COMMUNICATION OFFICE: COM OFFICE 2 <RET>

Select LABEL Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80//

ELLIOTT, MARGUERITE NEW 1 EAST

5432 T-CN

CLEAR LIQUID

ZULLY, SALLY NEW 1 EAST 7222 T 101-01

250mg SODIUM, CHOLESTEROL

SANDS,GEORGIA NEW 1 EAST 7244 C 101-02

REGULAR

CALLAHAN, DORIS NEW 1 EAST 4567 T 101-03

NPO

HOOK, CAPTAIN NEW 1 EAST 8688 T 101-04

FULL LIQUID

BRAND, NEW P NEW 1 EAST 2621 T 101-05

HI PRO/CAL

DENNISTON, WILBUR NEW 3 NORTH 8987 T 312-01

NPO

PORTER, JACK NEW 3 NORTH 3690 T 312-02

2400 CAL ADA, CHOLESTEROL

HI PRO/CAL, 1800cc FLUID, ALK REGULAR

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: EL List Early/Late Trays (132 Column) [FHOREL1]

This report contains the meal, time, patient's name, SSN, location, isolation information, bagged meal information, and the current diet order. New admissions are flagged with an asterisk after the SSN. The user may select a meal or all meals for display and can request future known information. Within a given time period, the orders are sorted by time of receipt with the latest being last. Labels can also be printed.

| Prompt/User | Entry: |
|-------------|---------------|
|-------------|---------------|

Select COMMUNICATION CENTER (or ALL):
ALL <RET>

Select a Communication Center or All. User will see this prompt if there is more than one Communication Center.

Select Date: 4/16 <RET> (APR 16,
1995)

T, T+1, or any standard notation.

OR

Discussion:

If you select a specific Communication Center, you will see:

Select Meal (B,N,E, or ALL): B <RET>

B for Breakfast, N for Noon, E for Evening, or ALL

Do you want labels? N// <RET>

The list requires a 132 column printer.

Select LIST Printer:: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80// 132

<RET>

Press <RET> (default is No) to produce a list format. Y (yes) will produce a label format.

Enter printer device OR press <RET> as shown and list will show on screen.

EL List Early/Late Trays

Select COMMUNICATION OFFICE (or ALL): ALL <RET>

Select Date: **7-1-93 <RET>** (JUL 01, 1993)

Select Meal (B,N,E or ALL): ALL <RET>

Do you want Labels? N// Y <RET>

Select LABEL Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80//

Breakfast 5:00A 1-Jul-93
LAMB, HONEY NEW 3 NORTH
3345 CN 313-02

CHOLESTEROL

Breakfast 6:20A 1-Jul-93
DIET,TWO NEW 4 SOUTH
9990 PN 410-01

CLEAR LIQUID, 3-4gm SODIUM

Noon 11:30A 1-Jul-93 ELLIOTT,MARGUERITE NEW 1 EAST 5432 CN

REGULAR

Evening 4:30P 1-Jul-93
TEST,MAX NEW 4 SOUTH 9281 412-01 REGULAR

Evening 4:30P 1-Jul-93
DIET,TWO NEW 4 SOUTH
9990 PN 410-01 CLEAR LIQUID, 3-4gm SODIUM

Evening 5:00P ADMIT,TWO 1-Jul-93 NEW 1 EAST

2725

PUREE, IODINE FREE

Evening 5:00P 1-Jul-93 BRAND,NEW P NEW 1 EAST 2621 101-05

IODINE FREE

Evening 5:00P 1-Jul-93 HOOK, CAPTAIN NEW 1 EAST 8688 101-04

Clinical Dietetics

BLAND , 1500cc FLUID

| Evening 5:00P HOOKER,HAPPY 5375 REGULAR | 1-Jul-93 NEW 3 NORTH |
|--|---|
| Evening 5:00P SIMON,SAYS 8765 REGULAR | 1-Jul-93 NEW 1 EAST |
| Evening 5:00P GALTON,FRANCIS 9258 REGULAR | 1-Jul-93 NEW 3 NORTH |
| Evening 5:00P MAS,TEN 1171 NO TRAY | 1-Jul-93 NEW 3 NORTH |
| Evening 5:00P TEST,TEST 9000 REGULAR | 1-Jul-93 NEW 1 EAST |
| Evening 5:30P TEST,AGAIN 8901 100gm PRO, BLAND, | 1-Jul-93 NEW 2 WEST 207-04 POST GAST |
| Evening 5:30P TEST,PASS 3347 REGULAR | 1-Jul-93 NEW 2 WEST 207-02 |
| Evening 5:30P TEST,NEW 8079 REGULAR | 1-Jul-93 NEW 4 SOUTH 410-04 |
| Evening 6:00P CALLAHAN, DORIS | 1-Jul-93 NEW 1 EAST |

101-03

4567

1000 CAL RED, 100gm PRO

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: IL Isolation/Precaution Patient List (80 Column) [FHORD41]

This report lists all patients currently on isolation. It includes the current diet, type of dishes, and who delivers the tray.

Prompt/User Entry:

Discussion:

Select LIST Printer: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80//
<RET>

Enter printer device OR <RET> for report to show on screen.

| | I S O L A T | I O N / P R E C A U T I | O N S | | Page 1 |
|------------------------------|-------------|---------------------------------------|-------|-------|----------|
| | | 15-Mar-95 9:09am | | | |
| WARD | ROOM | PATIENT | ID# | PLATE | DELIVERY |
| NEW 1 EAST Diet: CLEAR L | IQUID (T) | ELLIOTT, MARGUERITE | 5432 | China | Nurse |
| NEW 1 EAST Diet: CLEAR L | IQUID (T) | JUAREZ, JULIO | 3285 | China | Nurse |
| NEW 1 EAST Diet: NO ORDER | ₹. | HELLO, DOLLY | 3433 | China | Food Svc |
| NEW 2 WEST Diet: REGULAR | (T) | ADAMS, CYNTHIA | 6789 | China | Nurse |
| NEW 3 NORTH Diet: NPO | 312-01 | DENNISTON, WILBUR | 8987 | China | Nurse |
| NEW 3 NORTH Diet: RADIATIO | | · · · · · · · · · · · · · · · · · · · | 3345 | China | Nurse |
| NEW 3 NORTH Diet: REGULAR | | IONA, MISSY | 2444 | China | Food Svc |
| NEW 3 NORTH Diet: 3-4gm SG | | ADMIT, ONE | 2724 | China | Food Svc |
| NEW 4 SOUTH Diet: RADIATIO | | DIET,TWO | 9990 | Paper | Nurse |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: LA Run SF Labels/Consolid Ingred List [FHNO2]

Labels may be printed with an ingredient list, or an ingredient list alone may be printed with this option. An ingredient list is used by the Ingredient Control Unit to pull quantities needed for the production area. Gummed labels produced are placed on bags, sandwiches and other items to identify the patient and food items. Labels provide patient name, location, items, quantity to be delivered and time period. No labels will be printed for an NPO patient if this version is running and the Site Parameter (SP) response to suspension of nourishments is "Yes".

Three time periods are available to run labels (i.e., 10:00 a.m., 2:00 p.m. and 8:00 p.m.). A facility may choose one time period or all time periods. Time periods chosen to run labels can be divided into multiple service points (there must be at least one service point). A service point is an intermediate distribution point between the production area and the patient.

Labels may be aligned in the printer before initiating the program or at the moment designated by the program. It is helpful to mark the printer housing with some type of alignment markings. Several label runs may be required to establish the correct location for these marks.

If the patient is on an isolation procedure that Nursing delivers, "NURSE" will be printed on the label.

Prompt/User Entry:

Select by S=SUPPLEMENTAL FEEDING SITE
or W=WARD: S <RET>

Select SUPPLEMENTAL FEEDING SITE:
SUPPLEMENTAL FEEDINGS <RET>

Select Supplemental Feeding Time
(10,2,8, ALL): 10 <RET>

Do you want Ingredient list only? N// <RET>

Place Labels in Printer

Discussion:

Enter S or W as shown.

Select a Supplemental Feeding Site. Enter ?? <RET> to get a listing of feeding sites or to get help at any of the prompts.

No will print labels with ingredient list at the end.

Labels may be printed on paper, instead of labels.

Select LABEL Printer: HOME// <RET>
PC ETHER NET RIGHT MARGIN: 80//
<RET>

Select Dietetic List/Reports Option:
LA <RET> Run SF Labels/Consolid
Ingred List

Select by S=SUPPLEMENTAL FEEDING SITE
or W=WARD: W <RET>

Select WARD: 10E <RET>

Select Supplemental Feeding Time
(10,2,8,ALL): ALL <RET>

Do you want Ingredient list only? N// Y <RET>

Consolidated List only? Y// <RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

**** CONSOLIDATED ****

**** INGREDIENTS LIST ****

10 EAST

15-Mar-95 ALL

CRAX, GRAHAM, PKG 2 MILK, SKIM 5

**** PATIENTS = 2 ****

Enter printer device OR press <RET> for labels to show on screen.

OR if W is entered in the first prompt:

Y will print a consolidated list of ingredients, summed for the ward.

N will print a list for the selected time or three lists for all the times.

Enter the proper printer designation OR press <RET> and the labels will show only on the screen. A delay of 10-25 seconds is normal.

Clinical Dietetics

```
LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S <RET>
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS <RET>
Select Supplemental Feeding Time (10,2,8,ALL): ALL <RET>
Do you want Ingredient list only? N// Y <RET>
Consolidated List only? Y// <RET>
Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80//
    **** CONSOLIDATED ****
   **** INGREDIENTS LIST ****
     SUPPLEMENTAL FEEDINGS
        15-Mar-95 ALL
APPLESAUCE/SPOON
                              1
BANANA
                              6
CEREAL I/BOWL/SPOON
CRAX, GRAHAM, PKG
                              2
                              1
CUSTARD/SPOON
DESSERT OF THE DAY
                              10
FRUIT, FRESH
ICE CREAM/SPOON
MILK, SKIM
                               5
                              5
MILK,2%
                              1
SANDWICH DB HALF
SANDWICH DB II
                              1
    **** PATIENTS = 11 ****
Select Production Reports Option: LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N// Y
Consolidated List only? Y// N
Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
```

**** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 10 AM APPLESAUCE/SPOON 2 1 BANANA 6 CEREAL I/BOWL/SPOON ICE CREAM/SPOON MILK, SKIM 1 MILK,2% 5 **** PATIENTS = 8 **** **** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 2 PM APPLESAUCE/SPOON DESSERT OF THE DAY FRUIT, FRESH 2 SANDWICH DB II **** PATIENTS = 6 **** **** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 8 PM CRAX, GRAHAM, PKG 2 1 CUSTARD/SPOON DESSERT OF THE DAY 5 MILK, SKIM

SANDWICH DB HALF

**** PATIENTS = 9 ****

```
Select Production Reports Option: LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N//
Place Labels in Printer
Select LABEL Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
HOOK, CAPTAIN NEW 1 EAST/101-04
               15-Mar-95 10 AM
  8688
 1 APPLESAUCE/SPOON
 1 ICE CREAM/SPOON
PONCHO, PINTA NEW 1 EAST/103-01
  4444 15-Mar-95 10 AM
 1 BANANA
 1 CEREAL I/BOWL/SPOON
 1 MILK, SKIM
JUAREZ, JULIO NEW 1 EAST/
   3285 *NURSE 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
ADMIT,TWO NEW 1 EAST/
2725 15-Mar-95 10 AM
 1 APPLESAUCE/SPOON
 1 ICE CREAM/SPOON
NHCU, FINAL NEW 1 EAST/
8262 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
NHCU, FRED NEW 1 EAST/
1717 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
GERI,ATRIC NEW 1 EAST/
0191 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
```

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM 1 CEREAL I/BOWL/SPOON

1 MILK,2%

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 10 AM

| APPLESAUCE/SPOON | 2 |
|---------------------|---|
| BANANA | 1 |
| CEREAL I/BOWL/SPOON | 6 |
| ICE CREAM/SPOON | 2 |
| MILK, SKIM | 1 |
| MILK, 2% | 5 |

**** PATIENTS = 8 ****

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 2 PM

- 1 APPLESAUCE/SPOON
- 2 FRUIT, FRESH
- 1 SANDWICH DB II

JUAREZ,JULIO NEW 1 EAST/
3285 *NURSE 15-Mar-95 2 PM
1 DESSERT OF THE DAY

NHCU, FINAL NEW 1 EAST/ 8262 15-Mar-95 2 PM 1 DESSERT OF THE DAY

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 2 PM 1 DESSERT OF THE DAY

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 2 PM 1 DESSERT OF THE DAY

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 2 PM 1 DESSERT OF THE DAY

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 2 PM

| APPLESAUCE/SPOON | 1 |
|--------------------|---|
| DESSERT OF THE DAY | 5 |
| FRUIT, FRESH | 2 |
| SANDWICH DB II | 1 |

**** PATIENTS = 6 ****

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 8 PM

1 MILK, SKIM 1 CUSTARD/SPOON

JUAREZ,JULIO NEW 1 EAST/
3285 *NURSE 15-Mar-95 8 PM
1 DESSERT OF THE DAY

ELLIOTT, MARGUERITE NEW 1 EAST/ 5432 *NURSE 15-Mar-95 8 PM 1 MILK, SKIM 1 CRAX, GRAHAM, PKG

NHCU,FINAL NEW 1 EAST/ 8262 15-Mar-95 8 PM 1 DESSERT OF THE DAY

NHCU,FRED NEW 1 EAST/ 1717 15-Mar-95 8 PM 1 DESSERT OF THE DAY

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 8 PM 1 DESSERT OF THE DAY

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 8 PM 1 DESSERT OF THE DAY

| TEST,TT | NEW 4 SOUTH/414-01 |
|----------------|--------------------|
| 0912 | 15-Mar-95 8 PM |
| 1 MILK, SKIM | |
| 1 SANDWICH DB | HALF |
| | |
| | |
| TEST, MAX | NEW 4 SOUTH/412-01 |
| 9281 | 15-Mar-95 8 PM |
| 1 MILK, SKIM | |
| 1 CRAX, GRAHAN | M, PKG |
| | |
| | |

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 8 PM

| CRAX, GRAHAM, PKG | 2 |
|--------------------|---|
| CUSTARD/SPOON | 1 |
| DESSERT OF THE DAY | 5 |
| MILK, SKIM | 4 |
| SANDWICH DB HALF | 1 |

**** PATIENTS = 9 ****

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: NL NPO/Pass List (132 Column) [FHORD5]

This report contains location, patient's name, SSN, effective and expiration dates, and the type of order for all patients currently on NPO or pass. There is also a column headed ">3" where an asterisk appears opposite an order which is more than three days old.

When the withhold order is canceled or the expiration date has passed, the previous diet will appear on the Diet Activity Report (DA).

The list may be sorted by date and time.

Prompt/User Entry:

Discussion:

| Select | COMMUNICATION | OFFICE | (or | ALL): |
|--|---------------|--------|-----|-------|
| ALL <f< td=""><td>RET></td><td></td><td></td><td></td></f<> | RET> | | | |

Select a Communication Office or ALL. Enter ?? <RET> for listing of Communication Offices.

Sort by WARD or DATE/TIME? WARD//
<RET>

If your selection is Ward, only enter <RET> here //. Otherwise, you must enter Date/Time.

The list requires a 132 column printer.

Select LIST Printer: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80// 132
<RET>

Enter printer instructions OR press <RET> and enter 132 as shown for list to only show on screen.

N P O $\ / \$ P A S S $\$ L I S T

Page 1

15-Mar-95 9:09am

| WARD/ROOM | PATIENT | ID# | EFFECTIVE DATE | EXPIRATION DATE | >3 | REASON |
|--------------------|-----------------|-------|-------------------|-----------------|----|----------|
| NEW 1 EAST/101-03 | CALLAHAN, DORIS | 4567 | 27-Feb-95 8:41am | | * | NPO |
| NEW 1 EAST | NO,ORDER | 3990 | 15-Sep-93 3:18pm | | * | PASS |
| NEW 2 WEST/207-04 | TEST, AGAIN | 8901 | 9-Dec-94 3:06pm | | * | NO ORDER |
| NEW 3 NORTH/312-03 | TEST, ADMIT | 9021 | 14-Mar-95 11:55pm | | | NPO |
| NEW 4 SOUTH/412_04 | KELLV BADBADA | 71.85 | 10-Nov-94 4:38pm | | * | NO OPDED |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: PE List Patient Events [FHORX2]

This option will list all patient dietetic events for a specified period of time.

Prompt/User Entry:

Select Patient (Name or SSN): ADAMS, CYNTHIA <RET> 01-12-41 123456789 COLLATERAL

Starting Date: **4/24 <RET>** (APR 24, 1995) Ending Date: T// **<RET>** (MAY 01, 1995)

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

Dietetic Events for ADAMS, CYNTHIA

From 24-Apr-95 to 1-May-95

```
24-Apr-95 11:50am
                    Diet: REGULAR (Tray)
24-Apr-95 11:50am
                    Std. Order: 1 APPLE (B) Canceled
24-Apr-95 11:50am
                    Std. Order: 2 POTATO PANCAKE (B) Canceled
                    Std. Order: 3 PEANUTS (B) Canceled
24-Apr-95 11:50am
24-Apr-95 11:50am
                    Std. Order: 1 COKE (B) Canceled
24-Apr-95 11:50am
                    Std. Order: 1 APPLE (N) Canceled
24-Apr-95 11:50am Std. Order: 4 LADY FINGERS (N) Canceled
24-Apr-95 11:50am Std. Order: 2 LEMON COOKIES (N) Canceled
24-Apr-95 11:50am Std. Order: 1 APPLE (B)
24-Apr-95 11:50am Std. Order: 2 POTATO PANCAKE (B)
24-Apr-95 11:50am Std. Order: 3 PEANUTS (B)
24-Apr-95 11:50am Std. Order: 1 COKE (B)
24-Apr-95 11:50am Std. Order: 1 APPLE (N)
24-Apr-95 11:50am Std. Order: 4 LADY FINGERS (N)
24-Apr-95 11:50am Std. Order: 2 LEMON COOKIES (N)
25-Apr-95 2:27pm Diet: NPO
25-Apr-95 2:27pm Std. Order: 1 APPLE (B) Canceled
25-Apr-95 2:27pm Std. Order: 2 POTATO PANCAKE (B) Canceled
25-Apr-95 2:27pm Std. Order: 3 PEANUTS (B) Canceled
25-Apr-95 2:27pm Std. Order: 1 COKE (B) Canceled
25-Apr-95 2:27pm Std. Order: 1 APPLE (N) Canceled
25-Apr-95 2:27pm
                    Std. Order: 4 LADY FINGERS (N) Canceled
25-Apr-95 2:27pm
25-Apr-95 2:28pm
25-Apr-95 2:28pm
                    Std. Order: 2 LEMON COOKIES (N) Canceled
                    Diet: REGULAR (Tray)
                    Std. Order: 1 APPLE (B)
25-Apr-95 2:28pm
                    Std. Order: 2 POTATO PANCAKE (B)
25-Apr-95 2:28pm
                    Std. Order: 3 PEANUTS (B)
25-Apr-95 2:28pm
                    Std. Order: 1 COKE (B)
25-Apr-95 2:28pm
                    Std. Order: 1 APPLE (N)
25-Apr-95 2:28pm
                    Std. Order: 4 LADY FINGERS (N)
25-Apr-95 2:28pm
                    Std. Order: 2 LEMON COOKIES (N)
25-Apr-95 2:35pm
                    Diet: NPO
25-Apr-95 2:35pm
                    Std. Order: 1 APPLE (B) Canceled
25-Apr-95 2:35pm
                    Std. Order: 2 POTATO PANCAKE (B) Canceled
25-Apr-95 2:35pm
                    Std. Order: 3 PEANUTS (B) Canceled
25-Apr-95 2:35pm
25-Apr-95 2:35pm
                    Std. Order: 1 COKE (B) Canceled
                    Std. Order: 1 APPLE (N) Canceled
25-Apr-95 2:35pm
                    Std. Order: 4 LADY FINGERS (N) Canceled
25-Apr-95 2:35pm
                    Std. Order: 2 LEMON COOKIES (N) Canceled
```

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: SL Print Standing Order Labels [FHSP8]

This option allows the user to print labels for standing orders.

Select SERVICE POINT (or ALL):
HOSPITAL CL <RET>

Enter ?? <RET> to get listing of Service Points, then select Service Point as shown, or ALL.

Select Meal (B,N,E, or ALL): ??
<RET>

Enter B, N, E, or ALL.

Enter B for Breakfast, N for Noon, E for Evening or ALL for all meals

Select Meal (B,N,E, or ALL): E <RET>

Place Labels in Printer

Select LABEL Printer: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80//
<RET>

Enter printer instructions OR press <RET> to see report on screen.

SIMON, SAYS NEW 1 EAST/ 8765 1-May-95 EVEN 1 STEAK

SIMON, SAYS NEW 1 EAST/ 8765 1-May-95 EVEN 1 POTATO SALAD (HONEY MUSTARD)

SIMON, SAYS NEW 1 EAST/ 8765 1-May-95 EVEN 1 CANNED FRUIT

SIMON, SAYS NEW 1 EAST/ 8765 1-May-95 EVEN 1 FRUIT PUNCH (NATURAL)

NAMETH, JOE NEW 1 EAST/ 9120 1-May-95 EVEN 2 OREO COOKIES

NAMETH, JOE NEW 1 EAST/ 9120 1-May-95 EVEN

1 CHICKEN SOUP

TINA,BELINDA NEW 1 EAST/ 0100 1-May-95 EVEN

3 LEMON COOKIES

TINA,BELINDA NEW 1 EAST/ 0100 1-May-95 EVEN NEW 1 EAST/

1 COKE

BRAND, NEW P NEW 1 EAST/101-05 2621 1-May-95 EVEN 1 STRAWBERRY

TEST, QUEENELLA NEW 1 EAST/101-06 8905 1-May-95 EVEN

1 HEATH BAR

TEST, QUEENELLA NEW 1 EAST/101-06 8905 1-May-95 EVEN

1 CHICKEN BROTH

TEST, QUEENELLA NEW 1 EAST/101-06 8905 1-May-95 EVEN

2 WHITE BREAD

TEST, QUEENELLA NEW 1 EAST/101-06 1-May-95 EVEN 8905

1 COLE SLAW

MAS, FOUR NEW 4 SOUTH/410-03 1-May-95 EVEN

2 PEANUT BUTTER COOKIES

TEST, NEW NEW 4 SOUTH/410-04

8079 1-May-95 EVEN

3 OREO COOKIES

TEST,NEW NEW 4 SOUTH/410-04 8079 1-May-95 EVEN 2 STRAWBERRY JELL-O & FRUIT Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: SO Tabulate Standing Orders (80 Column) [FHSP5]

The purpose of this option is to print the totals of the standing orders by meal. The totals change when discharges occur.

Prompt/User Entry:

Select SERVICE POINT (or ALL): ALL <RET>

Select Meal (B,N,E, or ALL): ?? <RET>

Enter B for Breakfast, N for Noon, E for Evening or ALL for all meals $\,$

Select Meal (B,N,E, or ALL): N <RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Discussion:

Enter ?? <RET> to get listing of Service Points, then select Service Point as shown, or ALL.

Enter B, N, E, or ALL.

Enter printer instructions OR press <RET> to see report on screen.

15-Mar-95 8:37am

STANDING ORDERS

Page 1

NOON

```
Quantity
             Order
    14
            APPLE
             BEEF BLENDER
     9
     2
             CANNED FRUIT
     1
             CHICKEN BROTH
     2
             CHICKEN LEG
     2
             CHICKEN SOUP
     3
             COKE
     3
             COLE SLAW
     2
             DIET PUDDING
     1
             DOUBLE PORTIONS
             FRESH SALAD
     1
             FRUIT PUCH (ART)
     1
             FRUIT PUNCH (NATURAL)
     5
            GRILLED CHEESE
     1
            HEATH BAR
     4
             HOT CHICKEN WINGS
    36
             LADY FINGERS
    25
             LEMON COOKIES
     7
            OREO COOKIES
            PEACHES
```

- PEPSI
- 3 POTATO PANCAKE
- 1 POTATO SALAD (HOME)
- PUDDING
- PUDDING (NONE LACTIC)
- 1 PUDDING (WHOLE MILK)
- 2 SOUR CREAM
- 1 SPINACH
- WHALE BLUBBER WHITE BREAD 1

HELPFUL HINTS AND NOTES

- The tabulated standing orders do not have patient identification or 1. location.
- All orders appear on one sheet. Duplicate sheets may need to be run for 2. different preparation areas.
- Reminder: Standing Orders are not saved after discharge. 3.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: SP Consolidate Standing Orders [FHSP7]

This option allows user to tally on consolidated list.

| Prompt/User Entry: | Discussion: |
|---|---|
| <pre>Select SERVICE POINT (or ALL): ALL <ret></ret></pre> | Enter ?? <ret> to get listing of Service Points, then select Service Point or ALL as shown.</ret> |
| Select Meal (B,N,E, or ALL): N <ret></ret> | Enter B, N, E, or ALL. |
| Consolidated List Only? Y// ?? <ret> Answer YES or NO</ret> | |
| Consolidated List Only? Y// N <ret></ret> | Only press <ret> if answer (default) is yes.</ret> |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer instructions OR press <ret> to see report on screen.</ret> |
| 15-Mar-95 S T A N D I N G O R 8:38am HOSP 15-Mar-9 | T |
| 7 APPLE 3 BEEF BLEN 1 CANNED FR 2 CHICKEN S | UIT |

2 CHICKEN SOUP

2 COKE

1 COLE SLAW

1 DIET PUDDING

1 DOUBLE PORTIONS

1 FRUIT PUCH (ART)

1 GRILLED CHEESE

4 HOT CHICKEN WINGS

16 LADY FINGERS

9 LEMON COOKIES

1 PUDDING

2 PUDDING (NONE LACTIC)

1 PUDDING (WHOLE MILK)

1 SPINACH

1 WHALE BLUBBER

**** PATIENTS = 11 ****

15-Mar-95 8:38am

STANDING ORDERS LIST Page 2

NH C 15-Mar-95 Noon

- 6 APPLE
- 6 BEEF BLENDER
- 1 CANNED FRUIT
- 1 CHICKEN BROTH
- 2 CHICKEN LEG
- 1 COKE
- 2 COLE SLAW
- 1 FRESH SALAD
- 1 FRUIT PUNCH (NATURAL)
- 3 GRILLED CHEESE
- 1 HEATH BAR
- 16 LADY FINGERS
- 14 LEMON COOKIES
- 7 OREO COOKIES
- 1 PEPSI
- 3 POTATO PANCAKE
- 1 POTATO SALAD (HOME)
- 2 SOUR CREAM
- 2 WHITE BREAD

**** PATIENTS = 13 ****

8:38am

15-Mar-95 STANDING ORDERS LIST Page 3

NURHC

15-Mar-95 Noon

- 1 APPLE
- 1 DIET PUDDING
- 1 GRILLED CHEESE
- 4 LADY FINGERS
- 2 LEMON COOKIES
- 1 PEACHES

**** PATIENTS = 2 ****

Select Production Reports Option: SP Consolidate Standing Orders

Select SERVICE POINT (or ALL): ALL

Select Meal (B,N,E,or ALL): N

Consolidated List Only? Y//

Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

15-Mar-95 CONSOLIDATED STANDING ORDERS Page 1 8:39am

15-Mar-95 Noon

| | HOSP T | NH C | NURHC | TOTAL |
|------------------------|--------|------|-------|-------|
| APPLE | 7 | 6 | 1 | 14 |
| BEEF BLENDER | 3 | 6 | | 9 |
| CANNED FRUIT | 1 | 1 | | 2 |
| CHICKEN BROTH | | 1 | | 1 |
| CHICKEN LEG | | 2 | | 2 |
| CHICKEN SOUP | 2 | | | 2 |
| COKE | 2 | 1 | | 3 |
| COLE SLAW | 1 | 2 | | 3 |
| DIET PUDDING | 1 | | 1 | 2 |
| DOUBLE PORTIONS | 1 | | | 1 |
| FRESH SALAD | | 1 | | 1 |
| FRUIT PUCH (ART) | 1 | | | 1 |
| FRUIT PUNCH (NATURAL) | | 1 | | 1 |
| GRILLED CHEESE | 1 | 3 | 1 | 5 |
| HEATH BAR | | 1 | | 1 |
| HOT CHICKEN WINGS | 4 | | | 4 |
| LADY FINGERS | 16 | 16 | 4 | 36 |
| LEMON COOKIES | 9 | 14 | 2 | 25 |
| OREO COOKIES | | 7 | | 7 |
| PEACHES | | | 1 | 1 |
| PEPSI | | 1 | | 1 |
| POTATO PANCAKE | | 3 | | 3 |
| POTATO SALAD (HOME) | | 1 | | 1 |
| PUDDING | 1 | | | 1 |
| PUDDING (NONE LACTIVE) | 2 | | | 2 |
| PUDDING (WHOLE MILK) | 1 | | | 1 |
| SOUR CREAM | | 2 | | 2 |
| SPINACH | 1 | | | 1 |
| WHALE BLUBBER | 1 | | | 1 |
| WHITE BREAD | | 2 | | 2 |
| # OF PATIENTS | 11 | 13 | 2 | 26 |

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: TR Tubefeeding Reports/Labels... [FHORTFM]
Suboption I: TF Preparation/Delivery of Tubefeedings [FHORTF5]

This report contains tubefeeding information by patient and ward. It includes the product and quantities. The report is divided into three sections.

Preparation of Tubefeedings includes:

Patient's name and SSN
Product and number of units
Quantities in CCs of full-strength, reconstituted product
Diluent water to be mixed, if dilution is ordered

Tubefeeding Pull List includes:

Product and total units of issue to be pulled from stock

Delivery of Tubefeedings includes:

Location, patient's name, and SSN Product and number of units to be delivered

The Tubefeeding Pull List can be used by the Ingredient Control Unit to determine total quantities to pull from stock. The section on Delivery of Tubefeedings is useful in identifying the products and quantities needed by ward. For those patients where quantity is shown as "Prepared", the section on Preparation of Tubefeeding serves as a reference indicating specific dilution information.

```
Select C=COMMUNICATION OFFICE or W=WARD: C <RET>
Select COMMUNICATION OFFICE (or ALL): COM OFFICE 2 <RET>
The report requires a 132 column printer.

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// 132 <RET>
```

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: TR Tubefeeding Reports/Labels... [FHORTFM]
Suboption I: TL Print Tubefeeding Labels [FHORTF5L]

This option allows user to print the Tubefeeding Labels.

Print Tubefeeding Labels includes:

Patient name, location, and SSN Date Product and number of units, and Quantity

Prompt/User Entry:

Discussion:

Select C=COMMUNICATION OFFICE or W=WARD:
C <RET>

Select COMMUNICATION OFFICE (or ALL): ALL
<RET>

Do you want multiple labels? N// <RET>

Select LABEL Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

Answer Y (yes) or N (no).

Enter printer device OR <RET> as shown and labels will show on screen.

HOOK, CAPTAIN NEW 1 EAST 8688 1-May-95 101-04

CITROEN, 5 POWDERS 100 CC per Hour X 12 hrs

HOOK, CAPTAIN NEW 1 EAST 8688 1-May-95 101-04

POLYCOSE, 9 BOTTLES 2000 KCAL per Day

HOOK, CAPTAIN NEW 1 EAST 8688 1-May-95 101-04

PROMOD, 1 SCOOP 5 GM per Day

BRAND, NEW P NEW 1 EAST 2621 1-May-95 101-05

VIVONEX, 3 PKGS 8 OZ Three times a Day

BRAND, NEW P NEW 1 EAST 2621 1-May-95 101-05

OSMOLITE HN, 10 CANS 100 CC per Hour

NEW 1 EAST MAS,ONE 2162 1-May-95

AMIN-AID, 2 PKGS

20 GM per Day

MAS,ONE NEW 1 EAST 2162 1-May-95

SUSTACAL, 7 CANS 1600 KCAL per Day

MAS, ONE NEW 1 EAST 2162 1-May-95

VIVONEX, 8 PKGS 100 CC per Hour

NEW 1 EAST 8262 1-May-95

OSMOLITE, 10 CANS 100 CC per Hour

NEW 1 EAST NHCU, FINAL

8262 1-May-95

PRECISION HN, 1/4 PKG

1/2 Str, 100 CC per Day

NEW 1 EAST 8262 1-May-95

SUSTACAL HC, 6 CANS 2000 KCAL per Day

NHCU, FRED NEW 1 EAST

1717 1-May-95

CRITICARE HN, 3-3/4 BOTTLES

3/4 Str, 100 CC per Hour X 12 hrs

NEW 1 EAST 1717 1-May-95

ISOCAL HCN, 1 CAN 100 CC Twice a Day

NHCU, FRED NEW 1 EAST

1717 1-May-95

PRECISION HN, 8 PKGS

2000 KCAL per Day

NEW 1 EAST NHCU, FRED

1717 1-May-95

PROMOD, 8 SCOOPS 40 GM per Day

HELLO, DOLLY NEW 1 EAST

3433 1-May-95

ISOCAL HCN, 4 CANS

80 CC per Hour X 12 hrs

NEW 1 EAST HELLO, DOLLY

3433 1-May-95

PROMOD, 4 SCOOPS

20 GM per Day

NEW 1 EAST 9120 1-May-95

OSMOLITE HN, 5 CANS

175 CC Every 4 Hours

ADMIT,ONE NEW 3 NORTH 2724 1-May-95 316-01

PULMOCARE, 1 CAN

100 CC per Day

DENNISTON, WILBUR NEW 3 NORTH 8987 1-May-95 312-01

PROMOD, 4 SCOOPS 20 GM per Day

TEST, ADMIT NEW 3 NORTH 9021 1-May-95 312-03

SUSTACAL, 2 CANS
100 CC Three times a Day

QUEEN, ELIZABETH NEW 3 NORTH 5631 1-May-95 312-04

PRECISION HN, 1 PKG 100 CC per Day

LAMB, HONEY NEW 3 NORTH 3345 1-May-95 313-02

OSMOLITE HN, 7 CANS 85 CC per Hour X 18 hrs

FULTON, THEODORE NEW 3 NORTH 7256 1-May-95 316-04

SUSTACAL, 3-1/2 CANS
1/2 Str, 100 CC per Hour X 16 hrs

FULTON, THEODORE NEW 3 NORTH 7256 1-May-95 316-04

PRECISION HN, 3 PKGS 100 CC Every 2 Hours X 8 fdgs

FULTON, THEODORE NEW 3 NORTH 7256 1-May-95 316-04

PROMOD, 4 SCOOPS 20 GM per Day

MAS, TEN NEW 3 NORTH 1171 1-May-95

PRECISION LR, 3 PKGS 8 OZ Three times a Day X 8 hrs

MAS, TEN NEW 3 NORTH 1171 1-May-95

1 CAL/CC,LS, 3 CANS 3 UNITS per Day

MAS, TEN NEW 3 NORTH

1171 1-May-95

PROMOD, 6 SCOOPS
10 GM Three times a Day

NEW 3 NORTH 5375 1-May-95

OSMOLITE HN, 4 CANS

300 CC Three times a Day X 8 hrs

NEW 3 NORTH HOOKER, HAPPY

5375 1-May-95

POLYCOSE, 15 BOTTLES

300 CC Three times a Day X 6 fdgs

HOOKER, HAPPY NEW 3 NORTH

5375 1-May-95

PROPAC, 18-3/4 PKGS

3/4 Str, 100 CC Every 2 Hours X 5 fdgs

NEW 3 NORTH HOOKER, HAPPY

5375 1-May-95

PROMOD, 60 SCOOPS

1/4 Str, 100 CC Every 2 Hours X 6 hrs

GALTON, FRANCIS NEW 3 NORTH

9258 1-May-95

OSMOLITE, 3 CANS

200 CC Every 3 Hours X 3 fdgs

GALTON, FRANCIS NEW 3 NORTH

9258 1-May-95

POLYCOSE, 1 BOTTLE

1/4 Str, 1 UNITS per Day

GALTON, FRANCIS NEW 3 NORTH

9258 1-May-95

MICROLIPID, 4 BOTTLES

2000 KCAL per Day

GALTON, FRANCIS NEW 3 NORTH

9258 1-May-95

PROMOD, 8 SCOOPS

20 GM Twice a Day X 2 fdgs

TEST,ASIH NEW 2 WEST 3456 1-May-95 205-01

PULMOCARE, 1 CAN

100 CC per Day

TEST,NEW NEW 4 SOUTH 8079 1-May-95 410-04

SUSTACAL, 2 CANS

100 CC Three times a Day

MAS,FOUR NEW 4 SOUTH 5165 1-May-95 410-03

CRITICARE HN, 4 BOTTLES 75 CC per Hour X 12 hrs

MAS, FOUR NEW 4 SOUTH 5165 1-May-95 410-03

OSMOLITE HN, 4 CANS 50 CC per Hour X 16 hrs

MAS, FOUR NEW 4 SOUTH 5165 1-May-95 410-03

PROPAC, 5 PKGS 100 CC per Day

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: TR Tubefeeding Reports/Labels Option [FHORTFM]
Suboption I: TP Tubefeeding Preparation [FHORTF5P]

This option will print only the Tubefeeding Preparation Report for use on the Wards.

Preparation of Tubefeedings includes:

Patient name and SSN
Product and number of units
Quantities in CCs of full-strength, reconstituted product
Diluent water to be mixed, if dilution is ordered

Prompt/User Entry:

Discussion:

Select C=COMMUNICATION OFFICE or W=WARD:
W <RET>
Select WARD (or ALL): NEW 5 CENTRAL
<RET>
The report requires a 132 column printer.
Select LIST Printer: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80// 132
<RET>

Enter printer device OR <RET> and enter 132 as shown and labels will only show on screen.

For printout, refer to Preparation/Delivery of Tubefeedings.

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: DR Dietetic Lists/Reports... [FHCDLST]
Suboption: TR Tubefeeding Reports/Labels Option [FHORTFM]
Suboption I: TX Tubefeeding Pull Lists [FHORT5S]

This option will print pick lists for all tubefeeding products for the selected Communication Office or Ward as well as a consolidated pick list when all Communication Offices or Wards are selected.

Tubefeeding Pull Lists include:

Product and total units of issue to be pulled from stock.

```
Select C=COMMUNICATION OFFICE or W=WARD: C <RET>
Select COMMUNICATION OFFICE (or ALL): ALL <RET>
Consolidated Report Only? Y// <RET>
Select LIST Printer: HOME// <RET> SET HOST
 2-May-95 1:09pm TUBEFEEDING PULL LIST
                                                                           Page 1
                                    CONSOLIDATED
                           # Units
                                          Product
                          3 CAN 1 CAL/CC,LS
2 PKG AMIN-AID
5 POWDER CITROEN
8 BOTTLE CRITICARE HN
5 CAN ISOCAL WOLLD
                         5 CAN ISOCAL HCN
4 BOTTLE MICROLIPID
30 CAN OSMOLITE HN
13 CAN OSMOLITE
25 BOTTLE POLYCOSE
                          13 PKG
                                          PRECISION HN
                          3 PKG
                                          PRECISION LR
 2-May-95 1:09pm TUBEFEEDING PULL LIST
                                                                          Page 2
                                    CONSOLIDATED
                           # Units
                                          Product
                         95 SCOOP
24 PKG
                                         PROMOD
PROPAC
                                       PULMOCARE
SUSTACAL HC
                          6 CAN
                         15 CAN
                                          SUSTACAL
                         11 PKG
                                          VIVONEX
```

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: TT Tray Tickets... [FHMTKM]

Suboption I: HP History of Diet Patterns [FHMTKH]

This option will display all Diet Patterns entered for this patient's admission and allow user to add a previous Diet Pattern to a patient's current-diet.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN): ? <RET>
Answer with PATIENT NAME, or SOCIAL
SECURITY NUMBER, or WARD LOCATION, or
ROOM-BED

Do you want the entire PATIENT List? N <RET> (No)

Enter one? or two?? question marks after each prompt for help or to see a listing of names, etc.

Select Patient (Name or SSN): **ADMIT,ONE <RET>** 01-01-50 727272724 COLLATERAL

Select ADMISSION (or C for CURRENT): C <RET>

Current Diet: 3-4gm SODIUM

Pat Date/Time Entered Diet Pattern

1 28-Nov-94 4:40pm REGULAR

2 15-Mar-95 10:41am 3-4gm SODIUM

Detailed Display of which Pattern #? 2 <RET>

Standing Orders

1 COLE SLAW (I)

Break Break 1 FRUIT PUNCH (NATURAL) (I)

Noon 1 PUDDING (I) Even 1 APPLE (I)

Diet Pattern

| Breakfast | | Noon | | Evening |
|---|-------------------------|--|---------------------------|--|
| BEVERAGE BREAD JUICE I BREAKFAST ITEM DESSERT | 1 2 1 1.5 1 | BEVERAGE BREAD JUICE I APPETIZER SOUP ENTREE VEGETABLE | 1 1 2.7 1 2.3 | BEVERAGE BREAD APPETIZER SOUP ENTREE VEGETABLE DESSERT |
| | 2 | DESSERT | | |

Pattern Entered By: ACKERT, NANCY

Press RETURN to Continue

Likes DisLikes

NO BEEF All Meals

Noon 2 ICE CREAM Noon, Even 1 CHILI MAC 1 LIVER SANDWICH

Do You Want to Store this Pattern As the Patient's Individual Pattern? $\ensuremath{\text{N}}//$ <RET>

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: TT Tray Tickets... [FHMTKM]

Suboption I: LD List Inpats With No/prev Patterns [FHMTKN]

This option allows the user to run two listings. One list consists of all the inpatients that do not have any Diet Pattern that match with their current-diet. The second list consists of a listing of inpatients that do not have a current individual pattern but have had a individual pattern for a previous Diet order.

The list requires a 132 column printer.

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

2-May-95 3:05pm INPATIENTS WITH NO DIET PATTERNS Page 1

Ward/Room Patient Current-Diet

NEW 1 EAST/*** SIMON,SAYS TEST L-PHOSP

NEW 1 EAST/***

NEW 1 EAST/101-05

NEW 2 WEST/207-04

NEW 3 NORTH/313-02

LAMB, HONEY

SIMON, SAYS

TEST L-PHOSP

CARDIAC CATH

2000 CAL RED

RADIATION

II,

arro.

CHOLESTEROL

NEW 3 NORTH/316-02 DOTTIE, LAPUE 1900 CAL ADA NEW 4 SOUTH/410-04 TEST, NEW 2 GM SODIUM,

2

GM POTT

NEW 4 SOUTH/410-01 DIET, TWO RADIATION II

Press RETURN to continue.

2-May-95 3:05pm INPATIENTS THAT HAD INDIVIDUAL PATTERNS Page 1

Patient Effective Diet

NEW 1 EAST/***

ADMIT, TWO 26-Apr-95 1:21pm Current: MECHANICAL 28-Mar-95 10:19am Prev. Pattern: 1800 CAL

RED,

FIBER REST, FAT REST

NEW 1 EAST/***

ELLIOTT, MARGUERITE 26-Apr-95 10:21am Current: REGULAR 24-Apr-95 12:00pm Prev. Pattern: CLEAR

LIQUID

NEW 1 EAST/103-01

PONCHO, PINTA 21-Apr-95 4:09pm Current: PRO, SOD, POT 30-Jun-93 11:45am Prev. Pattern: REGULAR

Press RETURN to continue.

30-Jun-93 11:45am INPATIENTS THAT HAD INDIVIDUAL PATTERNS Page 2

Patient Effective Diet

NEW 3 NORTH/315-01

LOLLI, POP 26-Apr-95 1:49pm Current: MECHANICAL 27-Feb-95 12:29pm Prev. Pattern:

CHOLESTEROL, 1000cc FLUID

NEW 3 NORTH/312-02

PORTER, JACK 26-Apr-95 2:21pm Current: MECHANICAL

25-Apr-95 3:43pm Prev. Pattern: PRO,SOD,POT

NEW 3 NORTH/312-01

DENNISTON, WILBUR 21-Apr-95 4:03pm Current: PRO, SOD, POT 28-Nov-94 4:38pm Prev. Pattern: 1800 CAL

ADA

Press RETURN to continue.

28-Nov-94 4:38pm INPATIENTS THAT HAD INDIVI

DUAL PATTERNS Page 3

Patient Effective Diet

NEW 3 NORTH/***

HOOKER, HAPPY 13-Apr-95 1:58pm Current: MECHANICAL 30-Jun-93 1:11pm Prev. Pattern: REGULAR

NEW 3 NORTH/314-01

IONA, MISSY 22-Mar-95 2:33pm Current: REGULAR

30-Jun-93 11:38am Prev. Pattern: REGULAR

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: TT Tray Tickets... [FHMTKM] Suboption I: PD Print Diet Cards [FHDCRP]

This option allows the user to print Diet Cards that consist of patients' diet patterns. The Diet Cards can be printed two or three patients per page for a selected Patient, Ward, Communication Office, or for all. The Diet Card requires a 132 column printer.

Prompt/User Entry:

Discussion:

Print by PATIENT or COMMUNICATION OFFICE or WARD or ALL? COMM// W <RET>

Enter ?? <RET> to get help or <RET> at the // prompt if your selection is the default.

Select DIETETIC WARD: NEW 3 NORTH <RET>

Sort Patients: (A=Alphabetically R=Room-Bed) R// <RET>

Select Date: TODAY// <RET> (MAR 09, 1995)

Print Three Per Page? N// <RET>

Print Only Ones With Order Changes related to the Diet Card? N // <RET>

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// 132

<RET>

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST] Suboption: TT Tray Tickets... [FHMTKM] Suboption I: PT Print Tray Tickets [FHMTKP]

This option allows you to print tray tickets three patients per page for a selected Patient, Ward, Communication Office, or all for one meal or for all three meals. A Tabulated Recipe List follows each tray ticket run.

Prompt/User Entry:

Discussion:

Only press <RET> at the //
prompts below if you wish to select
the default; otherwise you may
enter your selection. Enter ??
<RET> for help.

Print by PATIENT or COMMUNICATION OFFICE or WARD or ALL? COMM// W <RET>

Select DIETETIC WARD: NEW 3 NORTH <RET>

Sort Patients: (A=Alphabetically R=Room-Bed) R// <RET>

Select Date: TODAY// <RET> (MAR 09, 1995)

Select MEAL (B,N,E,or ALL): N <RET>

Print Only Ones With Diet Order Change? N // <RET>

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// 132

<RET>

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: WD Ward Diet Order List (80 Column) [FHORD10]

This list is printed by single ward or all wards. Its format can be altered to print by room-bed location or alphabetized patient name. Lists containing only one type of service can also be printed. These lists contain information on diet and/or tubefeeding orders, supplemental feedings, early/late trays (for the next 72 hours), and standing orders.

An asterisk will appear if the supplemental feeding is older than two weeks or an NPO is older than three days. Clinical staff can use this list to monitor orders.

Prompt/User Entry:

Discussion:

Only press <RET> at the //
prompts below if you wish to select
the default; otherwise you may
enter your selection. Enter ??
<RET> for help.

Select by C=COMMUNICATION OFFICE or W=WARD: C <RET>

Select COMMUNICATION OFFICE (or ALL): ALL <RET>

Sort Patients: (A=Alphabetically R=Room-Bed) R// <RET>

Select Type of Service (T, C, D or ALL): ALL// ?? <RET>
Enter T for Tray, C for Cafeteria, D for Dining Room, or A for All

Select Type of Service (T, C, D or ALL): ALL// T <RET>

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

| 3-May-95 | 9:53am NEW 5 CENTRAL DIET ORDERS | | | | | | | | |
|----------|---|---|--|----------------------------|---------------------------------------|--|--|--|--|
| | TRAY Service Only | | | | | | | | |
| Room | Patient | | ID# | Admission Date | Svc Ord Date | | | | |
| 3-May-95 | 9:53am | NEW 2 WEST | DIET ORD | ERS | Page 2 | | | | |
| | | TRAY Ser | cvice Onl | У | | | | | |
| Room | Patient | | ID# | Admission Date | Svc Ord Date | | | | |
| | | : Moderately Co STRAWBERRIES, C | ompromise | | n T 22-Mar 25-Apr* | | | | |
| | | Likes | | DisLi} | DisLikes | | | | |
| | All Meals Break Noon | 1 ORANGE JUICE 1 PIZZA PUFFS 1 WHOLE-WHEAT 1 POTATO CHIPS 1 WHITE BREAD | BREAD | NO SHRIMPS, | NO GREEN FOODS | | | | |
| | Noon,Even Even | 1 TANGERINE 2 TACO | | NO PORK | | | | | |
| | Stng. Order | : Even 1 | l CORN BE | EF (I) | 2-Mar | | | | |
| 205-01 | Diet Order: | : Severely Comp | promised | 4-Jun-93 11:16an al/Day | n T 10-Dec 11-Jan 20-Oct | | | | |
| | | Likes | | DisLi | ces | | | | |
| | All Meals Break Noon Noon,Even | | | NO SOUP, NO | CHICKEN | | | | |
| | Stng. Order Stng. Order 10AM 1 CER 2PM 1 DES | : All Meals 2 : Noon 1 : Even 2 EEAL I/BOWL/SPOCESERT OF THE DAY | l GRILLED 2 GRILLED ON; 1 MIL 7 | CHEESE (I) CHEESE (I) | 15-Mar 15-Mar 15-Mar 20-Oct* | | | | |
| 207-02 | TEST,PASS Nut. Status Diet Order: | : Mildly Compro | 3347 omised | 4-Jun-93 11:07am | n T 18-Jun 22-Mar | | | | |
| | | Likes | | DisLi | ces | | | | |
| | No Food Pre | eferences on fil | Le | | | | | | |

| | ~. | | 1 | 00.74 |
|----------|--------|------------------|---------------------|---------|
| | Stng. | Order: Break | 1 APPLE | 22-Mar |
| | Stng. | Order: Break | 2 POTATO PANCAKE | 22-Mar |
| | Stng. | Order: Break | 3 PEANUTS | 22-Mar |
| | Stng. | Order: Break | 1 COKE | 22-Mar |
| | Stng. | Order: Noon | 3 LEMON COOKIES (I) | 31-Oct |
| | Stng. | Order: Noon | 1 APPLE | 22-Mar |
| | Stng. | Order: Noon | 4 LADY FINGERS | 22-Mar |
| | Stng. | Order: Noon | 2 LEMON COOKIES | 22-Mar |
| | Stng. | Order: Even | 1 LEMON COOKIES (I) | 31-Oct |
| | 10AM | 1 CEREAL I/BOWL/ | SPOON; 1 MILK,2% | 20-Oct* |
| | 2PM | 1 DESSERT OF THE | DAY | |
| | 8PM | 1 DESSERT OF THE | DAY | |
| 3-May-95 | 9:53am | NEW 2 W | EST DIET ORDERS | Page 3 |
| | | | | |
| | | TRAY | Service Only | |
| | | | | |

Room Patient ID# Admission Date Svc Ord Date
207-04 TEST,AGAIN 8901 11-Jun-93 1:09pm T

Nut. Status: Severely Compromised 18-Jun
Diet Order: 2000 CAL RED 13-Apr

Likes DisLikes

All Meals NO BEEF, NO TURKEY

Break 2 ORANGE JUICE 1 RYE BREAD

Even 3 WHOLE-WHEAT BREAD

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: WL Ward Supplemental Feeding Lists [FHN03]

The purpose of this option is to list all patients who receive supplemental feedings. If the patient is on an isolation which requires delivery by Nursing Service, "NURSE" will appear under the "ISOLAT" column. The date shown under "REVIEW" is the last date any transaction was made for that patient. When the date is over two weeks old, an asterisk will flag it for attention.

This facilitates the review mandated by M-2, Part III (3.06c). Ward Supplemental Feeding Lists (WL) can be viewed or printed.

| Prompt/User Entry: | Discussion: |
|--|--|
| Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S <ret></ret> | Enter S or W as shown. |
| Select SUPPLEMENTAL FEEDING SITE (or ALL): N200 <ret></ret> | Select one Supplemental Feeding Site or ALL. Enter ?? <ret> to get listing of Feeding Sites.</ret> |
| <pre>Print Patients: (A=Alphabetically R=Room-Bed) R// <ret></ret></pre> | Take default by pressing <ret> to print report by Room-Bed or A for alphabetical order of patients' names.</ret> |
| Select LIST Printer: HOME// <ret> HYPER SPACE RIGHT MARGIN: 80// <ret></ret></ret> | Enter the proper printer designation. (If only <ret> is pressed as shown, the information will show only on the screen. A delay of 10-25 seconds is normal.)</ret> |

The total quantities of supplemental feedings may be printed for each ward, including time period, if the Site Parameter is set for printing ingredients on ward lists.

Any Supplemental Feeding (SF) menu that has been individualized by a clinician will have (I) following it to notify a user that this individualized SF menu may not have changed when a diet order changed.

| WARD SUPPLEMENTAL FEEDING LIST PA | ige 1 |
|--|------------|
| Ward: NEW 3 NORTH 3-May-95 1: | 23pm |
| ROOM PATIENT ID# SUPP MENU ISOLAT REVIE | :W |
| GALTON, FRANCIS 9258 DB 1800 LS 03-23 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | ; * |
| MAS,TEN 1171 F/L 03-15 10AM 1 APPLESAUCE/SPOON; 1 ICE CREAM/SPOON | ;* |
| 312-01 DENNISTON, WILBUR 8987 ANTI *NURSE 03-10 10AM 1 CEREAL II/BOWL/SPOON; 1 MILK, SKIM; 2 CRAX PEANUT BUTTER 2PM 1 CRAX PEANUT BUTTER; 1 JUICE, ORANGE 40Z 8PM 1 SANDWICH DB HALF | * |
| 312-02 PORTER, JACK 3690 DB 1800 LS 04-26 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | |
| WARD SUPPLEMENTAL FEEDING LIST Pa | ige 2 |
| Ward: NEW 3 NORTH 3-May-95 1: | |
| ROOM PATIENT ID# SUPP MENU ISOLAT REVIE | :W |
| 312-03 TEST,ADMIT 9021 DB 1800 LS 03-22 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG |)* |
| 314-01 IONA,MISSY 2444 DB 1800 LS *NURSE 03-22 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | <u> *</u> |
| 314-02 TEST,TSIX 9010 ANTI 03-10 10AM 1 CEREAL II/BOWL/SPOON; 1 MILK, SKIM; 2 CRAX PEANUT BUTTER 2PM 1 CRAX PEANUT BUTTER; 1 JUICE, ORANGE 4OZ 8PM 1 SANDWICH DB HALF | * |
| 315-01 LOLLI,POP 8901 DB 1800 LS 04-26 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG WARD SUPPLEMENTAL FEEDING LIST PA | |
| Ward: NEW 3 NORTH 3-May-95 1: | 23pm |
| ROOM PATIENT ID# SUPP MENU ISOLAT REVIE | :W |
| 316-01 ADMIT,ONE 2724 DB1900 ADA 03-15 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG | ;* |
| 316-04 FULTON, THEODORE 7256 DB1800 ADA 03-10 8PM 1 MILK, SKIM; 1 CRAX, GRAHAM, PKG |)* |
| NEW 3 NORTH INGREDIENT LIST FOR 3-May-95 | |

--- 10 AM --- --- 2 PM --- --- 8 PM ---

- 2 MILK, SKIM
 2 CRAX PEANUT BUTTER
 7 MILK, SKIM
 1 ICE CREAM/SPOON
 2 JUICE, ORANGE 40Z
 7 CRAX, GRAHAM, PKG
 1 APPLESAUCE/SPOON
 2 SANDWICH DB HALF
- 4 CRAX PEANUT BUTTER
- 2 CEREAL II/BOWL/SPOON

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DR Dietetic Lists/Reports... [FHCDLST]

Suboption: WP Print Bulk Feedings/Cost Report [FHNO10]

This option will produce a delivery listing or labels for all bulk supplemental feeding for all wards served by a Supplemental Feeding Site. A cost report and consolidated pick list will also be produced.

| Prompt/User Entry: | Discussion: |
|--|---|
| Select SUPPLEMENTAL FEEDING SITE (or ALL): ALL <ret></ret> | Select one Supplemental Feeding Site (enter ?? <ret> for listing) or ALL.</ret> |
| Do you want Labels? N// <ret></ret> | Only press <ret> if you do not want labels (default is No//), but enter Y for Yes if you want labels to be printed.</ret> |
| Select LIST Printer: HOME// <ret> HYPER SPACE RIGHT MARGIN: 80//</ret> | Enter printer device OR press <ret> as shown for report to show on screen.</ret> |

<RET>

BULK NOURISHMENT'S FOR: ALL SITES Page 1 4-May-95 9:34 am --- NEW 1 EAST ---3 GINGER ALE/STRAW 10 COOKIES 3 FRUIT, CND/SPOON 2 JELLO/SPOON 1 BANANA 1 PEANUT BUTTER 1TSP 1 APPLE DUMPLINGS 6 JUICE OF THE DAY 6 MILK, 2% 1 CUSTARD/SPOON BULK NOURISHMENTS FOR: ALL SITES Page 2 4-May-95 9:34 am --- NEW 2 WEST ---3 MILK, 2% 3 CRAX, REG, PKG 2 APPLESAUCE/SPOON 2 ICE CREAM/SPOON 1 JUICE, APPLE 1 SANDWICH DB I 2 POPSICLE 2 COOKIES 2 GATORADE --- NEW 3 NORTH ---BULK NOURISHMENTS FOR: ALL SITES Page 3 4-May-95 9:34 am 1 KOOLADE 1 JUICE, ORANGE QT 2 HARD CANDY 2 CUSTARD/SPOON 1 MILKSHAKE VANILLA 2 APPLE DUMPLINGS 1 BRAN 2 POPSICLE 1 BANANA --- NEW 4 SOUTH ---2 CEREAL I/BOWL/SPOON

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: EA Energy/Nutrient Analysis... [FHNUM] Suboption: AA Abbreviated Analysis [FHNU5]

Results of Analysis Not Stored

This option is designed for quick analysis of one food item or many. However, it does not provide detailed nutrient values when multiple foods are entered. It provides only nutrient totals and percent RDA. It is suitable for such items as checking the nutrient content of a single food, obtaining immediate information for a short list of foods (such as a meal) and analyzing a recipe.

The printout contains only the nutrient totals, the percent RDA if an RDA category is selected, and a number in parentheses after each nutrient. The number in parentheses is an indicator of relative completeness of data. For example, a list of foods may have contained six items; a three in parentheses (3) signifies that only three items reported a value for that nutrient.

REMEMBER: This routine will not store any data. If storage is necessary, use Input Menu Data (MD) option.

Prompt/User Entry:

Title of Analysis: MEAT <RET>

Do you wish to use common units instead of grams? YES// <RET>

Select RDA Category: CHILDREN 7-10
YR. <RET>

Discussion:

Enter free text of 3-60 characters.

Y (yes) means all food quantities will be entered in the displayed common units.

N (no) means all quantities will be entered in grams. May not switch between the two types of units.

Enter RDA code. Enter ?? <RET> to view RDA Categories. May bypass by pressing <RET>.

We will now build the food list; you can obtain an analysis of a single food item by merely selecting that one item.

Select Food Item: ?? <RET>

- 1 MEAT
- 2 MEAT EXTENDER
- 3 MEATBALLS, DIET
- 4 MEATLOAF (STOUFFER)
- 5 MEATLOAF NO.1 (VACO)
- 6 MEATLOAF, TV DINNER, FRZ, UNHEAT, W/TOM SC, MASH POT, PEAS

Select Food Item #, 'RETURN' to
Quit => 6 <RET>

MEATLOAF, TV DINNER, FRZ, UNHEAT,
W/TOM SC, MASH POT, PEAS
 Amount (oz. at 28.3 gms) => 5
<RET> ... 141.5 grams

Select Food Item: <RET>

Here is your final food list:

1 MEATLOAF, TV DINNER, FRZ, UNHEAT, W/TOM SC, MASH POT, PEAS 5 oz.

Do you wish to edit this list? NO// <RET>

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

Proceed as for option Input Menu Data (MD).

Enter a printer device OR return for report to show on screen. The output is only obtainable once. The data will have to be re-entered to see the results a second time.

MEAT

| | | % % RDA Kcal | | % RDA |
|--|---|---|---|---|
| Calories (1) Protein (1) Carbohydrate (1) Fat (1) Sodium (1) Potassium (1) Calcium (1) Phosphorus (1) Iron (1) Zinc (0) Magnesium (0) | 185 K 11.3 Gms 13.9 Gms 9.5 Gms 556.1 Mg 162.7 Mg 26.9 Mg 165.6 Mg 1.8 Mg | 30 46 139 10 3 21 18 0 | Vitamin A (0) Ascorbic Acid (1) Vitamin E (0) Riboflavin (1) Thiamin (1) Niacin (1) Vitamin B6 (0) Vitamin B12 (0) Vitamin K (0) Folate (0) Pantothenic Ac (0) | 0 5.7 Mg 13 0 0.2 Mg 17 0.1 Mg 14 2.4 Mg 19 0 0 0 |
| Manganese (0) Copper (0) Selenium (0) | 104 2 141 | 0 0 0 | Cholesterol (1) Linolenic Acid (1) Linolenic Acid (0) Monounsat. Fat (0) Polyunsat. Fat (0) | 43.9 Mg 0.0 Gms |
| Water (1) Press RETURN to Contir | 104.3 Ml | | Saturated Fat (1) | 4.2 Gms |
| Ash (1) Alcohol (0) Caffeine (0) Total Diet Fiber (0) Total Tocopherol (0) Capric Acid (0) Lauric Acid (0) Myristic Acid (0) Palmitic Acid (0) Palmitoleic Acid (0) Stearic Acid (0) Oleic Acid (1) Arachidonic Acid (0) | 2.5 Gms 4.25 Gms | | Tryptophan (0) Threonine (0) Isoleucine (0) Leucine (0) Lysine (0) Methionine (0) Cystine (0) Phenylalanine (0) Tyrosine (0) Valine (0) Arginine (0) Histidine (0) Alanine (0) Aspartic Acid (0) Glutamic Acid (0) Glycine (0) Proline (0) Serine (0) | |

Press RETURN to Continue

Do you wish to analyze another menu? NO//

Advantages and Other Considerations

Advantages

Energy/Nutrient Analysis (EA) offers a number of advantages. Key items include:

- Significant time-savings in menu analysis are possible. An experienced user can enter and analyze a seven day menu for 32 nutrients in four hours or less.
- Cycle menus can be entered and stored indefinitely, changed at any time, and a new analysis printed.
- The availability of Nutrient Intake Studies can be extended to a greater portion of the patient population because of reduced time to obtain results.
- Any food item may be added to the file.
- The program can be used to analyze the stored menus for different RDA groups.
- Proposed food item changes can be made to analyzed menus and the results viewed immediately.

Other Considerations

There are other considerations in using the Energy/Nutrient Analysis (EA) program. Significant items include:

- The program is not easily used by non professionals because of conversions that may be necessary between existing common unit, serving size, and grams.
- The program accepts decimals only.
- An analysis of a single meal or day that is part of a larger stored menu cannot be selectively printed.
- USDA updates of the master file may be infrequent.
- A menu can be accidentally deleted because stored menus are not protected.

HELPFUL HINTS AND NOTES

- 1. Any user may change or delete any menu. Therefore, more than one person may work on the same menu.
- 2. Most printers may be set for compressed print of 16.5 characters per inch. Check with the Site Manager.
- 3. Capital letters must be used for data entry of food items.
- 4. Because the Abbreviated Analysis (AA) is not saved, it may be helpful to print the final food list and the results to keep for future reference.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: EA Energy/Nutrient Analysis... [FHNUM] Suboption: AN Print Analysis (32 Nutrients) [FHNU2]

Print Menu

This routine will print any User Menu in complete detail showing meal distribution. Each meal will contain all the food items in that meal with all of the values for each nutrient. Each meal will show totals of nutrients for the meals, percent of carbohydrate, protein, and fat, and percent RDA. Meals will be added together for the day. Each day will display similar accumulative totals. Days will be averaged together in a final weekly summary with averages calculated for all nutrients, percent RDA, and percent carbohydrate, protein, and fat.

This option prints only gram weights regardless of the units used in the data entry.

The user has the choice of printing all days with all food items listed or just the final weekly summary.

Prompt/User Entry:

Discussion:

Select USER MENU NAME: MINE <RET> 01-09-92

Select RDA Category: F25 <RET>

All RDA levels are available. Enter ?? to view them. Select by entering the first letter M or F for sex and then the first number of the age level.

Example: Female 19-23

Enter: F19

Do you wish a detailed analysis? Y// <RET>

The Analysis requires a 132 column printer.

DEVICE: HOME// <RET> SET HOST 132 <RET>

Enter Y for the complete detailed list. N for only the weekly

summary.

Enter printer instructions.

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]

Option: EA Energy/Nutrient Analysis... [FHNUM]

Suboption: MD Input Menu Data [FHNU4]

Stored Menu Data

This subroutine is the first step in using the Energy/Nutrient Analysis (EA) program. It enables a user to create a menu by giving it a specific identification (User Menu Name) and to enter food items for as many as six meal periods over seven days. The menu is stored under a specific User Menu Name and can be retrieved for changes at any time. The User Menu Name must not exceed 30 characters.

Samples:

Cyc 3 wk 2 Regular 1800 Diabetic Smith - 1G Sodium

Each user menu may contain up to seven days, each of which is identified by a number, one through seven. Each day may contain up to six meal periods, also identified by a number (one through six). The program routine requires that a user establish the User Menu Name and at least the first day and the first meal.

A detailed meal-by-meal analysis would look like an "outline" if it were on paper.

User Menu Name Day 1 Meal 1 Meal 2, etc.

If a meal-by-meal analysis is unnecessary, all foods for a single day may be entered at a single time as Meal 1 of any day.

Example:

User Menu Name Day 1 Meal 1 (containing all foods for the entire day)

Day 2
Meal 1 (containing all foods for the second day)

Once a menu has been entered, it will be stored indefinitely. It can be reviewed, changed, or printed at any time. Removing it completely from the computer files

requires a deliberate action to delete the menu by the user. This prevents accidental loss of a menu and the frustration of having to re-enter large amounts of data.

Prompt/User Option:

Select USER MENU NAME: Smith, R 1800KCAL Diabetic <RET>

Are you adding "Smith, R - 1800KCAL Diabetic" AS A NEW USER MENU? Y <RET> (Yes)

USER MENU NAME: Smith, R - 1800KCAL Diabetic Replace <RET>

UNITS: G <RET> GRAMS

Select DAY #: 2 <RET>

Are you adding '2' as a new DAY NUMBER (the 1ST for this USER MENU)? Y <RET> (Yes)

Select MEAL #: 1 <RET>

Are you adding '1' as a new MEAL NUMBER (the 1ST for this DAY NUMBER)? Y <RET> (Yes)

Discussion:

Enter ?? to see listing of User Menu Names. You may add a new User Menu Name as shown.

Answer Y for yes. You must answer yes or menu will not be created.

Change name or correct errors by typing in a new name after the word Replace. If there is no change, press <RET>.

You may remove the menu from the computer files by pressing the shift key and typing @ after the word Replace; answer Yes when asked if you want to Delete.

Enter C for common units or G for gram weights.

(You may not switch between the unit types within a single User Menu.)

Enter a number from 1-7.

Enter Y for yes.

Enter a number from 1-6.

Select Food Item: Milk <RET>

Enter ?? <RET> for help.

1 MILK, SKIM, PAST & RAW, FLUID PROTEIN FORTIFIED

Select Food Item #, '^' to Quit, or
'RETURN' to continue lsit => 1 <RET>

MILK, SKIM, PAST & RAW, FLUID PROTEIN FORTIFIED

Amount (gms.) => 245 <RET>

Current Food List for Menu: Smith, R - 1800KCAL Diabetic Day: 2 Meal: 1

MILK, SKIM, PAST & RAW, FLUID PROTEIN FORTIFIED - 245 gm.

Do you wish to EDIT this list? NO// <RET>

Review the food list for completeness and accuracy. If changes are needed, press Y. If no changes, press <RET>.

```
MD Input Menu Data
Select USER MENU NAME: ? <RET>
Answer with USER MENU NAME
Do you want the entire USER MENU List? Y <RET> (Yes)
Choose from:
        12-15-93
  BAB
  BBB
          12-15-93
  CHEESES 03-19-87
  EXAMPLE
              11-21-91
           09-14-88
  GILL
          05-20-93
  JJJ
  JKL 10-05-93
  Lynette 01-02-87
MENU 03-17-95
  MINE 01-09-52
POR 11-16-93
PORT 11-29-93
PPP 12-31-91
            01-09-92
           11-29-93
  PTTTA
           11-17-93
  SHU 11-19-90
  TEST D 05-23-90
  TEST PREGO
                 06-23-93
  TEXAS PINTOS 12-03-86
  TT1 06-09-92
  XXXXX
           11-04-89
   ZZZ 09-24-93
    You may enter a new USER MENU, if you wish
    NAME MUST BE 3-30 CHARACTERS, NOT NUMERIC OR STARTING WITH
    PUNCTUATION
Select USER MENU NAME: ZZZZ <RET>
 Are you adding 'ZZZZ' as a new USER MENU? Y <RET> (Yes)
USER MENU NAME: ZZZZ//
UNITS: C <RET> COMMON
Select DAY #: 1 <RET>
  Are you adding '1' as a new DAY NUMBER (the 1ST for this USER MENU)? Y
<RET>
      (Yes)
Select MEAL #: 1 <RET>
  Are you adding '1' as a new MEAL NUMBER (the 1ST for this DAY NUMBER)? Y
<RET> (Yes)
 Select Food Item: MILK <RET>
    MILK SHAKES, THICK CHOCOLATE
    MILK SHAKES, THICK VANILLA
     MILK SUBSTITUTES, FLUID W/HYDR VEGETABLE OILS
     MILK, BUTTERMILK, DRIED
     MILK, BUTTERMILK, FLUID, CULTURED, FROM SKIMMILK
     MILK, CHOCOLATE BEVERAGE, HOME MADE HOT COCOA
     MILK, CHOCOLATE DRINK, FLUID, WHOLE
     MILK, CHOCOLATE DRINK, FLUID, LOWFAT, 2% FAT
  9 MILK, CHOCOLATE DRINK, FLUID, LOWFAT, 1% FAT
 Select Food Item #, '^' to Quit,
  or 'RETURN' to continue list => 5
```

```
MILK, BUTTERMILK, FLUID, CULTURED, FROM SKIM MILK
   Amount (cups at 245 gms) => 1 ... 245 grams
Select Food Item: PAN <RET>
   PANCAKES FROM MIX, PLAIN AND BUTTERMILK, MADE W/MILK
2 PANCAKES FROM MIX, PLAIN AND BUTTERMILK, MADE W/EGG&MILK
3 PANCAKES, MADE FR BUCKWHEAT MIX, W/EGG AND MILK
 4 PANCAKES, MADE FR HOME RECIPE, ENR
Select Food Item #, 'RETURN' to Quit => 4
PANCAKES, MADE FR HOME RECIPE, ENR
   Amount (cakes at 27 gms) => 3 ... 81 grams
Select Food Item: SAUS <RET>
   SAUSAGE, BEERWURST(BEER SALAMI), BEEF
2 SAUSAGE, BLOOD SAUSAGE OR BLOOD PUDDING
3 SAUSAGE, BOCKWURST
 4 SAUSAGE, BOLOGNA, BEEF
5 SAUSAGE, BOLOGNA, BEEF & PORK
6 SAUSAGE, BOLOGNA, TURKEY
7 SAUSAGE, BRATWURST
8 SAUSAGE, BRAUNSCHWEIGER (LIVER SAUSAGE), SMOKED
   SAUSAGE, BROTWURST
10 SAUSAGE, BROWN&SERVE, BEFORE BROWNING
Select Food Item #, '^' to Quit,
or 'RETURN' to continue list => 10
SAUSAGE, BROWN&SERVE, BEFORE BROWNING
   Amount (oz. at 28.3 gms) => 3 ... 84.9 grams
Select Food Item: POTA <RET>
  POTATO CHIPS
   POTATO CHIPS, WO/SALT ADDED
    POTATO FLOUR
   POTATO GRANULES, DRY FORM
   POTATO PANCAKES, HOME-PREPARED
6 POTATO PUFFS, FRZ, PREPARED
   POTATO SALAD
8
   POTATO STICKS
9 POTATOES, BAKED IN SKIN, WO/SALT
Select Food Item #, '^' to Quit,
or 'RETURN' to continue list => 9
POTATOES, BAKED IN SKIN, WO/SALT
   Amount (potatoes at 155.5 gms) => 1 ... 155.5 grams
Select Food Item: <RET>
```

```
Current Food List for Menu: ZZZZ Day: 1 Meal: 1
   1 MILK, BUTTERMILK, FLUID, CULTURED, FROM SKIM MILK - 1 cup
   2 PANCAKES, MADE FR HOME RECIPE, ENR - 3 cakes
   3 POTATOES, BAKED IN SKIN, WO/SALT - 1 potato
   4 SAUSAGE, BROWN&SERVE, BEFORE BROWNING - 3 oz.
Do you wish to EDIT this list? NO// Y
Do you wish to change any amounts? NO//
Do you wish to delete any items? NO// Y
Delete item # : 3 ... deleted
Delete item # :
Do you wish to add more food items? NO// Y
 Select Food Item: POTATOES,
     POTATOES, FRZ, FRENCH-FRIED, HEATED IN OVEN, W/SALT
    POTATOES, FRZ, FRENCH-FRIED, RESTAURANT-PREP
     POTATOES, FRZ, WHOLE, CKD, WO/SALT
     POTATOES, HASHED BROWN, FRZ, W/BUTTER SAUCE, PREPARED
     POTATOES, MASHED, DEHYDRATED, FLAKES WO/MILK, DRY FORM
     POTATOES, MASHED, DEHYDRATED, GRANULES W/MILK, DRY FORM
     POTATOES, MASHED, MILK ADDED
     POTATOES, MASHED, MILK AND REGULAR MARGARINE ADDED
    POTATOES, MASHED, PREP FR FLAKES W/MILK & MARG
 9
 10 POTATOES, MASHED, PREP FR GRAN W/MILK & MARG
 11 POTATOES, MASHED, PREP FR GRAN W/MILK, WATER & MARG
 12 POTATOES, MICROWAVED, COOKED IN SKIN, WO/SALT
 13 POTATOES, MICROWAVED, COOKED IN SKIN, FLESH, W/SALT
 14 POTATOES, MICROWAVED, COOKED IN SKIN, FLESH, WO/SALT
    POTATOES, MICROWAVED, COOKED IN SKIN, W/SALT
 15
     POTATOES, O'BRIEN, FRZ, PREPARED
 16
     POTATOES, O'BRIEN, HOME-PREPARED
 17
 18
     POTATOES, PARED, BOILED, W/SALT
 Select Food Item #, '^' to Quit,
 or 'RETURN' to continue list => 17
  POTATOES, O'BRIEN, HOME-PREPARED
     Amount (cups at 194 gms) => 1 ... 194 grams
```

Select Food Item:

```
Current Food List for Menu: ZZZZ Day: 1 Meal: 1
  1 MILK, BUTTERMILK, FLUID, CULTURED, FROM SKIM MILK - 1 cup
   2 PANCAKES, MADE FR HOME RECIPE, ENR - 3 cakes
   3 SAUSAGE, BROWN&SERVE, BEFORE BROWNING - 3 oz.
   4 POTATOES, O'BRIEN, HOME-PREPARED - 1 cup
Do you wish to EDIT this list? NO// Y
Do you wish to change any amounts? NO// Y
Change item # : 1 from 1 cup to: 2 cup
Change item # :
Do you wish to delete any items? NO//
Do you wish to add more food items? NO//
Current Food List for Menu: ZZZZ Day: 1 Meal: 1
  1 MILK, BUTTERMILK, FLUID, CULTURED, FROM SKIM MILK - 2 cups
   2 PANCAKES, MADE FR HOME RECIPE, ENR - 3 cakes
   3 SAUSAGE, BROWN&SERVE, BEFORE BROWNING - 3 oz.
   4 POTATOES, O'BRIEN, HOME-PREPARED - 1 cup
Do you wish to EDIT this list? NO//
Select DAY #:
```

Data entry can be interrupted at any time during this process without loss of the menu. Subsequent changes can be made to any menu by naming the chosen User Menu, Day and Meal. Printing a menu analysis is a separate operation handled by options: Print Analysis (32 Nutrients) (AN) or Print Nutrient Intake Study (10 Nutrients) (NI).

Deleting User Menus

Any user can delete any of his/her own User Menus by pressing the shift key and the @ sign at the User Menu Name: Replace prompt. Users should be encouraged to clean their files periodically.

Any user can also change or delete any User Menu entered by any other user. Permanently stored menus, such as cycle menus, are not protected in any way from accidental or deliberate change or deletion.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: EA Energy/Nutrient Analysis... [FHNUM]

Suboption: NI Print Nutrient Intake Study (10 Nutrients) [FHNU8]

This routine will print any User Menu in less detail. Ten nutrients are displayed instead of 32 (see sample Nutrient Intake Study). In addition, only meal totals are displayed for each nutrient. Individual food items are not displayed. For each day, information is given for totals, percent RDA and percent carbohydrate, protein, fat. A final summary displays the averages for the daily totals, percent RDA, and percent carbohydrate, protein, and fat. It may be included in a medical record, if approved by the facility's Medical Records Committee.

Prompt/User Entry:

Discussion:

Select USER MENU name: ZZZ <RET> 12-15-93

Enter ?? <RET> for help.

Select RDA Category: F51 <RET>
FEMALES 51+ YR.

Select Patient (Name or SSN): **TINA, BELINDA <RET>** CYNTHIA 11-02-33
123770100 SC VETERAN

Sex: F Age: 61 Enter patient's name. If non-patient, enter * <RET>, then enter free text of patient information.

DEVICE: HOME// <RET> HYPER SPACE

RIGHT MARGIN: 80// <RET> HYPER SPACE

Enter printer instructions OR <RET> for printout to show on screen.

| | NUTRIENT | | INTAKE | | STUDY | | 15-Mar-95 | | | |
|---------------------------------------|--------------------|---------------------------|-----------------------|-----------------------|--------------|--------------------|-------------------|--------------------|----------------|--------------------|
| Patient: TINA, BELINDA | | | | Female | | | Age: 61 | | | |
| | Energ KCal | Pro Gm | CHO Gm | Fat Gm | | Pot Mg | Calc Mg | Phos Mg | Chol Mg | H2O Ml |
| Day 1 Meal 1 Meal 2 Meal 3 | 506 2781 267 | | 64.9 186.4 22.7 | 18.6 137.4 11.3 | 6090 | 781 3740 834 | 60 1469 163 | 254 2262 165 | 59 536 2 | 407 1132 136 |
| Total % RDA % Kcal Kcal:N | | 484 27 | 273.9 | 167.3 | 7646 1529 | 5355 268 | 1691 211 | 2681 335 | 597 | 1676 |
| Day 2 Meal 1 Meal 2 Meal 3 | 349 629 176 | 23.2 63.8 10.7 | 23.9 21.6 24.0 | 19.1 30.8 4.3 | | 708 940 537 | | 169 480 246 | 69 191 7 | 251 284 136 |
| Total % RDA % Kcal Kcal:N | 1155 Ratio = | 97.7 195 34 74:1 | 69.5 | 54.2 | 2890 578 | 2184 109 | 318 40 | 896 112 | 267 | 670 |
| Day Avg. % RDA % Kcal Kcal:N | | 340 29 | 171.7 29 | 110.8 | 5268 1054 | 3770 188 | 1005 126 | 1788 224 | 432 | 1173 |

^{&#}x27;+' following a daily value indicates that incomplete data exists.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: EA Energy/Nutrient Analysis... [FHNUM]

Suboption: PM View/Print Menu [FHNU1P]

This option allows a user to display and/or print a menu contained in the User Menu file (112.6)

Prompt/User Entry:

Discussion:

Select USER MENU NAME: ZZZ <RET> 03-19-87

Enter ?? <RET> for User Menu Names. You may add names that are not listed.

DEVICE: HOME// <RET> SET HOST

Enter printer instructions.

Menu: ZZZ Day: 1 ----- Meal 1 -----LS DIABETIC SPANISH RICE - 2 svg. MEXICAN CORN - 2 svg. SPAGHETTI W/MEAT SAUCE - 1 svg. ----- Meal 2 -----PUREED APRICOTS - 1 svg. BLAND CREAM OF PEA SOUP - 1 svg. SMOTHERED STEAK - 1 svg. WAISTLINE BARBECUED CHICKEN - 1 svg. LO SOD/LO PRO PORK CHOPS/SYRU - 1 svg. CAULIFLOWER AU GRATIN - 1 svg. SEASONED COLLARD GREENS - 1 svg. CREAMED SPINACH - 1 svg. PEAS WITH MUSHROOMS - 1 svg. PLANTATION SHORTCAKE - 1 svg. CHEESE DREAMS - 1 svg. CHICKEN ALA MARYLAND - 1 svg. BAKED WINTER SQUASH - 1 svg. ----- Meal 3 -----PUREED ASPARAGUS - 1 svg. PUREED BEEF - 1 svg. PUREE MONGOL SOUP - 1 svg. PUREED CARROTS - 2 svg. Day: 2 Menu: ZZZ ----- Meal 1 -----LS CASSEROLE CREOLE - 1 svg. CREOLE SOUP - 2 svg. ----- Meal 2 -----SLICED BEETS, CND - 1 svg. BEEF BARLEY SOUP - 1 svg. WAISTLINE BARBECUED CHICKEN - 1 svg. LS SWISS STEAK - 1 svg. ----- Meal 3 -----POTATO CHOWDER - 1 svg.

SPANISH BEAN SOUP - 1 svg.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: EA Energy/Nutrient Analysis... [FHNUM]

Suboption: VM View Meal [FHNU1D]

This routine allows for reviewing or printing a specific meal only. The user must select the User Menu Name, the Day, and the Meal. It allows a user to be selective in viewing, rather than reviewing an entire seven day menu to find one meal.

Prompt/User Entry:

Discussion:

Select USER MENU NAME: **SMITH, <RET>** R -1800KCAL DIABETIC 05-05-95

Enter menu name.

Select DAY #: 1 <RET>

Enter a number, 1-7.

Select MEAL #: 2 <RET>

Enter a number, 1-6.

DEVICE: HOME// <RET> HYPER SPACE

Enter printer instructions OR press <RET> to view menu on screen.

RIGHT MARGIN: 80// <RET>

Menu: SMITH, R -1800KCAL DIABETIC Day: 1 Meal: 2

MILK, SKIM, PAST & RAW, FLUID PROTEIN FORTIFIED - 244 gms

VM View Meal

Select USER MENU NAME: ZZZ <RET> 09-24-93

Select DAY #: 1 <RET>
Select MEAL #: 2 <RET>

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

Menu: ZZZ Day: 1 Meal: 2

PUREED APRICOTS - 1 svg.

BLAND CREAM OF PEA SOUP - 1 svg.

SMOTHERED STEAK - 1 svg.

WAISTLINE BARBECUED CHICKEN - 1 svg.

LO SOD/LO PRO PORK CHOPS/SYRU - 1 svg.

CAULIFLOWER AU GRATIN - 1 svg.

SEASONED COLLARD GREENS - 1 svg.

CREAMED SPINACH - 1 svg.

PEAS WITH MUSHROOMS - 1 svg.

PLANTATION SHORTCAKE - 1 svg.

CHEESE DREAMS - 1 svg.

CHICKEN ALA MARYLAND - 1 svg.

BAKED WINTER SQUASH - 1 svg.

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: FP Food Preferences... [FHSELM]**

Suboption: DP Display Patient Preferences [FHSEL4]

This option can be used to view current preferences assigned for a specific patient. The option (PP) Patient Profile and option (WD) Ward Diet Order List will also show food preferences.

Prompt/User Entry:

Select Patient (Name or SSN): BELLOWS, BRIAN <RET> 11-04-28 122334456 COLLATERAL

Discussion:

Enter patient's name. You may enter ?? <RET> to see listing of patients.

122-33-4456 BELLOWS, BRIAN Male Age 66 2 CENTRAL

> Likes DisLikes

All Meals 1 CHILI MAC, 1 GELATIN NO GREEN FOODS, NO SHRIMPS

Noon 1 TEA

Noon, Even 2 PIZZA BURGER, 2 TANGERINE 1 WHOLE-WHEAT BREAD NO CHICKEN

Even 1 SKIM MILK

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: FP Food Preferences... [FHSELM]

Suboption: EP Enter/Edit Patient Preferences [FHSEL3]

When a food preference is requested for a patient (either through the computer or by other means), it should be entered into the computer under this option if the preference is on the preference list.

After selecting the patient's name, the food preference is entered. Then the meals are selected which pertain to that preference.

HELPFUL HINTS

When using the option Enter/Edit Patient Preferences (EP), a current preference will be shown first, if one exists. If that preference is to be deleted, enter the @ sign. Although you are entering the new preference after the double slashes, it will not replace the preference which is in front of the double slashes. This can be confusing because it is unlike the way the editing is usually done in Dietetics software.

Field Definitions

Select Patient Name Field

This field designates the patient for whom food preferences are to be entered.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN):
BELLOWS,BRIAN <RET> 09-18-26
122334456
 COLLATERAL

Enter name. (Current preferences will be displayed if any are on file.)

122-33-4456 BELLOWS, BRIAN Male Age 69 2 CENTRAL

Likes DisLikes

All Meals 1 CHILI MAC, 1 GELATIN NO GREEN FOODS, NO SHRIMPS

Noon 1 TEA

Noon, Even 2 PIZZA BURGER, 2 TANGERINE NO CHICKEN

1 WHOLE-WHEAT BREAD

Even 1 SKIM MILK

Select FOOD PREFERENCES: WHOLEWHEAT BREAD <RET>

FOOD PREFERENCES: WHOLE-WHEAT

BREAD// <RET>

Select one preference. Enter ?? <RET> to display the preference list. If preferences are already on file, the last entry will be displayed.

To delete a preference, enter the @ sign after the preference name//.

To add a new preference, enter the name after the // prompt even if a different preference is displayed.

MEALS: B// <RET>

Quantity: 1// <RET>

Enter a string of meals (e.g., B, BN or BNE) or A for all meals.

Enter a number from 2-9 or take the default of 1 by pressing <RET>.

Upon subsequent admission, the preferences which are Dislikes will appear on the list format of Diet Activity Report/Labels (DA) and are preceded by "Pref:". Because Like preferences frequently change, they will not be shown.

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: FP Food Preferences... [FHSELM]
Suboption: TP Tabulate Patient Meal Preferences [FHSEL5]

This option tabulates preferences which are relevant for the meal designated. This can only be done if the menu and recipes have been entered in the computer. If the menu is in the computer, the program knows which food items are to be served for the meals.

The report will not simply total the name of the preference, e.g., "18 NO LIVER". It will instead, tally the recipes involved:

DIET SWISS LIVER (2 OZ) 3 DIET SWISS LIVER (3 OZ) 1 GRILLED LIVER W/ONIONS (3 OZ) 14

Therefore, if there is no liver in the meal, it will ignore liver preferences.

The information on this report is important in determining and adjusting production needs for the meal.

Prompt/User Entry:

Discussion:

| <pre>Select SERVICE POINT (OR ALL): ALL <ret></ret></pre> | If only one Service Point exists, this prompt will not appear. |
|---|--|
| Tabulate By Menu Specific? N// <ret></ret> | If Yes, to tabulate by recipes. If No, to tabulate by Food Preferences. |
| Select MEAL (B,N,E or ALL): N <ret></ret> | Select one meal at a time or ALL. |
| <pre>Break Down By Production Diets? N// Y <ret></ret></pre> | |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter the proper printer designation OR <ret> as shown for report to show on screen.</ret> |

15-Mar-95 8:40am MEAL PREFERENCES Page 1

WEDNESDAY 15-Mar-95 NOON

Preference HOSP T NH C NURHC TOTAL

| | LIKES | | |
|--|-----------------------|-----------------------|--|
| Prod. Diet: CHOLESTEROL R | ESTRI | | |
| WHOLE-WHEAT BREAD | 1 | 1 | |
| Prod. Diet: CLEAR LIQUID | | | |
| BEEF BURGER GELATIN SPAGHETTI TEA WHOLE-WHEAT BREAD | 2 2 1 1 3 | 2 2 1 1 3 | |
| Prod. Diet: LOW CHOLESTER | OL | | |
| BROCCOLI CHILI MAC ICE CREAM MILK POTATO CHIPS SKIM MILK | 1 1 3 1 1 | 1 1 3 1 1 | |
| Prod. Diet: MODERATE SODI | UM (8 | | |
| BEEF BURGER | 1 | 1 | |
| CHILI MAC ICE CREAM WHOLE-WHEAT BREAD | 1 2 2 | 1 2 2 | |
| Prod. Diet: REGULAR | | | |
| BEEF BURGER BROCCOLI CHILI MAC | 1 1 1 1 | 2 1 1 | |

| WE | DNESDAY | 15-Mar-9 | 5 NOON | | |
|--|-------------|-------------|--------|-------------|--|
| Preference | HOSP T | NH C | NURHC | TOTAL | |
| | | | | | |
| CHOC MILK GELATIN PANCAKE | 2 | 1 | 1 | 1 3 1 | |
| PIZZA PUFFS POTATO CHIPS RYE BREAD | 1 1 | 1 | | 1 1 1 | |
| SHRIMP SKIM MILK SPAGHETTI | 1 | 1 1 3 | | 1 1 3 | |
| TACO TANGERINE TEA | 1 2 | | 1 | | |
| WHITE BREAD WHOLE-WHEAT BREAD | 1 | 1 | 1 | 1 3 | |
| | DIS | LIKES | 3 | | |
| Prod. Diet: CHOLESTEROL RESTRI | | | | | |
| NO CHICKEN WATER | 1 | 1 1 | | 1 2 | |
| Prod. Diet: CLEAR LIQUID | | | | | |
| NO GREEN FOODS | | 1 | | 1 | |
| Prod. Diet: HIGH FIBER | | | | | |
| NO FISH | | 1 | | 1 | |
| Prod. Diet: LOW CHOLESTEROL | | | | | |
| NO BEEF NO CHICKEN NO CONDIMENT | 1 1 1 | | | 1 1 1 | |
| NO FISH NO HAM NO JELLO | 1 1 1 | | | 1 1 1 | |
| NO PORK NO SOUP | 1 1 | | | 1 1 1 | |
| NO TURKEY | 1 | | | 1 1 | |
| NO WHOLE WHEAT BREAD | 1 | | | 1 | |
| Prod. Diet: MODERATE SODIUM (8 | | | | 4 | |
| NO SHRIMPS | 1 1 | 1 | | 1 2 | |

Select Production Reports Option: TP Tabulate Patient Meal Preferences

Select SERVICE POINT (or ALL): ALL

Tabulate By Menu Specific? N// Y

Select Date: T (MAR 15, 1995)

Select MEAL (B,N,E or ALL): N

Break Down By Production Diets? N// Y

Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

15-Mar-95 8:40am MEAL PREFERENCES Page 1

MENU SPECIFIC

WEDNESDAY 15-Mar-95 NOON

Recipe HOSP T NH C NURHC TOTAL

DISLIKES

Prod. Diet: MODERATE SODIUM (8

 CREAMER
 1
 1

 SALT SUB.
 1
 1

 SUGAR IND
 1
 1

Prod. Diet: REGULAR

PORK CHOP SUEY/RICE 1 2 3

Select Production Reports Option: TP Tabulate Patient Meal Preferences

Select SERVICE POINT (or ALL): ALL

Tabulate By Menu Specific? N// Y

Select Date: T (MAR 15, 1995)

Select MEAL (B,N,E or ALL): N

Break Down By Production Diets? N//

Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

15-Mar-95 8:47am MEAL PREFERENCES Page 1

MENU SPECIFIC

WEDNESDAY 15-Mar-95 NOON

Recipe HOSP T NH C NURHC TOTAL

LIKES

WHOLE WHEAT BREAD 1 4 1 6

DISLIKES

APPLE JUICE, 40Z IND 1 1 2 2 BEEF BARLEY SOUP 1 BEEF STROGANOFF 1 3 COFFEE CAKE 1 1 2 2 GREEN BEANS-MUSHROOMS 4 PINEAPPLE/GRPFRT JUICE, IND 1 1

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET]**

Option: LE List Encounters (132 Column) [FHASE7]

This option replaces the statistical management section previously included in Consult Management. The program's function is to provide a tool to enter and record specific encounters and aggregate data for statistical reports. It is designed to tally automatic encounters from computer entries, such as nutritional status and nutritional assessments as well as the site determined encounters entered by the user.

This report can be generated for any specified time period in two ways:

- An Encounter Statistics Summary which includes: 1.
 - Number of each Encounter type
 - (b) Number of inpatients, collaterals, and workload units (minutes) involved in each Encounter type
 - Number of outpatients, collaterals, and workload units involved in each encounter type
 - (d) Number of other persons and workload units involved in each encounter type
 - Total persons and units for each encounter type
 - **(f)** Subtotal of encounters, patients, and units under each encounter category
 - Grand total of encounters, patients, and units (g)
- 2. **List Individual Patient Encounters which includes:**
 - (a) All encounter data as listed in Summary
 - (b) Breakdown of data by clinician
 - (c) List of each patient entered for each encounter by date
 - (d) Event comments for each encounter
 - (e) List totals for each encounter type

Prompt/User Entry:

Starting Date: 1/1/92 <RET>

(JAN 01, 1992)

Ending Date: 5/03/92 <RET> (MAY 03, 1992)

Discussion:

Enter starting date of the reporting period.

Enter last date of reporting period.

List Individual Patient
Encounters? N// YES <RET>

The report requires a 132 column printer.

Print on Device: HOME// <RET>
RIGHT MARGIN: 80// <RET>

No is the default for this prompt. If YES is entered, the encounters list will include the individual patient's identification and encounter type under each clinician's name.

Enter printer instructions OR press return as shown to show report on screen.

TOTAL

DIETETIC ENCOUNTER STATISTICS Page 1 1-Jan-92 to 3-May-92 Number Inpatients Outpatients Others Total Pat Col Units Pat Col Units Persn Units Persn Units Screening STATUS/SCREENING 13 13 10 10 265.4 265.4 79.6 79.6 345.0 345.0 3 0.0 0 Subtotal 13 Assessment
NUTRITIONAL ASSESSMENT 504.7 504.7 51 51 40 8 1835.3 59 2340.0 11 Subtotal 1835.3 59 2340.0 Pat. Education
INSTRUCTION - DIABETIC
INSTRUCTION - DIABETIC (F)
INSTRUCTION - NORMAL NUTR 125.0 125.0 100.0 35.0 1225.0 150.0 35.0 2450.0 50.0 2 1 3 1 INSERVICE INSTRUCTION 204 102 612.5 102 612.5 408 CONTINUING EDUC PROG ATTENDED Subtotal 8 219 7.5 1492.5 8 60.0 421 2670.0 1 9 103 662.5 102 612.5

8 5493.2

116

1246.8

102 612.5

496 3205.0

74 269

DIETETIC ENCOUNTER STATISTICS Page 2

| | 1-Jan-92 Number | | 31-Jan-92 patients Col Units | | tpatients Col Units | Others Persn Units | Tot Persn | al Units |
|---|--------------------|-----|------------------------------------|---|------------------------|-----------------------|--------------|-------------|
| CLINICIAN, DIETETIC | | | | | | | | |
| Assessment NUTRITIONAL ASSESSMENT 18-Jan-92 4966 PATIENT, DIET 19-Jan-92 2020 CASE, CLINICA: 24-Jan-92 1300 CONSULT, NEW 25-Jan-92 2345 TEST, PAT | AL | 3 | 108.0 | 2 | 72.0 | 0.0 | 5 | 180.0 |
| 25-Jan-92 2098 ADMIT, ONE Subtotal | 5 | 3 | 108.0 | 2 | 72.0 | 0.0 | 5 | 180.0 |
| Pat. Educatio INSTRUCTION - DIABETIC (F) 25-Jan-92 6623 PATIENT, FOL 25-Jan-92 3341 ADMIT, FOLL | 1 LOWUP | 2 | 100.0 | 1 | 50.0 | 0.0 | 3 | 150.0 |
| 25-Jan-92 7890 FOLLOWUP, PAT Subtotal | T 1 | 2 | 100.0 | 1 | 50.0 | 0.0 | 3 | 150.0 |
| INTERN, DIETETIC M | | | | | | | | |
| Assessment NUTRITIONAL ASSESSMENT 26-Jan-92 3333 CASE, TEST | 2 | 2 | 90.0 | | 0.0 | 0.0 | 2 | 90.0 |
| 26-Jan-92 5642 OUTPATIENT, Subtotal | NEW 2 | 2 | 90.0 | | 0.0 | 0.0 | 2 | 90.0 |
| DIETITIAN, WARD | | | | | | | | |
| Screening STATUS/SCREENING 24-Jan-92 3240 INPATIENT, N | | 2 | 60.0 | | 0.0 | 0.0 | 2 | 60.0 |
| 24-Jan-92 5685 INPATIENT, O Subtotal | LD 2 | 2 | 60.0 | | 0.0 | 0.0 | 2 | 60.0 |
| Assessment NUTRITIONAL ASSESSMENT 24-Jan-92 2121 MALNOURISHED | 1 CHARLEY | . 1 | 45.0 | | 0.0 | 0.0 | 1 | 45.0 |
| Subtotal | 1 | 1 | 45.0 | | 0.0 | 0.0 | 1 | 45.0 |
| TOTAL ENCOUNTERS | 11 | 10 | 403.0 | 3 | 122.0 | 0.0 | 13 | 425.0 |

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]

Option: NM Nutrition Patient Management... [FHASCM]

Suboption: DA Display Assessment [FHASMR]

This option allows the clinician to display and print any nutrition assessments on file for a selected patient. Please refer to Manual Section "Nutrition Assessment."

Prompt/User Entry:

```
Select Patient (Name or SSN): ADAMS, CYNTHIA <RET> 01-12-41 123456789
COLLATERAL
Choose from:
  09-20-1990 @ 13:58
  10-24-1990 @ 11:37
  10-25-1990 @ 08:33
  10-30-1990 @ 13:01
  10-30-1990 @ 15:03
  12-03-1990 @ 13:37
  12-04-1990 @ 15:20
  04-15-1991 @ 15:11
  04-16-1991 @ 09:14
  08-28-1991 @ 14:12
   09-05-1991 @ 09:10
   09-12-1991 @ 11:43
  12-06-1991 @ 09:19
  05-27-1992 @ 15:37
  05-27-1992 @ 15:38
  05-27-1992 @ 15:39
  11-13-1992 @ 13:00
   04-14-1993 @ 09:33
   08-18-1993 @ 11:02
   03-20-1995 @ 09:39
   03-22-1995 @ 11:50
```

SELECT Assessment Date: 11/13/92 <RET> NOV 13, 1992.13

DEVICE: HOME// <RET> SET HOST

^ <RET>

Female ADAMS, CYNTHIA Age 51

Date of Assessment: 13-Nov-92

Height: 5' 4" (163 cm)
Weight: 150 lbs (68.2 kg) Weight Taken: 13-Nov-92 Usual Weight: 165 lbs (75 kg) Weight/Usual Wt: 91% Ideal Weight: 132 lbs (60 kg) Weight/IBW: 114%

Frame Size: Large Body Mass Index: 25.8 (45%)

Laboratory Data

Test Result units Ref. range Date

No laboratory data available last 90 days

Energy Requirements: 1958 Kcal/day Kcal:N 223:1 Protein Requirements: 55 gm/day NPC:N 198:1

Fluid Requirements: 2386 ml/day

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: NM Nutrition Patient Management... [FHASCM] Suboption: EA Enter Assessment [FHASM1]**

This option is used to perform a nutrition assessment. The results may be saved and printed. Please refer to Manual Section "Nutrition Assessment." Enter ?? <RET> at any prompt below to get help.

Prompt/User Entry:

```
Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41
123456789 COLLATERAL
Height: 5' 4"// <RET>
Weight: 150#
Date Weight Taken: TODAY// <RET> (MAY 17, 1995)
Usual Weight: 145#
Wrist Circumference (cm):
Frame Size (SMALL, MEDIUM, LARGE) MED// <RET>
Calculation of Ideal Body Weight
         H Hamwi
         M Metropolitan 83
         S Spinal Cord Injury
         E Enter Manually
Method: S <RET>
Extent of Injury:
      P Paraplegic
      Q Quadriplegic
Select: P <RET>
Select Ideal Weight (109-118) 114 lb // <RET>
Does Patient have an Amputation? NO// <RET>
Do you wish Anthropometric Assessment? NO// <RET>
Collecting laboratory data ...
Calculate Energy Requirements Based On:
```

- 1 Actual Body Weight
- 2 Ideal Body Weight

3 Obese Calculation

Choose: 1 <RET>

Calculate Energy Needs by:

- 1 Harris-Benedict
- 2 Kcal/Kg
- 3 Enter Manually

Choose: 3 <RET>

Enter Energy Requirements (Kcal/day): 1000 <RET>

Calculate Fluid Requirements By:

- 1) Adult (35 ml/kg/day)
 Adolescent (40-60 ml/kg/day)
 Children (70-110 ml/kg/day)
 Infant (100-150 ml/kg/day)
- 2) 100 ml/kg first 10 kg +
 50 ml/kg second 10 kg +
 25 ml/kg remaining kg
- 3) 1 ml/Kcal
- 4) 0.5 ml/Kcal (Fluid Overload)
- 5) 1500 ml/sq meter
- 6) Set Your Own Fluid Level
- 7) Omit Calculation

Choose: 7 <RET>

Calculate Protein Requirements Based On:

- 1 Actual Body Weight
- 2 Ideal Body Weight
- 3 Obese Calculation

Choose: 1 <RET>

| Acute Burn, Injury, Trauma | 2-4 |
|----------------------------------|---------|
| Convalescent Burn, Injury Trauma | 2 |
| Malabsorption Syndrome | 1 |
| Ulcerative Colitis | 1-1.4 |
| Ileocolostomy | 1-1.4 |
| Chronic Liver Disease | 1-1.5 |
| Acute Encephalopathy | 0.5 |
| Chronic Renal Failure | 0.6 |
| Nephritic Syndrome | 1-1.4 |
| Burn | 1.4 |
| Protein-Sparing | 1.5 |
| Anabolism | 1.2-1.5 |

Enter Protein Level (g/kg) .8 // <RET>

Enter Protein Requirements (gm/day): 55 // <RET> 22 % of KCAL

Female Age 54 ADAMS, CYNTHIA

Date of Assessment: 17-May-95

Height: 5' 4" (163 cm)
Weight: 150 lbs (68.2 kg) Weight Taken: 17-May-95 Usual Weight: 145 lbs (65.9 kg) Weight/Usual Wt: 103% Ideal Weight: 114 lbs (51.8 kg) Weight/IBW: 132%

Frame Size: Medium Body Mass Index: 25.8 (45%)

Laboratory Data

Result units Ref. range Date Test

No laboratory data available last 90 days

Energy Requirements: 1000 Kcal/day Kcal:N 114:1 Protein Requirements: 55 gm/day NPC:N 89:1

Press RETURN to continue. <RET>

Do you want to do a NITROGEN BALANCE? NO// <RET>

Appearance: GOOD

Select NUTRITION CLASSIFICATION NAME: MODERATE RISK <RET>

Select NUTRITION STATUS CATEGORY: III <RET> Moderately Compromised

Comments:

1>

Do you wish to FILE this Assessment Y// <RET>

DEVICE: HOME// <RET> SET HOST

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: NM Nutrition Patient Management... [FHASCM]

Suboption: EE Enter/Edit Encounter [FHASE3]

This option is used to enter site specific activities. The date and time when reviewed and by whom will now be stored when an encounter is edited. Two new fields will be displayed in the option, Patient Encounter Inquiry. Please refer to Manual Section "Encounters."

Prompt/**User Entry**:

```
Enter a NEW Encounter (Y/N)? N <RET>
Enter Date of Encounter you want to edit: T <RET> (MAR 22, 1995)
      Select one of the following:
              CLINICIAN
PATIENT
CHOOSE CLINICIAN or PATIENT: CLINICIAN <RET>
Select CLINICIAN: ACKERT, NANCY < RET>
1 MAR 22,1995 INSTRUCTION - DIABETIC
2 MAR 22,1995 INSTR-WEIGHT
Select number you want: 2 <RET>
CLINICIAN: ACKERT, NANCY//
ENCOUNTER TYPE: INSTR-WEIGHT//
EVENT LOCATION: 1 EAST//
INITIAL/FOLLOWUP: FOLLOWUP//
TIME UNITS: 15//
GROUP/INDIVIDUAL: INDIVIDUAL//
EVENT COMMENT: TESTING <RET>
Select PATIENT: PORTER, JACK//
 PATIENT: PORTER, JACK//
  # COLLATERALS: 1// 2 <RET>
 PATIENT COMMENT: XXXXXXXX <RET>
GROUP SIZE: 3//
Is this correct? Y// N <RET>
Want to delete encounter? N// Y <RET>
<encounter deleted>
Enter Date of Encounter you want to edit:
```

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: NM Nutrition Patient Management... [FHASCM]
Suboption: ES Enter Patient Nutrition Status [FHASE6]

This option is used to enter the current Nutrition Status of a patient. Please refer to Manual Section "Nutrition Screening."

Prompt/User Entry:

```
Select Patient (Name or SSN): ADMIT <RET>
1 ADMIT,ONE 01-01-50 727272724 COLLATERAL
2 ADMIT,TWO 01-01-50 727272725 ALLIED VETERAN
CHOOSE 1-2: 1 <RET> ADMIT,ONE 01-01-50 727272724 COLLATERAL

Select NUTRITION STATUS CATEGORY: Mildly Compromised// <RET> II
Mildly Compromised

Is this a re-screen? (Y/N)// Y <RET>

Select Patient (Name or SSN): DENNISTON,WILBUR <RET> 09-18-26

555678987
COLLATERAL

Select NUTRITION STATUS CATEGORY: Moderately Compromised// I
1 I Normal
2 II Mildly Compromised
3 III Moderately Compromised
4 IV Severely Compromised
CHOOSE 1-4: 1 <RET>

Select Patient (Name or SSN):
```

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET]**

Option: NM Nutrition Patient Management... [FHASCM]

Suboption: LE List Encounters [FHASE7]

This option replaces the statistical management section previously included in Consult Management. The program's function is to provide a tool to enter and record specific encounters and aggregate data for statistical reports. It is designed to tally automatic encounters from computer entries, such as nutritional status and nutritional assessments as well as the site determined encounters entered by the user.

This report can be generated for any specified time period in two ways:

- **An Encounter Statistics Summary which includes:** 1.
 - Number of each Encounter type
 - Number of inpatients, collaterals, and workload units (minutes) **(b)** involved in each Encounter type
 - Number of outpatients, collaterals, and workload units involved in each encounter type
 - (d) Number of other persons and workload units involved in each encounter type
 - Total persons and units for each encounter type
 - Subtotal of encounters, patients, and units under each encounter **(f)**
 - Grand total of encounters, patients, and units (g)
- **List Individual Patient Encounters which includes:** 2.
 - All encounter data as listed in Summary (a)
 - (b) Breakdown of data by clinician
 - (c) List of each patient entered for each encounter by date
 - (d) Event comments for each encounter
 - (e) List totals for each encounter type

Prompt/User Entry:

Starting Date: 1/1/92 <RET>

(JAN 01, 1992)

Ending Date: 5/03/92 <RET> (MAY 03, 1992)

Discussion:

Enter starting date of the reporting period.

Enter last date of reporting period.

List Individual Patient
Encounters? N// YES <RET>

The report requires a 132 column printer.

Print on Device: HOME// <RET>
RIGHT MARGIN: 80// 132 <RET>

No is the default for this prompt. If YES is entered, the encounters list will include the individual patient's identification and encounter type under each clinician's name.

Enter printer instructions OR press return as shown to show report on screen.

TOTAL

DIETETIC ENCOUNTER STATISTICS Page 1 1-Jan-92 to 3-May-92 Number Inpatients Outpatients Others Total Pat Col Units Pat Col Units Persn Units Persn Units Screening STATUS/SCREENING 13 13 10 10 265.4 265.4 79.6 79.6 3 345.0 0.0 0 Subtotal 13 345.0 Assessment NUTRITIONAL ASSESSMENT 504.7 504.7 51 51 40 8 1835.3 59 2340.0 11 Subtotal 1835.3 59 2340.0 Pat. Education INSTRUCTION - DIABETIC INSTRUCTION - DIABETIC (F) INSTRUCTION - NORMAL NUTR 125.0 125.0 100.0 35.0 1225.0 150.0 35.0 2450.0 50.0 2 1 3 1 INSERVICE INSTRUCTION 204 102 612.5 102 612.5 408 CONTINUING EDUC PROG ATTENDED Subtotal 8 219 7.5 1492.5 8 60.0 421 2670.0 1 9 103 662.5 102 612.5

8 5493.2 116

1246.8

102 612.5

496 3205.0

74 269

DIETETIC ENCOUNTER STATISTICS Page 2

| | -Jan-92 umber | | 31-Jan-92 patients Col Units | | tpatients Col Units | Others Persn Units | Tot Persn | al Units |
|---|------------------|----|------------------------------------|---|------------------------|-----------------------|--------------|-------------|
| CLINICIAN, DIETETIC | | | | | | | | |
| Assessment NUTRITIONAL ASSESSMENT 18-Jan-92 4966 PATIENT, DIETET 19-Jan-92 2020 CASE, CLINICAL 24-Jan-92 1300 CONSULT, NEW 25-Jan-92 2345 TEST, PAT | 5 | 3 | 108.0 | 2 | 72.0 | 0.0 | 5 | 180.0 |
| 25-Jan-92 2098 ADMIT, ONE Subtotal | 5 | 3 | 108.0 | 2 | 72.0 | 0.0 | 5 | 180.0 |
| Pat. Educatio INSTRUCTION - DIABETIC (F) 25-Jan-92 6623 PATIENT, FOLLOW 25-Jan-92 3341 ADMIT, FOLL | 1 JP | 2 | 100.0 | 1 | 50.0 | 0.0 | 3 | 150.0 |
| 25-Jan-92 7890 FOLLOWUP, PAT Subtotal | 1 | 2 | 100.0 | 1 | 50.0 | 0.0 | 3 | 150.0 |
| INTERN, DIETETIC M | | | | | | | | |
| Assessment NUTRITIONAL ASSESSMENT 26-Jan-92 3333 CASE, TEST | 2 | 2 | 90.0 | | 0.0 | 0.0 | 2 | 90.0 |
| 26-Jan-92 5642 OUTPATIENT, NEW Subtotal | 2 | 2 | 90.0 | | 0.0 | 0.0 | 2 | 90.0 |
| DIETITIAN, WARD | | | | | | | | |
| Screening STATUS/SCREENING 24-Jan-92 3240 INPATIENT, NEW | 2 | 2 | 60.0 | | 0.0 | 0.0 | 2 | 60.0 |
| 24-Jan-92 5685 INPATIENT, OLD Subtotal | 2 | 2 | 60.0 | | 0.0 | 0.0 | 2 | 60.0 |
| Assessment NUTRITIONAL ASSESSMENT 24-Jan-92 2121 MALNOURISHED, CF | 1 | 1 | 45.0 | | 0.0 | 0.0 | 1 | 45.0 |
| Subtotal | 1 | 1 | 45.0 | | 0.0 | 0.0 | 1 | 45.0 |
| TOTAL ENCOUNTERS | 11 | 10 | 403.0 | 3 | 122.0 | 0.0 | 13 | 425.0 |

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: NM Nutrition Patient Management... [FHASCM] Suboption: LL List Inpats By Nutrition Status Level [FHASNR4]**

This option allows the user to view all the inpatients that are on a selected nutritional status today.

Select one of the following:

- NORMAL
 MILDLY COMPROMISED
 MODERATELY COMPROMISED
 SEVERELY COMPROMISED
 UNCLASSIFIED

Choose a Nutrition Status Level: 4 <RET> SEVERELY COMPROMISED

Print by CLINICIAN or WARD? WARD// <RET>

DEVICE: HOME// <RET> RIGHT MARGIN: 80//

17-May-95 11:21am Page 1

Current Inpatients At Nutrition Status: IV Severely Compromised

| Ward | Room | Patient | ID# | Date Entered |
|---------|--------|----------------|------|------------------|
| | | | | |
| 1 EAST | 101-02 | SANDS, GEORGIA | 7244 | 1-Mar-95 10:56am |
| 2 WEST | 205-03 | TEST, AGAIN | 8901 | 18-Jun-93 2:39pm |
| | 207-01 | TEST, ASIH | 3456 | 10-Dec-93 4:45pm |
| 3 NORTH | 312-03 | TEST, ADMIT | 9021 | 1-Mar-95 11:02am |
| 3 SOUTH | 3S-01 | TEST, NEW | 8079 | 1-Mar-95 11:03am |
| 4 EAST | 3S-02 | KELLY,BARBARA | 7185 | 1-Mar-95 11:03am |
| 4 NORTH | 4E-01 | TINA, BELINDA | 0100 | 1-Mar-95 11:02am |

Enter RETURN to continue or '^' to exit: ^ <RET>

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]

Option: NM Nutrition Patient Management... [FHASCM] Suboption: PE Patient Encounter Inquiry [FHASE5]

The Patient Encounter Inquiry option allows the user to view and print the recorded encounters for a selected patient for a specified time period. These entries can be reviewed but not edited. The date and time when an encounter was reviewed and by whom will now be displayed along with the encounter.

This option allows the clinician to view previous interventions which occurred while in outpatient or inpatient status.

```
Select Patient (Name or SSN): Porter, <RET> JACK 12-01-47 444823690 COLLATERAL

Display Encounters Since: July 9, <RET> 96 (JUL 09, 1996)
```

DEVICE: HOME// <RET> HOME RIGHT MARGIN: 80// <RET>

27-Aug-96 PATIENT DIETETIC ENCOUNTERS Page 1

444-82-3690 PORTER, JACK

9-Jul-96 FOOD-DRUG INSTRUCTION

Clinician: KERMAN, NIEN-CHIN

TEST

Individual, 3 collaterals

test

Entered : 9-Jul-96 10:03am By: KERMAN, NIEN-CHIN

16-Jul-96 COMMUNITY (FU)
Clinician: KERMAN,NIEN-CHIN
Group, 3 collaterals

Entered : 16-Jul-96 12:05pm By: KERMAN, NIEN-CHIN Reviewed : 16-Jul-96 12:27pm By: KERMAN, NIEN-CHIN

16-Jul-96 COMMUNITY

Clinician: KERMAN, NIEN-CHIN

TAKE PEOPLE DOWN THE HALL.

Group, 2 collaterals

Entered : 16-Jul-96 11:40am By: KERMAN, NIEN-CHIN Reviewed : 16-Jul-96 12:32pm By: KERMAN, NIEN-CHIN

HELPFUL HINTS AND NOTES

- An encounter is automatically tallied for each assessment completed or nutrition status entered.
- 2. Encounters are usually clinical activities which are patient or clinician specific. Examples include:
- HBHC Visit
- Personal Care Home Visit
- Nursing Home Inspection
- Hospital Lectures
- Community Lectures
- Diet Instruction: Diabetic
 - " Sodium
- " Weight Control
- " Renal
- " Etc...
- 3. Patient Encounter data will appear on the Nutrition Profile.
- 4. Clinical Managers may choose to complete time studies in order to establish 'time units' spent for each encounter.
- 5. One unit is assumed equal to one minute; however, each facility may assume a different measurement value for each time unit.
- 6. All time units can be edited. You are not forced to accept the default.
- 7. Under 'Enter Encounters', you must enter both a date and time. The time cannot be in the future for this option. 'N' for Now is also acceptable.

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: NM Nutrition Patient Management... [FHASCM]
Suboption: PH Print Pat's Nutrition Status History [FHASNR3]

This option will print the Nutrition Status History for an inpatient or outpatient. The user can select a starting and an ending date or take the default of FIRST, the first date on file, to Last, the last date on file.

```
Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41 123456789 COLLATERAL

Choose from:

1 12-11-1990 @ 08:54:15 541 05-24-1994 @ 12:10:09

Select ADMISSION (or C for CURRENT): 1 <RET> 2901211.085415

Starting Date: FIRST// <RET> Ending Date: LAST// <RET> DEVICE: HOME// <RET> SET HOST
```

| 123-45-6789 ADAMS, CYNTHIA | 1 | 17-May-95 2:38pm Page 1 |
|--|--|-------------------------|
| NUTRITION | STATUS HIS | TORY |
| Status Level | Date Entered | Clinician Who Entered |
| III MODERATELY COMPROMISED I NORMAL II MILDLY COMPROMISED III MODERATELY COMPROMISED I NORMAL I NORMAL II MILDLY COMPROMISED I NORMAL I NORMAL | 17-Oct-91 9:30am 6-Dec-91 9:19am 27-May-92 3:37pm | ACKER, NIEN-CHIN |
| Enter RETURN to continue or '^' to | _ | |
| 123-45-6789 ADAMS, CYNTHIA | 1 | 17-May-95 2:38pm Page 2 |
| NUTRITION | | |
| Status Level | Date Entered | Clinician Who Entered |
| II MILDLY COMPROMISED II MILDLY COMPROMISED I NORMAL I NORMAL I NORMAL | 16-Sep-92 11:44am 7-Dec-92 10:42am 18-Aug-93 11:02am 29-Oct-93 8:32am 29-Oct-93 8:55am | |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: NM Nutrition Patient Management... [FHASCM]

Suboption: PP Print Nutrition Profile [FHASP1]

This option provides a listing of pertinent patient data which the clinician may be wise to use during patient screening, assessment, or follow-up care. Please refer to Manual Section "Nutrition Screening."

This form will automatically print, following the Nutrition Screening form for each patient. It may also be selectively generated for individual patients by entering only the patient identification and device.

This report may be multiple pages depending upon the amount of data available. The information printed is generated from Dietetics, MAS, Laboratory and Pharmacy patient files.

The data listed on the Nutrition Profile is meant to be used by the clinician in screening, assessing and planning the patient's nutritional course either in the hospital or as an outpatient. This form is **not** intended to be entered into the patient's medical record. The clinician should use it as a worksheet and extract data as needed for progress notes.

NUTRITION PROFILE FORMAT:

Status: Inpatient admitted 14-Jun-90 2:44am

Nutrition Status: At Risk (9-Jul-90)

Allergies: None on file

Nutrition Assessments

Recent Assessments: 9-Jul-90

Height: 5' 8" Usual Weight: 140 lbs Weight/Usual Wt:

92%

83%

Date Taken: 9-Jul-90

Medications

No current medications in selected drug classes.

| | Lab | oratory Data | a | | |
|---------------|--------|---------------------------|--------|-------|-----------|
| Test | Result | units | Ref. | range | Date |
| | | | | | |
| SODIUM | 142 | \mathtt{mEq}/\mathtt{L} | 135 - | 145 | 3-Jul-90 |
| WBC | 13.3 H | thous./mm3 | 3.5 - | 11.1 | 3-Jul-90 |
| HGB | 12.7 L | gm% | 12.8 - | 17.5 | 3-Jul-90 |
| HCT | 39.1 | % | 38.4 - | 50.9 | 3-Jul-90 |
| MCV | 94.0 | fl | 80.9 - | 97.3 | 3-Jul-90 |
| GLUCOSE-AC | 97 | mg/dL | 65 - | 110 | 12-Jun-90 |
| POTASSIUM | 4.5 | \mathtt{mEq}/\mathtt{L} | 3.5 - | 5 | 3-Jul-90 |
| UREA NITROGEN | 14 | mg/dL | 8 - | 20 | 3-Jul-90 |
| GLUCOSE | 91 | mg/dL | 65 - | 110 | 3-Jul-90 |
| CHOLESTEROL | 193 | mg/dL | | | 21-Jun-90 |
| CREATININE | 1.0 | mg/dL | .9 - | 1.4 | 3-Jul-90 |
| ALBUMIN | 3.5 | g/dL | 3.5 - | 5 | 21-Jun-90 |
| LYMPH% | 11.9 | 용 | 10.4 - | 42.8 | 23-Jun-90 |

Dietetic Encounters Last Three Years

No Encounters recorded last three years.

Food Preferences

| All Meals | JUICE, VARIETY |
|------------|---------------------|
| All Meals | MILK, WHOLE |
| Noon, Even | NO CAULIFLOWER |
| Noon, Even | NO BROCCOLI |
| Noon, Even | NO BRUSSELS SPROUTS |

Future Clinic Appointments

| 18-Oct-90 | 1:00pm | CARDIOLOGY | CONSULT |
|-----------|--------|------------|---------|
| 13-Nov-90 | 3:00pm | GMC DR. Y. | HUSSAIN |

Description of Format

- The patient's sex, age, and inpatient/outpatient status are generated from MAS Files. If the patient is an "Inpatient", the status is followed by the date and time admitted.
- Nutrition Status is generated from the Dietetics Files if status has been entered into the computer, either through Enter Patient Nutrition Status or Nutrition Assessment. Only the most recent status will be displayed, followed by the date that it was entered.
- Allergies will print if previously recorded or "None on file" will appear.
- Dates for completed Nutrition Assessments or "No assessments on file" will be printed. The dates for the last three completed and saved assessments will be displayed.

- Medications as selected through the Site Parameters will appear if applicable to the patient. At the present time only currently existing unit dose medications can be tracked. The specific drug names and dose or this statement, "No current medications in selected drug classes" will be printed in the profile.
- Laboratory data is displayed in the same format as on the screening form. The most recent values are displayed according to the guidelines established in the Site Parameters. If no data is available it will be noted on the profile.
- All Dietetic Encounters specific to the patient will be printed by type and date. All encounters for the last three years will be displayed or "No Encounters recorded last three years" will be printed.
- All food preferences previously recorded in the file will be displayed or "No food preferences on file" will appear.
- Under Future Clinic Appointments, each scheduled appointment date and time will be listed for each clinic that the patient is scheduled to attend. If no appointments are planned, "No clinic appointments scheduled" will appear.
- The patient's name, social security number and ward location (if inpatient) will appear at the bottom of the Nutrition Profile report.

Select Patient (Name or SSN): **BELLOWS, <RET>** BRIAN 11-04-28 122334456 COLLATERAL

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

NUTRITION PROFILE ______ BELLOWS, BRIAN Male Age 66 Status: Inpatient admitted 16-May-95 6:19pm Adm. Dx: SICK Current Diet: No current order Supplemental Feeding: No Order Nutrition Status: Moderately Compromised (2-Mar-93) Allergies: EGGS, GRAPES, SODA, SOY SAUCE Nutrition Assessments Recent Assessments: 19-Aug-92 27-May-92 27-May-92 Height: 185 cm (6' 1") Usual Wt: 95.5 kg (210 lbs) Weight/Usual Wt: 76% Weight: 72.7 kg (160 lbs) Ideal Wt: 91.8 kg (202 lbs) Weight/IBW: 79% Date Taken: 19-Aug-92 Nutrition Class: MARASMUS Medications No current medications in selected drug classes. Laboratory Data No selected laboratory data available last 90 days. Dietetic Encounters Last Three Years Press RETURN to continue. ______ 17-May-95 NUTRITION PROFILE Page 2 -----Age 66 BELLOWS, BRIAN Male 18-May-92 FOOD-DRUG INSTRUCTION, Individual 20-May-92 INSTRUCTION - CHOL, Group 9-Jun-92 INSTRUCTION - CHOL, Group 9-Jun-92 INSTRUCTION - CHOL (FU), Group

```
18-May-92 FOOD-DRUG INSTRUCTION, Individual
20-May-92 INSTRUCTION - CHOL, Group
9-Jun-92 INSTRUCTION - CHOL, Group
9-Jun-92 INSTRUCTION - CHOL (FU), Group
9-Jun-92 COMMUNITY, Individual
22-Jun-92 INSTRUCTION - CHOL, Group
15-Jul-92 INSTRUCTION - DIABETIC, Individual
21-Aug-92 COMMUNITY, Group
13-Apr-93 INSTR-WEIGHT, Group
TESTING ONE TWO THREE
TESTING ONE OK
13-May-93 FOOD-DRUG INSTRUCTION, Individual
```

Press RETURN to continue.

NUTRITION PROFILE ______

BELLOWS, BRIAN Male Age 66

Food Preferences

Likes DisLikes

All Meals 1 CHILI MAC, 1 GELATIN NO GREEN FOODS, NO SHRIMPS

Noon 1 TEA

Noon, Even 2 PIZZA BURGER, 2 TANGERINE NO CHICKEN 1 WHOLE-WHEAT BREAD

Even 1 SKIM MILK

Future Clinic Appointments

No scheduled appointments.

Press RETURN to continue. ^ <RET>

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: NM Nutrition Patient Management... [FHASCM]
Suboption: PS Print Screening Report [FHASXR]

This option will print a nutrition screening form for a patient, including some data from prior assessments and a format for recording clinical information. Please refer to Manual Section "Nutrition Screening."

Print by PATIENT or COMMUNICATION OFFICE or ALL or WARD? WARD// <RET>
Select DIETETIC WARD: 4 WEST <RET>
Admissions since Date/Time: 5/12 <RET> (MAY 12, 1995)

Include Nutrition Profiles? (Y/N)// N <RET>

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

SCREENING FORMAT

SUBJECTIVE DATA:

Chewing problems: Y N Pre-Admission Diet___

Wt. + - ____# in last___months Dysphagia: Y N

Nausea: Y N Vomiting: Y N Appetite: + -Feeding Assistance Required: Y N Diarrhea: Y N Constipated Y N

Food Allergies:

OBJECTIVE DATA:

Current diet:xxxxxxxxxxxxxxxx

Adm. Dx: xxxx Adm Date: 13-Apr-90 2:58pm Prior Assessment: xx-xx-xx Age:xx Sex: x

Height: x'x" Frame Size: xxxx Weight: xxx Weight Taken: Usual Weight: Weight/Usual Wt: Ideal Weight: Weight/IBW:

Amputation %:

LABORATORY DATA

TEST RESULT UNITS REF. RANGE DATE

Appearance:

- Current diet will be the most recent diet in the computer or the default diet (if your facility has selected this through site parameters).
- Admission date, diagnosis, sex and age comes from the MAS package.
- Height, weight, frame size, and amputation % comes from the last assessment done. In the future, information may be coming from Nursing Data Bases or other Dietetic Files.
- Laboratory results listed are only those selected as site parameters to be printed on the screening form. (See Clinical Management.) Other Laboratory results may be available but will not be printed on the form. The computer will print the most recent value within the time frame selected by your Site Parameters. For each test, name, result and unit measurement, normal reference range, and date of test will

print. If appropriate, the following will be printed by the lab results:

H (high), L (low), and * (critical value)

- Appearance is a blank area for manual completion. Some facilities may want their staff to enter standardized terminology for consistency of the screening process.

| ASSESSMENT: | |
|---|---------------------------------|
| Nutritional Status | Nutrition Education |
| Not CompromisedCompromisedAt RiskMalnourished | Further Education Required: Y N |

COMMENTS:

- The status list has been pre-selected as a Site Parameter. Indicate by an "X" the status you have selected. In order for this information to be put into the patient's file and tallied as an Encounter, you must enter the status under option "ES Enter Patient Nutritional Status."
- Circle "Y" or "N" if further nutrition education is required. The underlined area is to be used to enter type of education needed.
- The user can write in any other appropriate information in the Comments section.

| Recommendat | ions: | |
|-------------|--|--|
| | Nutrition Education _Recommend Diet Change _Further Assessment | |
| | _Screening Data Not Available Provide Basic Care Services | |
| Nutritional | Plan | |
| PLAN: | | |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: PE List Patient Events [FHORX2]

This option will list all patient dietetic events for a specified period of time. This provides a log of all diet activity events for a single patient for a specified time period. Listing includes all diet orders, changes, transfers, tubefeeding, food preferences, standing orders, additional order, and isolation/precautions.

Prompt/User Entry:

```
Select Patient (Name or SSN): ADAMS, CYNTHIA <RET> 01-12-41 123456789 COLLATERAL
```

Starting Date: **4/24 <RET>** (APR 24, 1995) Ending Date: T// **<RET>** (MAY 01, 1995)

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

Dietetic Events for ADAMS, CYNTHIA

From 24-Apr-95 to 1-May-95

```
24-Apr-95 11:50am
                     Diet: REGULAR (Tray)
24-Apr-95 11:50am
                     Std. Order: 1 APPLE (B) Canceled
24-Apr-95 11:50am
                     Std. Order: 2 POTATO PANCAKE (B) Canceled
                     Std. Order: 3 PEANUTS (B) Canceled
24-Apr-95 11:50am
24-Apr-95 11:50am
                     Std. Order: 1 COKE (B) Canceled
24-Apr-95 11:50am
                     Std. Order: 1 APPLE (N) Canceled
24-Apr-95 11:50am Std. Order: 4 LADY FINGERS (N) Canceled
24-Apr-95 11:50am Std. Order: 2 LEMON COOKIES (N) Canceled
24-Apr-95 11:50am Std. Order: 1 APPLE (B)
24-Apr-95 11:50am Std. Order: 2 POTATO PANCAKE (B)
24-Apr-95 11:50am Std. Order: 3 PEANUTS (B)
24-Apr-95 11:50am Std. Order: 1 COKE (B)
24-Apr-95 11:50am Std. Order: 1 APPLE (N)
24-Apr-95 11:50am Std. Order: 4 LADY FINGERS (N)
24-Apr-95 11:50am Std. Order: 2 LEMON COOKIES (N)
25-Apr-95 2:27pm Diet: NPO
25-Apr-95 2:27pm
                    Std. Order: 1 APPLE (B) Canceled
25-Apr-95 2:27pm
                   Std. Order: 2 POTATO PANCAKE (B) Canceled
25-Apr-95 2:27pm Std. Order: 3 PEANUTS (B) Canceled
25-Apr-95 2:27pm Std. Order: 1 COKE (B) Canceled
25-Apr-95 2:27pm
                   Std. Order: 1 APPLE (N) Canceled
25-Apr-95 2:27pm
                    Std. Order: 4 LADY FINGERS (N) Canceled
25-Apr-95 2:27pm
25-Apr-95 2:28pm
25-Apr-95 2:28pm
                    Std. Order: 2 LEMON COOKIES (N) Canceled
                    Diet: REGULAR (Tray)
                    Std. Order: 1 APPLE (B)
25-Apr-95 2:28pm
                     Std. Order: 2 POTATO PANCAKE (B)
25-Apr-95 2:28pm
                     Std. Order: 3 PEANUTS (B)
25-Apr-95 2:28pm
                     Std. Order: 1 COKE (B)
25-Apr-95 2:28pm
                     Std. Order: 1 APPLE (N)
25-Apr-95 2:28pm
                     Std. Order: 4 LADY FINGERS (N)
25-Apr-95 2:28pm
                    Std. Order: 2 LEMON COOKIES (N)
25-Apr-95 2:35pm
                    Diet: NPO
25-Apr-95 2:35pm
                    Std. Order: 1 APPLE (B) Canceled
25-Apr-95 2:35pm
                    Std. Order: 2 POTATO PANCAKE (B) Canceled
25-Apr-95 2:35pm
                    Std. Order: 3 PEANUTS (B) Canceled
25-Apr-95 2:35pm
25-Apr-95 2:35pm
                    Std. Order: 1 COKE (B) Canceled
                    Std. Order: 1 APPLE (N) Canceled
25-Apr-95 2:35pm
                    Std. Order: 4 LADY FINGERS (N) Canceled
25-Apr-95 2:35pm
                    Std. Order: 2 LEMON COOKIES (N) Canceled
```

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: PM Patient Movements [FHPATM]

The purpose of this routine is to provide an up-to-date listing of patient admissions, discharges, transfers and passes. This list can be obtained at any time.

The Patient Movements Report has several uses for Dietetic Service users. The report can be used to check discharges/transfers just prior to tray delivery or supplemental feeding delivery. "Wasted" trays/supplemental feeding can be minimized or avoided. Savings in cost of labor and supplies may be realized.

The clinical dietitians and technicians may use the listing for screening or patient visitations. The clinical Section Chief may want to use it to identify the patient turnover in different bed sections for planning workload distribution.

This routine is also an option that may be assigned to non Dietetic users. For example: Building Management Service may use it to schedule bed cleaning, Pharmacy Service to redirect unit dose medications to current bed locations, Chaplain Service to visit new admissions and Voluntary Service for location of patients.

Description of a Patient Movements Listing

A "Patient Movements" list is shown in the sample. The starting date of the report and the present date and time are printed under the title. The first column shows the patient's name, Social Security Number (SSN), date/time of the actions, and the bed numbers for "FROM" and "TO".

There are three categories of movement:

Admissions Discharges Transfers (includes Passes)

The report shows admissions, discharges, and transfers as separate transactions for each patient. Within each category, the transactions are listed chronologically and show old ward and room and new ward and room. Passes are displayed in the transfer section as from "Ward" to "Pass" and from "Pass" to "Ward". Intraward transfers, which MAS calls "bed switches", will not show under the transfers. They will print on the Diet Activity Report.

The report may contain time entries following the date. This signifies that the effective date/time entered by the user was "NOW". If no time is shown, the user entered "T" (for today). Encourage MAS users to use the "NOW" rather than "T",

so it is clear which meal is affected by the action. Patients without time entries are listed at the top of the Patient Movements (PM) list. Date requested cannot be no more than five days in the past.

The sample shows the movements since the date and time requested.

Using the Program

The Patient Movements (PM) routine is completed as follows:

```
START with DATE@TIME: 5/14 <RET> (MAY 14, 1995)
Select LIST Printer: HOME// <RET> SET HOST
```

PATIENT MOVEMENTS

14-May-95 to 17-May-95 4:40pm

| Name | ID# | Date/Time | FROM Ward-Bed | TO Ward-Bed |
|--|--|---|---|--|
| | | A D M I S S I O | N S | |
| TEST, AGE TEST, TT GEEK, WATSON BELLOWS, BRIAN WOOD, LENORE LUNDGREN, THOMAS TEST, AM DOE, JANE HONEYWELL, MARK DIET, ONE ROSEN, JULIUS | 3456 0912 8900 4456 6331 0123 9123 9000 2945 9870 3046 | 16-May 12:44pm 16-May 6:01pm 16-May 6:16pm 16-May 6:19pm 16-May 6:21pm 16-May 6:23pm 16-May 6:25pm 16-May 6:40pm 16-May 6:43pm 16-May 10:38am | | 5 CENTRA 501-01 5 CENTRA 502-02 2 CENTRA 2C1-02 2 CENTRA 2C1-03 1 CENTRA 1C1-01 1 CENTRA 1C1-02 1 CENTRA 1C1-03 3-BBC 3B1-01 3-BBC 3B1-02 3-BBC 3B1-03 4 EAST 4E-03 |
| | | D I S C H A R G | E S | |
| HOOKER, HAPPY TEST, TT | 5375 0912 | 16-May 5:59pm 16-May 6:00pm | 1 EAST 103-02 | |
| | | | | |
| ELLIOTT, MARGUERITE ELLIOTT, MARGUERITE JUAREZ, JULIO MAS, ONE ADMIT, TWO ADMIT, TWO NHCU, FINAL NHCU, FRED SIMON, SAYS HELLO, DOLLY NO, ORDER NO, ORDER GERI, ATRIC NAMETH, JOE TINA, BELINDA TINA, BELINDA MOLLY, TEST HOOK, CAPTAIN TEST, QUEENELLA PONCHO, PINTA | 5432 5432 3285 2162 2725 2725 8262 1717 8765 3433 3990 0191 9120 0100 0100 3455 8688 8905 4444 | 16-May 5:27pm 16-May 5:28pm 16-May 5:36pm 16-May 5:37pm 16-May 5:39pm 16-May 5:40pm 16-May 5:41pm 16-May 5:42pm 16-May 5:43pm 16-May 5:45pm 16-May 5:45pm 16-May 5:46pm 16-May 5:46pm 16-May 5:49pm 16-May 5:50pm 16-May 5:50pm 16-May 5:52pm | 1 EAST 101-05 1 EAST 1 EAST AUTH LEAVE 1 EAST 101-05 1 EAST | 1 EAST 101-05 2 EAST 2E-01 2 EAST 2E-02 2 EAST 2E-03 1 EAST 101-05 6-BBC 601-02 6-BBC 602-01 3 WEST 3W-01 3 WEST 3W-02 3 WEST 3W-03 1 EAST 1 NORTH 1N-01 1 NORTH 1N-02 1 NORTH 1N-03 1 EAST 101-05 4 EAST 4E-01 4 EAST 4E-02 2 NORTH 2N-01 2 NORTH 2N-03 |
| ADAMS, CYNTHIA ADAMS, CYNTHIA GALTON, FRANCIS GALTON, FRANCIS MAS, TEN MAS, TEN QUEEN, ELIZABETH LAMB, HONEY IONA, MISSY IONA, MISSY TEST, TSIX | 6789 6789 9258 9258 1171 1171 5631 3345 2444 2444 | 16-May 5:53pm 16-May 5:54pm 16-May 5:55pm 16-May 5:56pm 16-May 5:57pm 16-May 5:58pm 16-May 6:03pm 16-May 6:04pm 16-May 6:05pm 16-May 6:05pm 16-May 6:06pm | AUTH LEAVE 2 WEST 207-04 AUTH LEAVE 3 NORTH 314-04 PASS 3 NORTH 3 NORTH 312-04 3 NORTH 313-02 PASS 3 NORTH 314-01 | 2 WEST 207-04 5 CENTRA 501-02 3 NORTH 314-04 1 WEST 1W-01 3 NORTH 1 WEST 1W-02 1 WEST 1W-03 4 NORTH 4N-01 3 NORTH 314-01 4 NORTH 4N-02 4 NORTH 4N-03 |

| LOLLI,POP | 8901 | 16-May | 6:07pm | 3 NORTH 315-01 | 4 WEST 4W-01 |
|------------------|------|--------|--------|----------------|-----------------|
| ADMIT, ONE | 2724 | 16-May | 6:09pm | PASS | 3 NORTH 316-01 |
| ADMIT, ONE | 2724 | 16-May | 6:09pm | 3 NORTH 316-01 | 4 WEST 4W-02 |
| DOTTIE, LAPUE | 9999 | 16-May | 6:10pm | 3 NORTH 316-02 | 4 WEST 4W-03 |
| FULTON, THEODORE | 7256 | 16-May | 6:11pm | 3 NORTH 316-04 | 2 CENTRA 2C1-01 |
| TEST, NEW | 8079 | 16-May | 6:12pm | 4 SOUTH 412-03 | 3 SOUTH 3S-01 |
| KELLY,BARBARA | 7185 | 16-May | 6:13pm | 4 SOUTH 412-04 | 3 SOUTH 3S-02 |
| TEST, MAX | 9281 | 16-May | 6:14pm | 4 SOUTH 414-01 | 3 SOUTH 3S-03 |

HELPFUL HINTS AND NOTES

- 1. Be consistent with method used to enter date(s) to help trainees remember one method.
- 2. Only the beginning time of the list may be selected. The ending time is the present time. Therefore, a list cannot be obtained for a particular time such as 6:00 a.m. to 6:00 p.m. yesterday.
- 3. Understand how ADT functions at your facility. For example, when an admission is shown on the Patient Movements, check to see if the admission has already occurred, or whether the patient will arrive at his bed several hours later.
- 4. The Patient Movements list does not go back beyond five days.
- 5. Be alert to special situations such as NHCU or intermediate care beds because the movement may be handled differently.

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: SF Supplemental Feedings... [FHNOM]**

Suboption: IN Supplemental Feeding Inquiry [FHN011]

This option displays the current diet, name of supplemental feeding menu, nourishment patient is receiving, quantity of each food, and the time the feeding(s) is scheduled for delivery to the patient. This routine is for viewing only and does not permit change. Its purpose is to provide Dietetic Service personnel with information about patient's total daily feedings and when they were last reviewed. Looking at feedings through this option does not change the "Last Modified" date.

Select Patient (Name or SSN): TINA, <RET> BELINDA 11-02-33 123770100 SC VETERAN

TINA, BELINDA (1 EAST)

Current Diet: 1800 CAL ADA

Feeding Menu: ANTI-DUMPING Reviewed: 15-Mar-95 12:07pm

1 CEREAL II/BOWL/SPOON 1 CRAX PEANUT BUTTER 1 SANDWICH DB HALF

1 MILK, SKIM 2 CRAX PEANUT BUTTER

1 JUICE, ORANGE 40Z

Diet Pattern Associated: YES

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SF Supplemental Feedings... [FHNOM]

Suboption: LA Run SF Labels/Consolid Ingred List [FHNO2]

Labels may be printed with an ingredient list, or an ingredient list alone may be printed with this option. An ingredient list is used by the Ingredient Control Unit to pull quantities needed for the production area. Gummed labels produced are placed on bags, sandwiches and other items to identify the patient and food items. Labels provide patient name, location, items, quantity to be delivered and time period. No labels will be printed for an NPO patient if this version is running and the Site Parameter (SP) response to suspension of nourishments is "Yes".

Three time periods are available to run labels (i.e., 10:00 a.m., 2:00 p.m. and 8:00 p.m.). A facility may choose one time period or all time periods. Time periods chosen to run labels can be divided into multiple service points (there must be at least one service point). A service point is an intermediate distribution point between the production area and the patient.

Labels may be aligned in the printer before initiating the program or at the moment designated by the program. It is helpful to mark the printer housing with some type of alignment markings. Several label runs may be required to establish the correct location for these marks.

If the patient is on an isolation procedure that Nursing delivers, "NURSE" will be printed on the label.

Prompt/User Entry:

Select by S=SUPPLEMENTAL FEEDING SITE
or W=WARD: S <RET>

Select SUPPLEMENTAL FEEDING SITE:
SUPPLEMENTAL FEEDINGS <RET>

Select Supplemental Feeding Time
(10,2,8, ALL): 10 <RET>

Do you want Ingredient list only? N// <RET>

Place Labels in Printer? Y// <RET>

Discussion:

Enter S or W as shown.

Select a Supplemental Feeding Site. Enter ?? <RET> to get a listing of feeding sites or to get help at any of the prompts.

No will print labels with ingredient list at the end.

Labels may be printed on paper, instead of labels.

Select LIST Printer: HOME// <RET>
HYPER SPACE RIGHT MARGIN: 80//
<RET>

Enter printer device OR press <RET> for labels to show on screen.

Select Supplemental Feeding Option:
LA <RET> Run SF Labels/Consolid
Ingred List

OR if W is entered in the first prompt:

Select by S=SUPPLEMENTAL FEEDING SITE
or W=WARD: W <RET>

Select WARD: 10E <RET>

Select Supplemental Feeding Time
(10,2,8,ALL): ALL <RET>

Do you want Ingredient list only? N// Y <RET>

Consolidated List only? Y// <RET>

"Y" will print a consolidated list of ingredients, summed for the ward.

"N" will print a list for the selected time or three lists for all the times.

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Enter the proper printer designation OR press <RET> and the labels will show only on the screen. A delay of 10-25 seconds is normal.

LA Run SF Labels/Consolid Ingred List

Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S <RET>

Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS <RET>

Select Supplemental Feeding Time (10,2,8,ALL): ALL <RET>

Do you want Ingredient list only? N// Y <RET>

Consolidated List only? Y// <RET>

Select LIST Printer: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

**** CONSOLIDATED ****

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS

15-Mar-95 ALL

| APPLESAUCE/SPOON | 3 |
|---------------------|----|
| BANANA | 1 |
| CEREAL I/BOWL/SPOON | 6 |
| CRAX, GRAHAM, PKG | 2 |
| CUSTARD/SPOON | 1 |
| DESSERT OF THE DAY | 10 |
| FRUIT, FRESH | 2 |
| ICE CREAM/SPOON | 2 |
| MILK, SKIM | 5 |
| MILK, 2% | 5 |
| SANDWICH DB HALF | 1 |
| SANDWICH DB II | 1 |

**** PATIENTS = 11 ****

```
Select Production Reports Option: LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N// Y
Consolidated List only? Y// N
Select LIST Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
   **** INGREDIENTS LIST ****
     SUPPLEMENTAL FEEDINGS
        15-Mar-95 10 AM
APPLESAUCE/SPOON
BANANA
CEREAL I/BOWL/SPOON
                               6
ICE CREAM/SPOON
                               2
                               1
MILK, SKIM
MILK,2%
                               5
    **** PATIENTS = 8 ****
   **** INGREDIENTS LIST ****
      SUPPLEMENTAL FEEDINGS
        15-Mar-95 2 PM
APPLESAUCE/SPOON
DESSERT OF THE DAY
FRUIT, FRESH
SANDWICH DB II
   **** PATIENTS = 6 ****
   **** INGREDIENTS LIST ****
      SUPPLEMENTAL FEEDINGS
        15-Mar-95 8 PM
CRAX, GRAHAM, PKG
CUSTARD/SPOON
                               5
DESSERT OF THE DAY
MILK, SKIM
SANDWICH DB HALF
    **** PATIENTS = 9 ****
```

```
Select Production Reports Option: LA Run SF Labels/Consolid Ingred List
Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S
Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS
Select Supplemental Feeding Time (10,2,8,ALL): ALL
Do you want Ingredient list only? N//
Place Labels in Printer
Select LABEL Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//
HOOK, CAPTAIN NEW 1 EAST/101-04
  8688
               15-Mar-95 10 AM
 1 APPLESAUCE/SPOON
 1 ICE CREAM/SPOON
PONCHO, PINTA NEW 1 EAST/103-01
  4444
                15-Mar-95 10 AM
 1 BANANA
 1 CEREAL I/BOWL/SPOON
 1 MILK, SKIM
JUAREZ, JULIO NEW 1 EAST/
   3285 *NURSE 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
1 MILK,2%
ADMIT,TWO NEW 1 EAST/
2725 15-Mar-95 10 AM
 1 APPLESAUCE/SPOON
 1 ICE CREAM/SPOON
NHCU, FINAL NEW 1 2000 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
1 MILK,2%
NHCU, FRED
                    NEW 1 EAST/
                15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK,2%
GERI,ATRIC NEW 1 EAST/
0191 15-Mar-95 10 AM
 1 CEREAL I/BOWL/SPOON
 1 MILK, 2%
```

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM 1 CEREAL I/BOWL/SPOON 1 MILK,2% **** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 10 AM APPLESAUCE/SPOON 2 BANANA 1 CEREAL I/BOWL/SPOON 6 ICE CREAM/SPOON MILK, SKIM 1 5 MILK,2% **** PATIENTS = 8 **** PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 2 PM 1 APPLESAUCE/SPOON 2 FRUIT, FRESH 1 SANDWICH DB II JUAREZ, JULIO NEW 1 EAST/ 3285 *NURSE 15-Mar-95 2 PM 1 DESSERT OF THE DAY NHCU,FINAL NEW 1 EAST/ 8262 15-Mar-95 2 PM 1 DESSERT OF THE DAY NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 2 PM NEW 1 EAST/ 1 DESSERT OF THE DAY GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 2 PM 1 DESSERT OF THE DAY NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 2 PM 1 DESSERT OF THE DAY

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 2 PM

| APPLESAUCE/SPOON | 1 |
|--------------------|---|
| DESSERT OF THE DAY | 5 |
| FRUIT, FRESH | 2 |
| SANDWICH DB II | 1 |

**** PATIENTS = 6 ****

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 8 PM

1 MILK, SKIM 1 CUSTARD/SPOON

JUAREZ,JULIO NEW 1 EAST/
3285 *NURSE 15-Mar-95 8 PM
1 DESSERT OF THE DAY

ELLIOTT, MARGUERITE NEW 1 EAST/ 5432 *NURSE 15-Mar-95 8 PM 1 MILK, SKIM 1 CRAX, GRAHAM, PKG

NHCU, FINAL NEW 1 EAST/ 8262 15-Mar-95 8 PM 1 DESSERT OF THE DAY

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 8 PM 1 DESSERT OF THE DAY

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 8 PM 1 DESSERT OF THE DAY

| NAMETH,JOE NEW 1 EAST/ 9120 15-Mar-95 8 PM 1 DESSERT OF THE DAY |
|---|
| TEST,TT NEW 4 SOUTH/414-01 0912 15-Mar-95 8 PM 1 MILK, SKIM 1 SANDWICH DB HALF |
| TEST,MAX NEW 4 SOUTH/412-01 9281 15-Mar-95 8 PM 1 MILK, SKIM 1 CRAX, GRAHAM, PKG |
| **** INGREDIENTS LIST **** SUPPLEMENTAL FEEDINGS 15-Mar-95 8 PM |
| CRAX, GRAHAM, PKG CUSTARD/SPOON 1 DESSERT OF THE DAY MILK, SKIM 4 SANDWICH DB HALF 1 |
| **** PATIENTS = 9 **** |

This is an example of labels print when separate Supp Fdg labels is indicated in the Supplemental Feeding Site parameter.

LA Run SF Labels/Consolid Ingred List

Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S

Select SUPPLEMENTAL FEEDING SITE: SUPPLEMENTAL FEEDINGS

Select Supplemental Feeding Time (10,2,8,ALL): ALL

Do you want Ingredient list only? N//

Place Labels in Printer

Select LABEL Printer: HOME// HYPER SPACE RIGHT MARGIN: 80//

HOOK, CAPTAIN NEW 1 EAST/101-04 8688 15-Mar-95 10 AM

1 APPLESAUCE/SPOON

HOOK, CAPTAIN NEW 1 EAST/101-04 8688 15-Mar-95 10 AM

1 ICE CREAM/SPOON

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 10 AM

1 BANANA

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

PONCHO, PINTA NEW 1 EAST/103-01 4444 15-Mar-95 10 AM

1 MILK, SKIM

JUAREZ, JULIO NEW 1 EAST/ 3285 *NURSE 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

JUAREZ, JULIO NEW 1 EAST/ 3285 *NURSE 15-Mar-95 10 AM

1 MILK,2%

ADMIT,TWO NEW 1 EAST/ 2725 15-Mar-95 10 AM

1 APPLESAUCE/SPOON

ADMIT,TWO NEW 1 EAST/ 2725 15-Mar-95 10 AM

1 ICE CREAM/SPOON

NHCU, FINAL NEW 1 EAST/ 8262 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

NHCU,FINAL NEW 1 EAST/ 8262 15-Mar-95 10 AM

1 MILK,2%

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

NHCU, FRED NEW 1 EAST/ 1717 15-Mar-95 10 AM

1 MILK,2%

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

GERI,ATRIC NEW 1 EAST/ 0191 15-Mar-95 10 AM

1 MILK,2%

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM

1 CEREAL I/BOWL/SPOON

NAMETH, JOE NEW 1 EAST/ 9120 15-Mar-95 10 AM

1 MILK,2%

**** INGREDIENTS LIST ****

SUPPLEMENTAL FEEDINGS 15-Mar-95 10 AM

| APPLESAUCE/SPOON | 2 |
|---------------------|---|
| BANANA | 1 |
| CEREAL I/BOWL/SPOON | 6 |
| ICE CREAM/SPOON | 2 |
| MILK, SKIM | 1 |
| MILK, 2% | 5 |

**** PATIENTS = 8 ****

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]
Option: SF Supplemental Feedings... [FHNOM]
Suboption: SF Change Patient Supplemental Feedings [FHNO1E]

This option is for adding, changing, or deleting nourishments. Enter the patient's name, a supplemental feeding menu and the nourishment items. Patients having a current nourishment will appear with that order in the prompt sequence. Patients without orders will appear in the prompt sequence as having no previous order. Each time a change is made to a feeding, the "Last Modified" date will change to the date of the entry.

Prompt/User Entry:

```
Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41 123456789 COLLATERAL

ADAMS, CYNTHIA ( 5 CENTRAL )

Current Diet: NPO

Feeding Menu: None

Supplemental Feeding Menu: 1000 Enter the name of a Supplement Feeding Menu or IND (Individue)
```

Enter the name of a Supplemental Feeding Menu or IND (Individual). If a Supplemental Feeding Menu is entered, the program stops here. If IND is entered, the program continues so that the nourishment items can be selected individually.

OR

```
Supplemental Feeding Menu: 1000 CALORIE ADA SODIUM // INDIVIDUALIZED <RET>
10am Feeding #1: MILK,WHOLE// <RET>
10am #1 Qty: 2// <RET>

10am Feeding #2: SHERBET/SPOON// <RET>
10am #2 Qty: 1// <RET>

10am Feeding #3:

2pm Feeding #1: SANDWICH,LS I// <RET>
2pm #1 Qty: 1// <RET>

2pm Feeding #2: CUSTARD/SPOON// <RET>
2pm #2 Qty: 1// <RET>

2pm Feeding #3:
```

```
8pm Feeding #1: MILK, SKIM// <RET>
8pm #1 Qty: 1// <RET>

8pm Feeding #2: JUICE OF THE DAY// <RET>
8pm #2 Qty: 1// <RET>
8pm Feeding #3:
```

Dietary or Therapeutic? D// <RET>

Enter <RET> if you want the default D, or enter T. Dietary means part of the diet. Therapeutic means in addition to. It is used to identify cost distribution.

Up to four food items can be given at each time frame.

In subsequent examples, patient identification and confirmation will be assumed. Examples will begin with the first pertinent prompt of the routine.

Change Existing Feedings

If a feeding already exists, the program will display that feeding to the user.

If a Supplemental Feeding Menu is selected, only the pre-defined food items will be given. Any desired changes must be done by changing to an "individualized" menu entry.

When feeding orders are changed in the Supplemental Feedings (SF) option the date shown in the "REVIEW" section on the Ward Supplemental Feeding Lists (WL) is the date of the last transaction.

Delete Existing Feedings

All deletion procedures use the SHIFT and "@" following the slash (//) marks. If all feedings are to be canceled for a given patient, do so at the Supplemental Feeding Menu prompt.

Using the **Special Order Entry**

This option is designed to accommodate requests for foods not on the Supplemental Feeding List. This is for items for special use. A procedure should be established for approval of these items. It is partly a manual process. It requires keeping a manual list of patients receiving special orders, and the items for each patient. When a **SPECIAL ORDER** is entered for a patient, this is the only information appearing on the label. A clerk is alerted by the **SPECIAL ORDER** notation and can add the specific food item to the label by hand.

This notation may also be used in conjunction with a food item.

For example:

2PM FEEDING #1 SANDWICH

SPECIAL ORDER
(This may alert the clerk to add the kind of sandwich, such as peanut butter.)

Relationship of Supplemental Feeding (SF) to Diet Orders. With the Version 5.0, Supplemental Feeding menus can be associated with Diet Orders with the result that an SF menu will be automatically entered for a patient when the diet is ordered. If the Supplemental Feeding for that patient have not been individualized, then the feedings will automatically changed to reflect new Diet Orders. If the Supplemental Feedings have been individualized, they will not change with changing Diet Orders. The only help a user has in recognizing the new to compare Supplemental Feeding with Diet Orders is an (I) following the feeding. This (I) denotes individualized and should trigger a review of new diet changes printing on Diet Activity. The (I) also shows on Ward Diet List.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SF Supplemental Feedings... [FHNOM]

Suboption: SH History of Supplemental Feedings [FHN012]

This option shows all past supplemental feedings ordered for a patient. After entering the patient's name, a list of admissions appear. After selecting the admission, a list of supplemental feeding orders appear by the date ordered. Upon selection of an order, a detailed display can be viewed.

Prompt/User Entry:

```
Select Patient (Name or SSN): CALLAHAN, <RET> DORIS 07-21-55 234234567 COLLATERAL 5 12-14-1990 @ 10:16:21 Select ADMISSION (or C for CURRENT): C <RET>
```

| Ord | Date/Time | Ordered | Supplemental Feeding Menu | Date/Time Canceled |
|-----|-----------|---------|---------------------------|--------------------|
| | | | | |
| 1 | 19-Dec-90 | 2:49pm | 1900 CALORIE ADA | 26-Apr-91 1:50pm |
| 2 | 26-Dec-91 | 1:10pm | ANTI-DUMPING | 20-Apr-92 8:51am |
| 3 | 8-May-92 | 8:20am | ANTI-DUMPING | 28-Sep-92 4:12pm |
| 4 | 31-Mar-93 | 4:20pm | 1000 CALORIE ADA | 13-May-93 1:20pm |
| 5 | 1-Jul-93 | 2:41pm | 1600 CALORIE ADA | 1-Jul-93 2:49pm |
| 6 | 1-Jul-93 | 2:49pm | 1600 CALORIE ADA | 16-Sep-94 10:46am |
| 7 | 28-Nov-94 | 4:48pm | SIX SMALL MEALS | 29-Nov-94 8:52am |
| 8 | 22-Dec-94 | 10:31am | 1800 CALORIE ADA SODIUM | 15-Feb-95 1:41pm |
| 9 | 21-Feb-95 | 12:15pm | SIX SMALL MEALS | 21-Feb-95 3:58pm |
| 10 | 21-Feb-95 | 3:60pm | SIX SMALL MEALS | 27-Feb-95 8:42am |

Detailed Display of which Order #? 10 <RET>

Feeding Menu: SIX SMALL MEALS Reviewed: 21-Feb-95 3:60pm

| 10AM | 2PM | 8PM |
|-----------------------|----------------------|----------------------|
| 1 CEREAL I/BOWL/SPOON | 1 DESSERT OF THE DAY | 1 DESSERT OF THE DAY |
| 1 MILK, 2% | I DESSERT OF THE DAT | I DESSERT OF THE DAT |

Diet Pattern Associated: YES

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SF Supplemental Feedings... [FHNOM]

Suboption: WL Ward Supplemental Feeding Lists [FHN03]

The purpose of this option is to list all patients who receive supplemental feedings. If the patient is on an isolation which requires delivery by Nursing Service, "NURSE" will appear under the "ISOLAT" column. The date shown under "REVIEW" is the last date any transaction was made for that patient. When the date is over two weeks old, an asterisk will flag it for attention.

This facilitates the review mandated by M-2, Part III (3.06c). Ward Supplemental Feeding Lists (WL) can be viewed or printed.

| Prompt/User Entry: | Discussion: |
|---|--|
| Select by S=SUPPLEMENTAL FEEDING SITE or W=WARD: S <ret></ret> | Enter S or W as shown. |
| Select SUPPLEMENTAL FEEDING SITE (or ALL): Supp Site 1 <ret></ret> | Select one Supplemental Feeding Site or ALL. Enter ?? <ret> to get listing of Feeding Sites.</ret> |
| Print Patients: (A=Alphabetically R=Room-Bed) R// | Take default by pressing <ret> to print report by Room-Bed or A for alphabetical order of patients' names.</ret> |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter the proper printer designation. (If only <ret> is pressed as shown, the information will show only on the screen. A delay of 10-25 seconds is normal.)</ret> |

The total quantities of supplemental feedings may be printed for each ward, including time period, if the Site Parameter is set for printing ingredients on ward lists.

| W | ARD SUPPI | LEMENT | A L I | FEEI | O I N G | LIS | T Page 1 |
|--|--|----------------------------|----------------|--------------|----------------|-----------------------|----------------|
| Ward: NEW 1 EAST 3-May-95 | | | | | | 5 1:23pm | |
| ROOM | PATIENT | | ID# | SUPP N | MENU | ISOLAT | REVIEW |
| | GALTON, FRANCIS M 1 MILK, SKIM; | | | | 00 LS | | 03-23* |
| 10A | MAS,TEN M 1 APPLESAUCE/SI | 1 POON; 1 ICE | 171 CREAM/S | F/L SPOON | | | 03-15* |
| 10A 2P | DENNISTON,WILBUIM 1 CEREAL II/BOIM 1 CRAX PEANUT IM 1 SANDWICH DB IM | WL/SPOON; 1 BUTTER; 1 J | MILK, S | SKIM; 2 | 2 CRAX I | | |
| | PORTER, JACK M 1 MILK, SKIM; 1 | | | | 00 LS | | 04-26 |
| W | ARD SUPPI | LEMENT | A L | FEEI | O I N G | LIS | T Page 2 |
| Ward: NEW 4 | WEST | | | | | 3-May-9 | 5 1:23pm |
| ROOM | PATIENT | | ID# | SUPP N | MENU | ISOLAT | REVIEW |
| | TEST,ADMIT M 1 MILK, SKIM; | | | | 00 LS | | 03-22* |
| | IONA,MISSY M 1 MILK, SKIM; | | | | 00 LS | *NURSE | 03-22* |
| 10A 2P | TEST,TSIX M 1 CEREAL II/BO M 1 CRAX PEANUT I M 1 SANDWICH DB I | WL/SPOON; 1 BUTTER; 1 J | MILK, S | SKIM; 2 | 2 CRAX I | PEANUT BU | 03-10* TTER |
| | LOLLI,POP M 1 MILK, SKIM; | | | | 00 LS | | 04-26 |
| W | ARD SUPP | LEMENT | A L I | FEEI | O I N G | LIS | T Page 3 |
| Ward: NEW 4 | SOUTH | | | | | 3-May- | 95 1:23pm |
| ROOM | PATIENT | | ID# | SUPP N | MENU | ISOLAT | REVIEW |
| | ADMIT,ONE M 1 MILK, SKIM; | 2 1 CRAX, GRA | | |) ADA | | 03-15* |
| | FULTON, THEODORE M 1 MILK, SKIM; | | | |) ADA | | 03-10* |
| NEW 3 NORTH INGREDIENT LIST FOR 3-May-95 | | | | | | | |
| 10 AM - | | - 2 PM | | - | 8 PN | 1 | |
| 2 MILK, 1 ICE CR | SKIM EAM/SPOON | 2 CRAX PEA 2 JUICE, O | NUT BUTT | ΓER OZ | 7 MII 7 CRA | LK, SKIM AX, GRAHA | M, PKG |

- 1 APPLESAUCE/SPOON
- 4 CRAX PEANUT BUTTER
- 2 CEREAL II/BOWL/SPOON

2 SANDWICH DB HALF

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SF Supplemental Feedings... [FHNOM]

Suboption: WP Print Bulk Feedings/Cost Report [FHNO10]

This option will produce a delivery listing or labels for all bulk supplemental feedings for all wards served by a Supplemental Feeding Site. A cost report and consolidated pick will also be produced.

| Prompt/User Entry: | Discussion: |
|--|---|
| Select SUPPLEMENTAL FEEDING SITE (or ALL): ALL <ret></ret> | Select one Supplemental Feeding Site (enter ?? <ret> for listing) or ALL.</ret> |
| Do you want Labels? N// <ret></ret> | Only press <ret> if you do not want labels (default is No//), but enter Y for Yes if you want labels to be printed.</ret> |
| Select LIST Printer: HOME// <ret> RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer device OR press <ret> as shown for report to show on screen.</ret> |

```
BULK NOURISHMENTS FOR: ALL SITES
                                                                        Page 1
                                 4-May-95 9:34am
--- NEW 1 EAST ---
     3 GINGER ALE/STRAW
    10 COOKIES
     3 FRUIT, CND/SPOON
     2 Jell-O/SPOON
     1 BANANA
     1 PEANUT BUTTER 1TSP
     1 APPLE DUMPLINGS
     6 JUICE OF THE DAY
     6 MILK,2%
1 CUSTARD/SPOON
                        BULK NOURISHMENTS FOR: ALL SITES
                                                                       Page 2
                                 4-May-95 9:34am
--- NEW 2 WEST ---
     3 MILK, 2%
     3 CRAX, REG, PKG
     2 APPLESAUCE/SPOON
     2 ICE CREAM/SPOON
     1 JUICE, APPLE
     1 SANDWICH DB I
     2 POPSICLE
     2 COOKIES
     2 GATORADE
--- NEW 3 NORTH ---
                        BULK NOURISHMENTS FOR: ALL SITES
                                                                        Page 3
                                 4-May-95 9:34am
     1 KOOLADE
     1 JUICE, ORANGE QT
2 HARD CANDY
     2 CUSTARD/SPOON
     1 MILKSHAKE VANILLA
     2 APPLE DUMPLINGS
     1 BRAN
     2 POPSICLE
     1 BANANA
--- NEW 4 SOUTH ---
     2 CEREAL I/BOWL/SPOON
```

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SF Supplemental Feedings... [FHNOM]

Suboption: WR Review Bulk Ward Feedings [FHN09]

This option allows the user to review the bulk ward feedings for a single ward. It provides a quick review of ward feedings. Changes to bulk ward feedings can be done only at the manager access level.

Prompt/User Entry:

Select DIETETICS WARD NAME: 1 EAST <RET>

- 3 GINGER ALE/STRAW
- 10 COOKIES
- 3 FRUIT, CND/SPOON
- 2 Jell-O/SPOON
- 1 BANANA
- 1 PEANUT BUTTER 1TSP
- 1 APPLE DUMPLINGS
- 6 JUICE OF THE DAY
- 6 MILK,2%
- 1 CUSTARD/SPOON

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SO Standing Orders... [FHSPM] Suboption: IN Standing Order Inquiry [FHSP4]

This option displays the patient location, current diet, and active standing order. This routine is for viewing only and does not permit change. Its purpose is to provide Dietetic Service personnel with information about the patient's current standing orders.

```
Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41 123456789 COLLATERAL

ADAMS, CYNTHIA ( 5 CENTRAL )

Current Diet: NPO

Active Standing Orders

Even 1 CORN BEEF (I)
```

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SO Standing Orders... [FHSPM] Suboption: SC Consolidate Standing Orders [FHSP7]

This option allows user to tally by Service Point and consolidate by meal or day.

| Prompt/User Entry: | Discussion: |
|---|---|
| <pre>Select SERVICE POINT (or ALL): ALL <ret></ret></pre> | Enter ?? <ret> to get listing of Service Points, then select Service Point or ALL as shown.</ret> |
| <pre>Select Meal (B,N,E, or ALL): ALL <ret></ret></pre> | Enter B, N, E, or ALL. |
| Consolidated List Only? Y// ?? <ret> Answer YES or NO</ret> | |
| Consolidated List Only? Y// <ret></ret> | Only press <ret> if answer (default) is yes.</ret> |
| Select LIST Printer: HOME// <ret> PC ETHER NET RIGHT MARGIN: 80// <ret></ret></ret> | Enter printer instructions OR press <ret> to see report on screen.</ret> |

| 13-Jul-95 1:53pm | С | 0 | N | S | 0 | L | I | D | A | T E | | | | | | ΙI | N G | ; C |) R | D | Ε | R | S | Page | 1 |
|----------------------|----|---|---|---|---|---|---|---|---|------|------|-----|-----|-----|-----|-----|-----|------|--------|---|---|-----|---------|------|---|
| | | | | | | | | | | 13-c | Jul. | -95 | B | rea | ak | | | | | | | | | | |
| | | | | | | | | | | DOM- | -C I | HOS | P- | C I | HOS | P-T | N | IHCU | J-T | | | TOT | ΓAL | | |
| APPLE BEEF BLENDE | | | | | | | | | | | 5 | | | 1 | | 14 | | | 5 | | | | 25 1 | | |
| CANNED FRUIT | Г | | | | | | | | | | | | | | | 1 | | | 1 1 | | | | 2 1 | | |
| CHICKEN BRO | ΤH | | | | | | | | | | | | | | | 3 | | | | | | | 3 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13-Jul-95 1:53pm | С | 0 | N | S | 0 | L | I | D | A | T E | D | S | Т . | A I | N D | ΙI | N G | ; C | R | D | Ε | R | S | Page | 2 |
| 1.33pm | | | | | | | | | | 13-0 | Jul- | -95 | B | rea | ak | | | | | | | | | | |
| | | | | | | | | | | DOM- | -C I | HOS | P- | C I | HOS | P-T | N | IHCU | J-T | | | TOT | ΓAL | | |
| DIET PUDDING | G | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| FRUIT PIE | | | | | | | | | | | | | | | | | | | 2 | | | | 2 | | |
| Jell-O | | | | | | | | | | | | | | 2 | | 2 | | | 2 | | | | 6 | | |
| ORANGE JUIC | E | | | | | | | | | | | | | _ | | | | | 1 | | | | 1 | | |
| PEANUTS | | | | | | | | | | | 9 | | | 3 | | 38 | | | 15 | | | | 65 | | |
| WHITE BREAD | | | | | | | | | | | | | | | | 4 | | | 3 | | | | 7 | | |
| # OF PATIENT | TS | | | | | | | | | | 6 | | | 3 | | 17 | | | 8 | | | | 34 | | |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SO Standing Orders... [FHSPM]

Suboption: SE Enter/Edit Standing Orders [FHSP3]

This option is for entering or editing standing orders. Enter the patient's name, and patients having a current standing order will appear with that order in the prompt sequence. Patients without orders will appear as "No Active Standing Orders." You may edit a standing order by answering yes to the prompt below and entering the correct number of the order. It is important to remember that standing orders automatically appears on both the diet card and the tray ticket, regardless of diet order.

```
Select Patient (Name or SSN): TINA, BELINDA <RET> 11-02-33
                                                                                                      123770100
VETERAN
TINA, BELINDA ( 1 EAST )
Current Diet: REGULAR <RET>
Active Standing Orders
1 Break 1 APPLE (I)
2 Break 1 APPLE
3 Break 2 POTATO PANCAKE
4 Break 3 PEANUTS
5 Break 1 COKE
6 Noon 1 APPLE
7 Noon 4 LADY FINGERS
8 Noon 2 LEMON COOKIES
9 Even 3 LEMON COOKIES (I)
Edit a Standing Order? YES// <RET>
Edit which Order #? 2 <RET>
Standing Order: APPLE // < RET> @ .. Done
TINA, BELINDA ( 1 EAST )
Current Diet: REGULAR
Active Standing Orders
    Break 1 APPLE (I)
Break 2 POTATO PANCAKE
Break 3 PEANUTS
Break 1 COKE
Noon 1 APPLE
Noon 4 LADY FINGERS
Noon 2 LEMON COOKIES
 3
 5
 6
```

```
Even 3 LEMON COOKIES (I)
Edit a Standing Order? YES//
Edit which Order #? 7 <RET>
Standing Order: LEMON COOKIES // <RET>
Select Meal (B,N,E or ALL): N // <RET>
Quantity: 2// 1 <RET>
ADD this Order? Y// <RET> .. done
TINA, BELINDA ( 1 EAST )
Current Diet: REGULAR
Active Standing Orders
   Break 1 APPLE (I)
Break 2 POTATO PANCAKE
 2
 3
   Break
                3 PEANUTS
   Break
                1 COKE
                1 APPLE
   Noon
 6
                4 LADY FINGERS
    Noon
    Noon
Even
 7
                1 LEMON COOKIES (I)
8
                3 LEMON COOKIES (I)
Edit a Standing Order? YES// NO
Enter Standing Order: COKE
Standing Order COKE added
Standing Order: COKE //
Select Meal (B,N,E or ALL): E
Quantity: 1//
ADD this Order? Y// .. done
TINA, BELINDA ( 1 EAST )
Current Diet: REGULAR
Active Standing Orders
   Break 1 APPLE (I)
Break 2 POTATO PANCAKE
 3
    Break
                3 PEANUTS
    Break
                1 COKE
    Noon
 5
                1 APPLE
    Noon
 6
                4 LADY FINGERS
    Noon
                1 LEMON COOKIES (I)
    Even
                3 LEMON COOKIES (I)
 8
9
    Even
                1 COKE (I)
Edit a Standing Order? YES// NO
Enter Standing Order:
```

Select Patient (Name or SSN):

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SO Standing Orders... [FHSPM] Suboption: SL Print Standing Order Labels [FHSP8]

This option allows the user to print labels for standing orders.

Select SERVICE POINT (or ALL): ALL
<RET>

Enter ?? <RET> to get listing of Service Points, then select Service Point as shown.

Select Meal (B,N,E, or ALL): ??
<RET>

Enter B, N, E, or ALL.

Enter B for Breakfast, N for Noon, E for Evening or ALL for all meals

Select Meal (B,N,E, or ALL): N <RET>

Place Labels in Printer

Select LABEL Printer: HOME// <RET>
PC ETHER NET RIGHT MARGIN: 80//
<RET>

Enter printer instructions OR press <RET> to see report on screen.

ADAMS,CYNTHIA NEW 2 WEST/ 6789 *NURSE 15-Mar-95 NOON 1 APPLE

ADAMS,CYNTHIA NEW 2 WEST/ 6789 *NURSE 15-Mar-95 NOON 2 LEMON COOKIES

TEST, ASIH NEW 2 WEST/205-01 3456 15-Mar-95 NOON 2 APPLE

TEST, PASS NEW 2 WEST/207-02 3347 15-Mar-95 NOON 1 APPLE

TEST, PASS NEW 2 WEST/207-02 3347 15-Mar-95 NOON 3 LEMON COOKIES

GALTON, FRANCIS NEW 3 NORTH/
9258 15-Mar-95 NOON
1 DOUBLE PORTIONS

GALTON, FRANCIS NEW 3 NORTH/ 9258 15-Mar-95 NOON 1 FRUIT PUCH (ART)

GALTON, FRANCIS NEW 3 NORTH/
9258 15-Mar-95 NOON
1 PUDDING (WHOLE MILK)

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: SO Standing Orders... [FHSPM] Suboption: TS Tabulate Standing Orders [FHSP5]

The purpose of this option is to print the totals of the standing orders by meal. The totals change when discharges occur.

Prompt/User Entry:

Discussion:

Select SERVICE POINT (or ALL): ALL
<RET>

Enter ?? <RET> to get listing of Service Points, then select Service Point as shown.

Select Meal (B,N,E, or ALL): ??
<RET>

Enter B, N, E, or ALL.

Enter B for Breakfast, N for Noon, E for Evening or ALL for all meals

Select Meal (B,N,E, or ALL): N <RET>

Select LIST Printer: HOME// <RET> PC
ETHER NET RIGHT MARGIN: 80// <RET>

Enter printer instructions OR press <RET> to see report on screen.

HELPFUL HINTS AND NOTES

- 1. The tabulated standing orders do not have patient identification or location.
- 2. Diet office personnel need to transfer the standing order information to the manual diet card. Standing orders automatically appear on both the tray ticket and diet card.
- 3. All orders appear on one sheet. Duplicate sheets may need to be run for different preparation areas.
- 4. Reminder: Standing Orders are not saved after discharge.

15-Mar-95 8:37am S T A N D I N G O R D E R S

Page 1

NOON

| Quantity | Order |
|--------------|------------------------|
| 14 | APPLE |
| 9 | BEEF BLENDER |
| 2 | CANNED FRUIT |
| 1 | CHICKEN BROTH |
| 2 | CHICKEN LEG |
| 2 | CHICKEN SOUP |
| 3 | COKE |
| 3 | COLE SLAW |
| 2 | DIET PUDDING |
| 1 | DOUBLE PORTIONS |
| 1 | FRESH SALAD |
| 1 | FRUIT PUCH (ART) |
| 1 | FRUIT PUNCH (NATURAL) |
| ~ | GRILLED CHEESE |
| 1 | HEATH BAR |
| 4 | HOT CHICKEN WINGS |
| 36 | LADY FINGERS |
| 25 | LEMON COOKIES |
| | OREO COOKIES |
| 1 | PEACHES |
| - | PEPSI |
| 3 | POTATO PANCAKE |
| 1 | POTATO SALAD (HOME) |
| 1 | PUDDING |
| 2 | PUDDING (NONE LACTIVE) |
| 1 | PUDDING (WHOLE MILK) |
| 2 | SOUR CREAM |
| 1 | SPINACH |
| 1 | WHALE BLUBBER |
| 2 | WHITE BREAD |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: TF Tickler File... [FHCTF3]

Suboption: CL Clear Tickler File Entries [FHCTF2]

Upon completion of items on the list, the user needs to clear the item from the list. If this is not done, items will keep reappearing until cleared, a new status is entered, or the patient is transferred/discharged, etc. Personal items only disappear from the Tickler printout when the reminder date is past. It is not possible to clear them manually.

Items on the Tickler File are automatically cleared if:

- 1. A new status is entered, or a veteran is re-screened
- 2. A diet is ordered for a patient who was NPO
- 3. Supplemental Feedings are changed
- 4. A tube feeding order is re-ordered or changed

NOTE: When a tube feeding is changed or ordered, the clinicians will still automatically receive a mailman message indicating that a tube feeding has been ordered.

5. Consults are cleared

Items must be manually cleared from the Tickler if:

- 1. A patient has been reviewed, and no changes have been made
- 2. A progress note has been written in the chart for Nutrition Status or Diet follow up
- 3. Items have been entered as an encounter based on reminders from the tickler
- 4. Supplemental feedings are reviewed.

Prompt/User Entry:

Discussion:

Answer Y at "Is Order OK" prompt to keep the item in the Tickler File, or answer N to remove the item from the Tickler File. User will then be prompted through any remaining items eligible to be cleared from the Tickler File.

Select CLINICIAN: DIET,DIET// <RET>

KELLY, BARBARA (7185) Female Age 20 3 SOUTH 3S-02

DIET ORDER

Current Diet: NO ORDER

Is Order OK? Y// <RET> ... done

MAS,FOUR (5165) Male Age 45 4 SOUTH 410-03

TUBEFEEDING

Date Ordered: 30-Aug-93 4:08pm

Product: CRITICARE HN, Full Str., 75 CC per Hour X 12 hrs Product: OSMOLITE HN, Full Str., 50 CC per Hour X 16 hrs

Product: PROPAC, Full Str., 100 CC per Day

Total KCAL: 2143 Total Quantity: 1800 cc

Comment: XXXXXXXX

Is Order OK? Y// <RET> ... done

NEW, ADMISSION (8970) Male Age 55 4 SOUTH 410-02

DIET ORDER

Current Diet: FULL LIQUID

Service: Tray

Is Order OK? Y// <RET> ... done

HELPFUL HINTS AND NOTES

- 1. When the Clinical Nutrition staff needs to provide coverage for an unfamiliar ward, it is possible to print the list of another staff member. This will assist in determining priorities on the new ward.
- 2. Personal items such as meetings entered under the Tickler File option cannot be cleared. They will disappear once the date you have entered is past.
- 3. At some medical centers, data is kept on consults that have been ordered using the encounters option. The easiest way to do this is to clear the consult by using the Clear Consult option (XC) which will automatically clear the item from the Tickler File and bring up the Encounters option if you answer "YES" at the prompt. The longer way to track this data is to clear the consult using the Tickler File and then go to the Clear Consult (XC) option which will drop you into the encounters option if you answer "YES" at the prompt.
- 4. The computer requires that not only each ward entered be totally different from every other ward entered, also each room must be totally different from every other room. At many facilities the same room number can be found on more than one ward. If this is true at your facility, a way to differentiate each room from every other room will have to be determined. One of the easiest ways to do this is to add the ward that the room is on to the end of the room number when this information is entered by your Clinical Manager and/or Applications Coordinator.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: TF Tickler File... [FHCTF3]

Suboption: DI Display Tickler File [FHCTF1]

Patients' names and personal reminders appear on the Tickler File lists. Patients' names appear on the lists based on the policies and procedures of your facility and entries made in the Production Diet and Dietetic Ward Files. Information will also appear when consults are requested by your ward staff.

The Tickler File is dependent upon the Admissions/Discharges/Transfers (ADT) File from Medical Administration Service. Discharged patients whose names currently appear on a Tickler File will not appear on the list the next time a list is printed. Transferred patients whose names currently appear on a Tickler File list will appear on the list of the receiving dietitian the next time a list is printed.

It is possible to print the Tickler File list through a future date if desired.

Prompt/User Entry:

Select CLINICIAN: DIET, DIET// <RET>

Through Date: TODAY// <RET> (MAY 18, 1995)

Select LIST PRINTER: HOME// <ret> SET HOST Enter printer device OR <RET>.

18-May-95 2:49pm TICKLER FILE Page 1

DIET, DIET Thru: 18-May-95

- 25-May-93 1:41pm Diet Review: CLEAR LIQUID NO,ORDER 1 NORTH 1N-01
- 8-Mar-95 1:50pm Diet Review: FULL LIQUID TEST,TSIX 4 NORTH 4N-03
- 17-Mar-95 10:59am Diet Review: CLEAR LIQUID BRAND, NEW P 6-BBC 601-01
- 29-Mar-95 2:35pm Diet Review: FULL LIQUID TINA,BELINDA 4 EAST 4E-01
- 7-Apr-95 11:42am Status: No Admission Status TEST, MAX 3 SOUTH 3S-03
- 14-Apr-95 11:57am Diet Review: REGULAR NHCU,FINAL 6-BBC 602-01

Press RETURN to continue or "^" to exit.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: TF Tickler File... [FHCTF3]

Suboption: EN Enter Tickler File Item [FHCTF3]

This option allows you to keep track of other things such as meetings, scheduled treatment teams, and project due dates. Up to 60 characters and spaces can be entered for each date and time.

Prompt/User Entry:

Discussion:

Date/Time: **3/24 <RET>** (MAR 24, 1995)

Comment: Attend Prime Vendor
Meeting at 10am. <RET>

You may enter comments up to 60 characters.

Date/Time: T+2 (MAR 24, 1995)

Comment: Attend Prime Vender Meeting at 10am.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: EP Enter/Edit Patient Diet Pattern [FHMTKE]

This option allows the user to enter a specific Diet Pattern for a selected patient for each of the three meals. A patient will need an individualized diet pattern when the patient requires a different pattern than the one in the Diet pattern file; therefore, the pattern need to be adjusted for the patients need and be saved or there was no diet pattern created in the Diet Pattern file. Otherwise, there is no need to save an individualized pattern for each patient. Whenever a diet order is changed the individualized pattern will no longer be effective. You can enter another individualized pattern for the patient if there is the need or you can import a previous pattern, if it exists, to the current-diet order using the option History of Diet Patterns (HP).

Prompt/User Entry:

Select Patient (Name or SSN): ADMIT, TWO <RET> 01-01-50 727272725

ALLIED VETERAN

Current Diet: MECHANICAL

Production Diet: MECHANICAL/DYSPHAGIA

Standing Orders

Break 1 APPLE

Break 2 POTATO PANCAKE

Break 3 PEANUTS
Break 1 COKE
Noon 1 APPLE

Noon 4 LADY FINGERS Noon 2 LEMON COOKIES

Diet Pattern

| | Breakfast | | Noon | | Evening |
|-----|-------------------|-----|-------------------|-----|-------------------|
| 1 2 | BEVERAGE BREAD | 1 2 | BEVERAGE BREAD | 1 | BEVERAGE BREAD |
| 1 | JUICE I | 1 | JUICE I | 1 | APPETIZER |
| 1 | APPETIZER | 1.5 | APPETIZER | 2.7 | SOUP |
| 2.8 | BREAKFAST ITEM | 1 | SOUP | 1 | ENTREE |
| 2 | ENTREE | 1 | ENTREE | 1 | VEGETABLE |
| 6 | STARCH | 1 | VEGETABLE | 2.3 | DESSERT |
| 1.5 | DESSERT | 2.6 | DESSERT | | |
| 2 | BREAKFAST MEAT | | | | |
| 2 | CONDIMENT | | | | |

Select MEAL (B,N,E): B

2 CONDIMENT 1 MARGARINE

- 1 BEVERAGE
- 2 BREAD
- 1 JUICE I
- 1 APPETIZER
- 2.8 BREAKFAST ITEM
- 2 ENTREE
- 6 STARCH
- 1.5 DESSERT
- 2 BREAKFAST MEAT
- 2 CONDIMENT
- 1 MARGARINE

Select a Recipe Category: BEVERAGE <RET>

Recipe Category: BEVERAGE // <RET>

Quantity: 1// <RET>

Enter/Edit More? Y// NO <RET>

Is this Correct to store? Y// Y <RET>

Storing Patient's Diet Pattern ...

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: OA Enter Additional Order [FHORO1]

This option is a free-text entry that can be used for all miscellaneous or unusual orders. It should not be used if another routine can accommodate the order.

Use this option to order supplemental feedings, test orders requiring unusual diets, or unusual or difficult diets.

To avoid duplication, orders entered within the past 24 hours will be shown first. A Dietetic Service user must process these entries by taking appropriate action. The action may be to enter nourishments or future diets, or to "clarify" a complex diet order by re-ordering it through the Order Diet (OD) option.

So that the ward user will know which orders have already been placed, a list of all additional orders for a patient for the past 24 hours is displayed at the time of patient selection. It is also displayed under Patient Profile (PP).

Prompt/User Entry:

Select Patient (Name or SSN): **GERI, <RET>** ATRIC 12-01-24 012340191 EMPLOYEE

*** WARNING ***

*** RESTRICTED RECORD ***

Additional Orders Last 24 Hours:

None Entered.

Additional Order: XXXXX <RET>

You may enter free text up to 60 characters.

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET] Option: DO Diet Orders... [FHORDM] Suboption: OD Order Diet [FHORD1]**

This option is the principal routine for ordering diets. It has been designed to enable the ward clerk or nurse to order diets without extensive translation of the physician's written order, thus reducing the need for translation by non dietetic personnel. There is one exception.

The one exception requiring a minimal translation of physician orders involves the concept of the Regular Diet. For purposes of this program, a Regular Diet is defined as a completely unmodified diet. Orders such as Regular-No Added Salt (NAS), or Regular-Mechanical cannot be ordered. Valid orders for these examples would be "NAS" and "Mechanical", respectively, with each considered to be a modified diet. Although this clarifies a dietetic concept, it may be a departure from the routine ward staff perception of such diet orders.

Prompt/User Entry:

```
Select Patient (Name or SSN): TEST, <RET> ADMIT 01-10-29
111119021 SC VETERAN
Current Diet: NO ORDER <RET>
Comment: Hold Tray due to Tubefeeding <RET>
Tray, Cafeteria or Dining Room: T// <RET>
Order a REGULAR Diet? (Y/N) Y <RET>
You have selected the following Diet:
    REGULAR
Is this Correct? Y// <RET>
Effective Date/Time: NOW// <RET> (MAR 22, 1995@12:15:07)
... Diet Order Accepted
You have missed the NOON cut-off.
Do you wish to order a LATE TRAY? (Y/N): Y <RET>
                                                    "Y" will automatically
 .. done
```

generate a late tray request. "N" will not order a late tray so that the order is effective at the next meal.

An ACTIVE Tubefeeding Order Exists!

Date Ordered: 22-Mar-95 12:12pm

Product: SUSTACAL, Full Str., 100 CC Three times a Day

Total KCAL: 300 Total Quantity: 300 cc

Comment: Tubefeeding Comment.

Do you wish to CANCEL the ORIGINAL Tubefeeding? Y// N $\, \dots \,$ no change

Select Patient (Name or SSN):

```
OD Order Diet
Select Patient (Name or SSN): TEST, PASS 12-03-44 233243347 SC
VETERAN
Current Diet: REGULAR
Tray, Cafeteria or Dining Room: T//
Order a REGULAR Diet? (Y/N) N
Select DIETS NAME: 3-4
    1 3-4 GM SODIUM
       3-4 GM SOD NO ADDED SALT
CHOOSE 1-2: 1
Select DIETS NAME: NO CONCENTRATED SWEETS
Select DIETS NAME: LOW F
    1 LOW FAT
     2 LOW FIBER
CHOOSE 1-2: 1
Select DIETS NAME: LOW PHOS TEST-LOW PHOSPHORUS(350mg)
Select DIETS NAME: LOW CHOLESTEROL
You have now selected the maximum of 5 Diet Modifications!
You have selected the following Diet:
    NO CONCENTRATED SWEETS
    3-4 GM SODIUM
    LOW FAT
    LOW CHOLESTEROL
    TEST-LOW PHOSPHORUS (350mg)
Is this Correct? Y//
Effective Date/Time: NOW// (MAR 22, 1995@12:17:33)
Expiration Date/Time:
... Diet Order Accepted
You have missed the NOON cut-off.
Do you wish to order a LATE TRAY? (Y/N): Y
Select Time ( 1=1:30pm 2=2:30pm ):1 .. done
Select Patient (Name or SSN):
```

If a diet is ordered for a patient receiving a tubefeeding, the program will ask the user if the tubefeeding should be canceled.

Certain diet information about the patient is automatically displayed prior to any prompts for ordering. The current diet order will be displayed, as will the lack of an order such as, "No Order", or an NPO order. Automatically upon admission, and in the absence of an NPO order, a new patient will be shown as having "No Order". However, an admission diet order can be automatically implemented by station choice.

The current diet order will change chronologically, based on all future orders stored in the patient's file. For example, the current diet may be displayed as a Clear Liquid at a point in time due to a test, regardless of the standing diet order. At the expiration of the Clear Liquid, the patient's previous diet order will automatically be reinstated and displayed as current.

Also displayed at the time of ordering a diet are all future diet orders. A warning to the user is also displayed as a preventive measure, since it is easy to unintentionally cancel NPOs or future orders by simply ordering another diet. The warning is followed by the prompt: Do you wish to cancel? Y/N: The user must answer this prompt.

If a diet has a diet pattern with an associated Supplemental Feeding menu, associated Standing Orders and/or associated food preference, these orders will automatically be implemented when the diet is ordered. This both saves time and creates additional problems discussed under option EP Enter/Edit Patient Order Pattern.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DO Diet Orders... [FHORDM] Suboption: OE Order Early/Late Tray [FHOREL2]

Interruptions or changes in meal service have always been difficult information for Dietetic Service to monitor. With this routine, ward staff can place future orders for early or late trays for a specific date and meal and request a bagged meal. The computer tracks early and late trays and related information such as days, meals, service times, and bag meals.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN): ADMIT, TWO <RET> 01-01-50 727272725
ALLIED VETERAN

Select Start Date: 5/20 <RET> (MAY
20, 1995)

Use T for today or any date notation. The program prohibits retroactive changes in meal service (i.e., it will not accept an order after the cut-off time.)

Select End Date: 20-May-95// <RET>

To order multiple trays over a period of time, enter the ending date of the period (up to 31 days in advance). To order a single tray, press <RET>.

Select Meal (B,N,E): E <RET>
Early or Late (E or L): L <RET>
Select Time: (1=5:50P 2=8:50P
3=9:00P) 3 <RET>
Bagged Meal: NO// <RET>

... done

OE Order Early/Late Tray

Select Patient (Name or SSN): SIMON, SAYS <RET? 01-12-32

234908765 SC VETERAN

Select Start Date: MAR 27 95 <RET> (MAR 27, 1995)
Select End Date: 27-Mar-95// APR 1 95 <RET> (APR 01, 1995)

Enter string of characters for desired days of week: e.g., MWF

Days of Week: TRS <RET>
Select Meal (B,N,E): N <RET>
Early or Late (E or L): L <RET>

Select Time: (1=1:00P 2=1:30P) 2 <RET>

Bagged Meal: NO// <RET>

..... done

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DO Diet Orders... [FHORDM] Suboption: ON NPO/Hold Tray [FHORD3]

Although NPO and a Hold Tray are treated as diet orders in terms of practice, it actually is a suspension of service. Because these orders frequently occur alone, this function is a separate routine.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN):
ADAMS, <RET> CYNTHIA 01-12-41
123456789 COLLATERAL

Enter ?? <RET> at this prompt and any prompt below for help.

Current Diet: REGULAR (Tray)

Place patient on NPO/HOLD-TRAY.

Effective Date/Time: NOW// <RET>
(MAY 19, 1995@13:21:01)

Expiration Date/Time: 5/26 <RET>

(MAY 26, 1995)

An expiration date is always requested but not required.

Comment: XXXXX <RET>

... done

```
ON NPO/Hold Tray

Select Patient (Name or SSN): GALTON, FRANCIS <RET> 02-15-18
470369258 COLLATERAL

Current Diet: REGULAR (Tray)

Place patient on NPO/HOLD-TRAY.

Effective Date/Time: NOW// <RET> (MAR 22, 1995@12:22:44)

Expiration Date/Time: T+1@6:10 <RET> (MAR 23, 1995@06:10:00)

Comment: Test NPO. <RET>
... done

Select Patient (Name or SSN):
```

When a patient goes on pass and this is entered in the ADT program an NPO type of 'Pass' automatically generates. The patient is actually on pass, not NPO. Upon return from pass using the ADT program, the prior diet automatically resumes.

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: OT Order Tubefeeding [FHORTF3]

This tubefeeding option has been designed to accept single as well as multiple products, strength and quantities. The quantity function is a mixture of quantities, times, frequencies and rates which should accommodate most physician orders. Allowable quantities consist of two parts separated by a slash; a number and unit combination followed by a frequency of administration. Frequency has been enhanced to handle specified number of hours and feedings. Samples of allowable quantities are in the following format:

Number and Unit/Frequency

| 2000CC/DAY | (2000CC per day) |
|--------------|--------------------------------------|
| 100CC/HR | (100CC per hour for 24 hours) |
| 100CC/HRX16 | (100CC per hour for 16 hours) |
| 300CC/Q3HX6F | (300CC every 3 hours for 6 feedings) |
| 100CC/Q3H | (100CC every 3 hours) |
| 8U/DAY | (8 U per Day) |

The number may be any number from 1-5000. Acceptable units are kcals (K), cubic centimeters (CC), millimeters (ML), ounces (OZ), bottles (B), cans (CANS), and units (U). "Units" can be used to mean cans, bottles, containers, bags, etc. The letter "C" by itself is translated to be CCs (not calories).

Prompt/**User Entry**:

```
Select Patient (Name or SSN): PORTER, <RET> JACK 12-01-47
444823690 COLLATERAL

An ACTVE TUBEFEEDING ORDER exists!

Date Ordered: 27-Aug-96 8:41am

Product: OSMOLITE, 3/4 Str., 100 CC per Hour X 4 hrs
Product: PULMOCARE, Full Str., 100 CC Twice a Day

Total KCAL: 618 Total Quantity: 600 cc

Do You Wish to Cancel the Existing Tubefeeding and Enter a New One? Y// N <RET>
Edit the Existing Tubefeeding.
```

```
Select Tubefeeding Product: PULMOCARE <RET>
Product: PULMOCARE// @ <RET> Product including Strength and Quantity DELETED.
Enter/Edit another Tubefeeding product ? N// Y <RET>
Product: OSMOLITE, 3/4, 100 CC per Hour X 4 hrs
Total Kcal: 318
                                    Total Quantity: 400
Select Tubefeeding Product: OSMO <RET>
    1 OSMOLITE
    2 OSMOLITE HN
CHOOSE 1-2: 1 <RET>
Product: OSMOLITE// OSMOL
       OSMOLITE
     2 OSMOLITE HN
CHOOSE 1-2: 2 <RET>
OSMOLITE Replaced With OSMOLITE HN
    Product OSMOLITE HN added
Product: OSMOLITE HN// <RET>
Strength: (1=1/4, 2=1/2, 3=3/4, 4=FULL): 3// < RET >
Enter quantity as 2000 K, 100 CC/HOUR, 8 OZ/TID, 500 CC/HR X 16, 20 GRAMS/DAY
etc.
Quantity: 100 CC/QH X 4// <RET>
Quantity: 100 CC per Hour X 4 hrs -- Total: 400 cc
Enter/Edit another Tubefeeding product ? N// <RET>
Product: OSMOLITE HN, 3/4, 100 CC per Hour X 4 hrs
Total Kcal: 318
                                    Total Quantity: 400
Is this Correct ? Y// <RET>
Comment: TEST TUBEFEED <RET>
Cancel all current or future tray orders? Y// <RET>
Ok to Enter Order? Y// <RET> ... filed
```

This routine will accommodate commercial tubefeedings and the types of orders usually written for them. Non-specific orders for a tray tubefeeding or a blenderized tubefeeding can be handled in two ways:

- Such a tubefeeding can be included in the Diets File and ordered as a diet through option Order Diet (OD) where a quantity is not required; or
- A calorie level can be <u>required</u> as part of the order so that it can be ordered under option Order Tubefeeding (OT).

When a patient is placed on a tubefeeding through the Order Tubefeeding (OT) option and the tray is held, it is not possible to send that patient supplemental feedings. Such feedings are automatically suspended because the patient is in an "NPO" state. In order to send a patient feedings, he must be receiving some type of a tray (i.e., have a diet order). See Supplemental Feedings (SF) program for more information.

Menu: CM Clinical Management... [FHMGRC]
Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: PA Enter/Edit Patient Reaction Data [GMRA PATIENT

A/AR EDIT]

Dietetics now interfaces with the Allergy Tracking System Version 3.0 Package. This option will drop you directly into the Allergy Package option. Refer to Allergy Tracking System Version 3.0 User Manual, page 27, for complete prompt and user entry sequence.

The information will be displayed on the Dietetic Patient Profile (PP) and the Ward Diet Order List (WD), and on both the Diet Card and Tray Ticket.

Prompt/**User Entry**:

Select PATIENT NAME: BELLOWS, <RET> BRIAN 11-04-28 122334456

COLLATERAL

| | | | OBS/ |
|----------------------|----------|-------|------|
| ADVERSE REACTION | VERIFIED | ALLER | HIST |
| | | | |
| FOOD/OTHER: | | | |
| EGGS | YES | YES | HIST |
| GRAPES | NO | YES | OBS |
| SODA | NO | YES | HIST |
| SOY SAUCE | NO | YES | OBS |
| SALT | NO | YES | HIST |
| Reactions: PUFFINESS | | | |

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: PF Enter/Edit Patient Preferences [FHSEL3]

When a food preference is requested for a patient (either through the computer or by other means), it should be entered into the computer under this option if the preference is on the preference list.

After selecting the patient's name, the food preference is entered. Then the meals are selected which pertain to that preference.

HELPFUL HINTS

When using the option Enter/Edit Patient Preferences (EP), a current preference will be shown first, if one exists. If that preference is to be deleted, enter the @ sign. Although you are entering the new preference after the double slashes, it will not replace the preference which is in front of the double slashes. This can be confusing because it is unlike the way the editing is usually done in Dietetics software.

Field Definitions

Select Patient Name Field

This field designates the patient for whom food preferences are to be entered.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN):
BELLOWS, BRIAN <RET> 09-18-26
122334456
COLLATERAL

Enter name. (Current preferences will be displayed if any are on file.)

122-33-4456 BELLOWS, BRIAN Male Age 69 2 CENTRAL

Likes DisLikes

All Meals 1 CHILI MAC, 1 GELATIN NO GREEN FOODS, NO SHRIMPS

Noon 1 TEA

Noon, Even 2 PIZZA BURGER, 2 TANGERINE NO CHICKEN

1 WHOLE-WHEAT BREAD

Even 1 SKIM MILK

Select FOOD PREFERENCES: NO
HAMBURGER// <RET>
 FOOD PREFERENCES: NO HAMBURGER//
<RET>

Select one preference. Enter ?? <RET> to display the preference list. If preferences are already on file, the last entry will be displayed.

To delete a preference, enter the @ sign after the preference name//.

To add a new preference, enter the name after the // prompt even if a different preference is displayed. Confirmation will be requested asking if the new preference should be added.

MEALS: B// <RET>

Enter a string of meals (e.g., B, BN or BNE) or A for all meals.

Quantity: 1// <RET>

Enter a number from 2-9 or take the default of 1 by pressing <RET>.

After the preference is entered into the computer, it will appear on the Diet Activity Report, the ward diet list, and the diet card. It does not appear on the Tray Ticket but, instead, prevents Dislikes food items from being printed. The order is preceded by "FP".

Upon subsequent admission, the preferences which are Dislikes will appear on the list format of Diet Activity Report/Labels (DA) and are preceded by "Pref:". Because Like preferences frequently change, they will not be shown.

EP Enter/Edit Patient Preferences

Select Patient (Name or SSN): **ELLIOTT, MARGUERITE <RET>** 02-24-47

123455432 COLLATERAL

Likes DisLikes

All Meals 2 GELATIN

Noon, Even NO BEEF

Select FOOD PREFERENCES: NO BEEF//

FOOD PREFERENCES: NO BEEF//

MEALS: NE//

Select FOOD PREFERENCES: NO PORK

MEALS: A

Select FOOD PREFERENCES:

Select Patient (Name or SSN):

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: PH Review Diet Orders [FHORD2]

This is a review of all orders (past, present, and future) pertaining to a patient. It allows viewing only. The review contains three parts with each in chronological order:

- Saved additional orders.
- Listing of orders, including comments, as they were entered into the computer.
- Diet Orders Time Line section displays all effective orders after the computer has sorted out all potential conflicts and removed all "canceled" orders. The Time Line represents which order was actually in effect at any time.

Prompt/User Entry:

Discussion:

```
Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41 123456789 COLLATERAL
```

List Orders from Date/Time: 24-May-94
12:10pm // <RET>

Entering a <RET> (default) will show all orders. With a long admission, the user may enter a more recent date/time.

Current Diet: NO ORDER

Comment: Hold Tray due to Tubefeeding

Tubefeed Ordered: 19-May-95 2:06pm

Product: TEST FLUID RESTRICTION, Full Str., 100 CC per Hour Total Quantity: 2400 cc Total KCAL: 648000

Comment: XXXX

| Effect | cive | Expires | Type | Order |
|-----------|---------|-----------|------|--------------|
| 24-May-94 | 12:11pm | | | NO ORDER |
| 24-May-94 | 3:12pm | | T | REGULAR |
| 28-Jul-94 | 9:52am | 29-Jul-94 | T | FULL LIQUID |
| 29-Jul-94 | 11:06am | | T | REGULAR |
| 29-Jul-94 | 1:54pm | 1-Aug-94 | T | FULL LIQUID |
| 2-Aug-94 | 1:31pm | | T | 3-4gm SODIUM |
| 2-Aug-94 | 1:35pm | | | PASS |
| 2-Aug-94 | 1:39pm | | T | REGULAR |
| 2-Aug-94 | 1:42pm | | T | REGULAR |
| 2-Aug-94 | 1:44pm | | | PASS |
| 2-Aug-94 | 2:45pm | 3-Aug-94 | T | FULL LIQUID |
| 20-Oct-94 | 11:40am | - | С | REGULAR |

```
NO ORDER
20-Oct-94 12:49pm
                                            Hold Tray due to Tubefeeding
20-Oct-94 12:51pm
                                        C
                                            REGULAR
20-Oct-94 1:01pm
                    20-Oct-94 2:00pm
                                            NPO
31-Oct-94 11:53am
                                        Т
                                            REGULAR
31-Oct-94 11:55am
                                        Т
                                            FULL LIQUID
15-Nov-94 3:03pm
                                            REGULAR
                                        Т
15-Nov-94 3:15pm
                    15-Nov-94 3:30pm
                                        T FULL LIQUID
25-Nov-94 11:31am
                                        T CLEAR LIQUID
25-Nov-94 11:36am
                                        T FULL LIQUID
 9-Dec-94 2:01pm
                     9-Dec-94 2:01pm
                                            NPO
 9-Dec-94 2:02pm
                    13-Dec-94
                               2:16pm
                                            NPO
 9-Dec-94 2:02pm
                    9-Dec-94
                               2:03pm
                                            NPO
13-Dec-94 2:40pm
                    13-Dec-94
                               2:40pm
                                            NPO
11-Jan-95 12:35pm
                                            FULL LIQUID
                                        Τ
17-Feb-95 1:16pm
                    17-Feb-95 1:16pm
                                            NPO
18-Feb-95
                                        Τ
                                            REGULAR
15-Mar-95 12:03pm
                                            REGULAR
                                        Т
15-Mar-95 12:06pm
                                        Т
                                            CLEAR LIQUID
                                        Т
17-Mar-95 10:16am
                                            REGULAR
22-Mar-95 12:08pm
                                        Т
                                            NO CONC SWTS, 3-4gm SODIUM, FIBER
                                            FAT REST, CHOLESTEROL
                                        Т
22-Mar-95 2:37pm
                                            REGULAR
30-Mar-95 1:00pm
                                        т
                                            REGULAR
24-Apr-95 11:50am
                                        Т
                                            REGULAR
25-Apr-95 2:27pm
25-Apr-95 2:35pm
18-May-95 5:00pm
                    25-Apr-95 2:28pm
                                            NPO
                                            NPO
                                        Т
                                            REGULAR
                    26-May-95
19-May-95 1:21pm
                                            NPO
                                            XXXXX
19-May-95 2:06pm
                                            NO ORDER
                                            Hold Tray due to Tubefeeding
                        ---- Diet Orders Time Line ----
    Effective
                  Type Order
24-May-94 12:11pm
                        NO ORDER
24-May-94 3:12pm
                    Т
                        REGULAR
28-Jul-94 9:52am
                    Т
                        FULL LIQUID
29-Jul-94
                    Т
                        REGULAR
29-Jul-94 11:06am
                       REGULAR
                    Т
29-Jul-94 1:54pm
                    Т
                       FULL LIQUID
 1-Aug-94
                        REGULAR
 2-Aug-94 1:31pm
                        3-4gm SODIUM
 2-Aug-94 1:35pm
                        PASS
 2-Aug-94 1:39pm
                    Τ
                        REGULAR
 2-Aug-94 1:42pm
                        REGULAR
                    Т
 2-Aug-94 1:44pm
                        PASS
 2-Aug-94 2:45pm
                        FULL LIQUID
 3-Aug-94
                        PASS
20-Oct-94 11:40am
                        REGULAR
20-Oct-94 12:49pm
                        NO ORDER
20-Oct-94 12:51pm
                    С
                        REGULAR
20-Oct-94 1:01pm
                        NPO
                    С
20-Oct-94 2:00pm
                        REGULAR
31-Oct-94 11:53am
                        REGULAR
31-Oct-94 11:55am
                        FULL LIQUID
```

```
15-Nov-94 3:03pm
                       REGULAR
15-Nov-94 3:15pm
                   T FULL LIQUID
15-Nov-94 3:30pm
                       REGULAR
25-Nov-94 11:31am
                       CLEAR LIQUID
25-Nov-94 11:36am
                   T FULL LIQUID
 9-Dec-94 2:01pm
                       NPO
 9-Dec-94 2:01pm T FULL LIQUID
 9-Dec-94 2:02pm
                       NPO
 9-Dec-94 2:02pm
                       NPO
 9-Dec-94 2:03pm
                       NPO
13-Dec-94 2:16pm
                  T FULL LIQUID
13-Dec-94 2:40pm
                       NPO
13-Dec-94 2:40pm
                  Т
                       FULL LIQUID
11-Jan-95 12:35pm
                       FULL LIQUID
17-Feb-95 1:16pm
                       NPO
17-Feb-95 1:16pm
                       FULL LIQUID
18-Feb-95
                   Т
                       REGULAR
15-Mar-95 12:03pm
                   Т
                       REGULAR
15-Mar-95 12:06pm
                   Т
                       CLEAR LIQUID
17-Mar-95 10:16am
                   T REGULAR
22-Mar-95 12:08pm
                       NO CONC SWTS, 3-4gm SODIUM, FIBER REST, FAT REST,
                       CHOLESTEROL
22-Mar-95 2:37pm
                       REGULAR
30-Mar-95 1:00pm
                       REGULAR
24-Apr-95 11:50am
                       REGULAR
25-Apr-95 2:27pm
                       NPO
25-Apr-95 2:28pm
25-Apr-95 2:35pm
18-May-95 5:00pm
                       REGULAR
                       NPO
                   T REGULAR
19-May-95 1:21pm
                       NPO
19-May-95 2:06pm
                       NO ORDER
```

HELPFUL HINTS AND NOTES

- 1. Be familiar with and use available reference material.
- 2. Learn the back-up system to use in case of computer failure.
- 3. Request that MAS input effective dates to include time. If admissions are entered as "Now", time will automatically be included.
- 4. Encourage the use of meal designations (B,N,E). This prevents the need to know meal and cut-off times.
- 5. Supplemental Feedings and Standing Orders may be automatically suspended when meals are stopped because of an order for NPO/ Hold Tray (ON). They are not suspended for patients on "No Current Order" who have had no diet ordered, through one of the diet order options or the Default Admission Diet.
- 6. A second order (repeat) for the same diet will not generate a label or print on the Diet Activity Report in the Diet Office.

- 7. NHCU (and Domiciliary) patients who are absent sick in hospital are still residents of the NHCU/Domiciliary. All orders in effect in the NHCU/Domiciliary will automatically resume as soon as the patient returns. Orders in effect in the medical center do not carry over to the NHCU/Domiciliary.
- 8. The admitting diagnosis on Patient Profile is entered by the MAS clerk when the patient is first admitted and may not be correct.

Menu: CM Clinical Management... [FHMGRC] **Submenu: CD Clinical Dietetics... [FHDIET]** Option: DO Diet Orders... [FHORDM]

Suboption: PI Enter/Cancel Isolation/Precautions [FHORD4]

This routine transmits isolation information to Dietetic Service and prints it on the diet card label. It is also displayed on the Patient Profile (PP), List Early/Late Trays (EL) and Diet Activity Report.

Prompt/User Entry:

```
Select Patient (Name or SSN): BELLOWS, <RET> BRIAN 11-04-28
122334456 COLLATERAL
Select ISOLATION/PRECAUTION TYPE NAME: ?? <RET>
Choose from:
  AFB ISOLATION
  BLOOD/BODY FLUID PRECAUTIONS
  DRAINAGE/SECRETION PRECAUTIONS
  ENTERIC PRECAUTIONS
  PROTECTIVE PAPER
  RESPIRATORY
  STAY OUT (** INACTIVE **)
  STOP SIGN
  STRICT
Select ISOLATION/PRECAUTION TYPE NAME: BLOOD/ <RET> BODY FLUID
PRECAUTIONS ...
done
```

Removing a patient from Isolation is done through this same option. After patient selection, the current Isolation status will be displayed followed by the prompt:

```
Do you wish to remove? (Y/N): A "Yes" or "No" answer is required.
```

PI Enter/Cancel Isolation/Precautions

Select Patient (Name or SSN): IONA, MISSY <RET> 10-07-52

666222444 COLLATERAL

Isolation/Precaution Type is: DRAINAGE/SECRETION PRECAUTIONS

Do you wish to remove? (Y/N) Y ... removed

PI Enter/Cancel Isolation/Precautions

Select Patient (Name or SSN): IONA, MISSY 10-07-52 666222444

COLLATERAL

Select ISOLATION/PRECAUTION TYPE NAME: ?
Answer with ISOLATION/PRECAUTION TYPE NAME

Choose from:

AFB ISOLATION

BLOOD/BODY FLUID PRECAUTIONS

CONTACT

DRAINAGE/SECRETION PRECAUTIONS

ENTERIC PRECAUTIONS

PROTECTIVE PAPER

RESPIRATORY

Select ISOLATION/PRECAUTION TYPE NAME: BLOOD/BODY FLUID PRECAUTIONS

done

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DO Diet Orders... [FHORDM] Suboption: PP Patient Profile [FHORD9]

This is most often used for a visual check of all current and future orders on a patient at a single point in time. It does not, however, display past orders. The types of information given may include:

- Patient Identification and Location
- Admission Diagnosis
- Allergies
- Isolation
- Current Diet
- Service
- Tubefeeding Order
- SF Order
- Last Three Years of Dietetic Encounters (Not Including Assessment and Screening Encounters)
- Additional Orders in 24 Hours
- Future Diet Orders
- Early/Late Tray Information
- Active Standing Orders
- Active Consults

Prompt/User Entry:

Select Patient (Name or SSN): **BELLOWS, <RET>** BRIAN 11-04-28 122334456 COLLATERAL

DEVICE: HOME// <RET> HYPER SPACE RIGHT MARGIN: 80// <RET>

122-33-4456 BELLOWS, BRIAN M Age 66 2

CENTRAL/2C1-03

Allergies: EGGS, GRAPES, SODA, SOY SAUCE

Food Preferences Currently on file

Likes Dislikes

All Meals 1 CHILI MAC, 1 GELATIN NO GREEN FOODS, NO SHRIMPS

Noon 1 TEA

Noon, Even 2 PIZZA BURGER, 2 TANGERINE NO CHICKEN

1 WHOLE-WHEAT BREAD

Even 1 SKIM MILK

Isolation/Precaution Type is BLOOD/BODY FLUID PRECAUTIONS

Current Diet: No current order

Supplemental Feeding: No Order

No future Diet Orders exist

Press return to continue

122-33-4456 BELLOWS, BRIAN M Age 66 2

CENTRAL/2C1-03

No future Early or Late Trays ordered

No Active Standing Orders

No Active Consultations for this Admission

Press return to continue

19-Sep-95 NUTRITION PROFILE Page 1

TEST, MAX Age 54

Status: Inpatient admitted 4-Apr-95 11:42am

Adm. Dx: SICKLING

Current Diet: FULL LIQUID

Service: Tray

Supplemental Feeding: No Order

Nutrition Status: Mildly Compromised (6-Apr-93)

Allergies: None on file

Nutrition Assessments

Recent Assessments: 6-Apr-93 16-Nov-92 28-Oct-92

Height: 97 cm (3' 2") Usual Wt: 77.3 kg (170 lbs) Weight/Usual Wt:

106%

Weight: 81.8 kg (180 lbs) Ideal Wt: 77.3 kg (170 lbs) Weight/IBW:

106%

Date Taken: 6-Apr-93

Nutrition Class: Hungry

Medications

No current medications in selected drug classes.

Laboratory Data

No selected laboratory data available last 90 days.

Dietetic Encounters Last Three Years

29-Oct-93 INSTRUCTION - DIABETIC, Individual ADOLESCENT ENCOUNTER 5-Aug-94 COMMUNITY, Group

Food Preferences

Likes DisLikes

All Meals 1 CHOC MILK

Break 1 COFFEE NO GELATIN

Future Clinic Appointments

No scheduled appointments.

TEST, MAX HINES VAF 10-9034 123-45-6789 5 SOUTH/501-02 (Vice SF 509)

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: XE Cancel Early/Late Tray [FHOREL3]

After patient selection, a list of all future early and late trays including date, time and meals is chronologically displayed to the user. The user selects the appropriate order by number. Multiple meals may be canceled by listing the numbers separated by commas or by listing a range of numbers, e.g., 1,3,4 or 6-10. The user may also select ALL.

Prompt/User Entry:

Select Patient (Name or SSN): DENNISTON,
<RET> WILBUR 09-18-26 555678987
 COLLATERAL

Order Date Time Meal

No future early or late trays to cancel

OR user will see

Cancel Which Early/Late Order (or ALL)? **Select 1 or more numbers or ALL.**

XE Cancel Early/Late Tray

```
Select Patient (Name or SSN): TEST,
          TEST, ADMIT 01-10-29 111119021 SC VETERAN TEST, AGAIN 12-01-55 223128901 SC VETERAN
    1
                                                          111115021
223128901 SC VEIL
3022456 SC VETERAN
5 TERAL
    12-01-55 223128901

3 TEST, ASIH 03-01-40 111223456

4 TEST, MAX 11-19-80 233099281

5 TEST, NEW 12-03-45 112908079

TER 101 TO STOP OR
                                                                             COLLATERAL
                                                                             SC VETERAN
ENTER '^' TO STOP, OR
CHOOSE 1-5: 4 TEST, MAX 11-19-80 233099281 COLLATERAL
Order
                                 Time
                                                  Meal
             Date
    1 26-Mar-95 9:25A Breakfast
2 27-Mar-95 9:25A Breakfast
3 28-Mar-95 9:25A Breakfast
4 29-Mar-95 9:25A Breakfast
5 30-Mar-95 9:25A Breakfast
6 31-Mar-95 9:25A Breakfast
     7
           1-Apr-95
                               9:25A Breakfast
```

Cancel Which Early/Late Orders (or ALL)? ?

Enter numbers, or range, of desired orders or ALL (E.G., 1,3,4 or 3-5 or 1,3-5 etc.)

| Order | Date | Time | Meal |
|-------|-----------|-------|-----------|
| 1 | 26-Mar-95 | 9:25A | Breakfast |
| 2 | 27-Mar-95 | 9:25A | Breakfast |
| 3 | 28-Mar-95 | 9:25A | Breakfast |
| 4 | 29-Mar-95 | 9:25A | Breakfast |
| 5 | 30-Mar-95 | 9:25A | Breakfast |
| 6 | 31-Mar-95 | 9:25A | Breakfast |
| 7 | 1-Apr-95 | 9:25A | Breakfast |

Cancel Which Early/Late Orders (or ALL)? 1-3 ... done

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET]

Option: DO Diet Orders... [FHORDM]

Suboption: XN Cancel NPO/Withhold Order [FHORD12]

After patient selection, a list of all future orders is displayed including the effective date, the expiration date, and the type of withhold order. If multiple orders exist, all will be displayed allowing the user to select the proper order.

Withhold orders entered through NPO/Hold Tray (ON) may be canceled through this option. It is also possible for the withhold order to be overridden by a diet order through Order Diet (OD). If a pass is ordered through NPO/Hold Tray (ON), it will be overridden by a return from pass through ADT. There is more than one way to cancel a withhold order. When the withhold order is canceled, the current diet and type of service is shown.

Prompt/User Entry:

Discussion:

Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41 123456789 COLLATERAL

Current Diet: NO ORDER

Effective Expires Order

1 19-May-95 2:06pm NO ORDER

Cancel Which Order #?

Select the number which corresponds with the withhold order to be canceled.

You have missed the (MEAL) cut-off. Do you wish to order a LATE TRAY? (Y/N)

Y will automatically generate a late tray request.

N will not order a late tray so that the order is effective at the next meal.

This prompt may appear if the order is entered after the meal cut-off time but before the end of the alarm window when late trays may be ordered for that meal. This question will not appear if an early or late tray has already been ordered for that meal.

Current Diet: SNK (Tray Service)

Will automatically display once NPO order is canceled.

XN Cancel NPO/Withhold Order

Select Patient (Name or SSN): **TEST, AGAIN <RET>** 12-01-55

223128901 SC VETERAN

Current Diet: NPO

Effective Expires Order

1 17-Mar-95 10:23am NPO

Cancel Which Order #? 1 ... done

Current Diet: CLEAR LIQUID (Tray)

You have missed the NOON cut-off.

Do you wish to order a LATE TRAY? (Y/N): Y

Select Time (1=12:50P 2=2:00P 3=3:00P): 3 .. done

Menu: CM Clinical Management... [FHMGRC] Submenu: CD Clinical Dietetics... [FHDIET] Option: DO Diet Orders... [FHORDM]

Suboption: XT Cancel Tubefeeding Order [FHORTF4]

After patient selection, the current tubefeeding order is displayed with a prompt.

Prompt/User Entry:

Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41 123456789 COLLATERAL

Date Ordered: 19-May-95 2:06pm

Product: TEST FLUID RESTRICTION, Full Str., 100 CC per Hour

Total KCAL: 648000 Total Quantity: 2400 cc

Comment: XXXX

Do you wish to CANCEL the ORIGINAL Tubefeeding? N// ... no change

DM Patient Data Log

The Patient Data Log (DM) supports the Diet Order Entry (DO), Supplemental Feedings, and Standing Order (SO) programs by providing the managers with a means for identifying specific users who have entered specific orders.

Menu: CM Clinical Management... [FHMGRC] Submenu: DM Patient Data Log [FHDMP]

This routine allows for accountability for actions. Selection of a patient will generate a printout detailing every Dietetic order entered for that patient during any admission, who entered it, when, and in what order.

Field Definitions

Patient Field

Select a patient name or Social Security Number.

Admission Field

Allows user to specify which admission date to provide data. Default is C (Current), but other admission date identified by number are displayed as well.

Starting Date Field

This field allows the user to select which date to search from. The default is the first admission day.

Prompt/User Entry:

```
Select Patient (Name or SSN): ADAMS, <RET> CYNTHIA 01-12-41

123456789 COLLATERAL

Choose from:

1 12-11-1990 @ 08:54:15
541 05-24-1994 @ 12:10:09

Select ADMISSION (or C for CURRENT): 541 <RET> 2940524.121009

Starting Date: FIRST// <RET>

Enter <RET> to see data from the first day of admission, or you may enter a later date.

DEVICE: HOME// <RET> SET HOST

Enter printer device or <RET>.
```

123-45-6789 ADAMS, CYNTHIA Female Age 54 Page 1

22-May-95

10:18am

PATIENT DATA

Allergies: STRAWBERRIES, CHOCOLATE

Food Preferences Currently on file:

Likes Dislikes

All Meals 1 GELATIN

Break 1 ORANGE JUICE, 2 MILK
Noon 1 PIZZA PUFFS
1 WHOLE-WHEAT BREAD NO SHRIMPS, NO GREEN FOODS

1 POTATO CHIPS, 1 WHITE BREAD

NO PORK Noon, Even 1 TANGERINE

Even 2 TACO

ADMISSION DATA

123-45-6789 ADAMS, CYNTHIA Female Age 54 Page 2

22-May-95

10:18am

Admitted: 24-May-94 12:10pm Discharged:

Dietetic Ward: 5 CENTRAL Room-Bed: 501-02

Current Diet Order: 40 Expires:

Current Service: Tray

Current Isolation: BLOOD/BODY FLUID PRECAUTIONS Current Tubefeed Order: 4

Last Label Ward: Current Supp. Fdg. Order:

Last Label Room:

DIET ORDERS

Order: 1 Effective: 24-May-94 12:11pm Expires:

Ordered by: LANE, RUSS Ordered: 24-May-94 12:11pm

Diet: NO ORDER

Prod. Diet: Service:

123-45-6789 ADAMS, CYNTHIA Female Age 54 Page 3

22-May-95

10:18am

Order: 2 Effective: 24-May-94 3:12pm Expires:

Ordered by: ACKERT, NANCY Ordered: 24-May-94 3:13pm

Diet: REGULAR

Prod. Diet: REGULAR Service: Tray

Order: 3 Effective: 28-Jul-94 9:52am Expires: 29-Jul-94

Ordered by: ACKERT, NANCY Ordered: 28-Jul-94 9:54am

Diet: FULL LIQUID

Prod. Diet: FULL LIQUID Service: Tray

Patient Data Log

Order: 4 Effective: 29-Jul-94 11:06am Expires:

Ordered by: ACKERT, NANCY Ordered: 29-Jul-94 11:07am

Diet: REGULAR Prod. Diet: REGULAR

Service: Tray

Order: 5 Effective: 29-Jul-94 1:54pm Expires: 1-Aug-94 Ordered by: ACKERT, NANCY Ordered: 29-Jul-94 1:56pm

Diet: FULL LIQUID

Prod. Diet: FULL LIQUID Service: Tray

Female Age 54 Page 4 123-45-6789 ADAMS, CYNTHIA

22-May-95

10:18am

Order: 6 Effective: 2-Aug-94 1:31pm Expires:

Ordered: 2-Aug-94 1:32pm Ordered by: ACKERT, NANCY

Diet: 3-4gm SODIUM

Prod. Diet: MODERATE SODIUM (87-174) Service: Tray

Order: 7 Effective: 2-Aug-94 1:35pm Expires:

Ordered: 2-Aug-94 1:36pm Ordered by: ACKERT, NANCY

Diet: PASS

Prod. Diet: Service:

Order: 8 Effective: 2-Aug-94 1:39pm Expires:

Ordered by: ACKERT, NANCY Ordered: 2-Aug-94 1:40pm

Diet: REGULAR Prod. Diet: REGULAR Service: Tray Glossary

Access code An individual's code used to gain entry to the

computer system.

ADP Automated Data Processing or Automated Data

Processing Service.

ADTS MAS software: Admissions, Discharge, Transfer,

Scheduling. Dietetic's software requires that

ADTS run effectively.

AMIS Automated Management Information System - a

VA wide centralized database.

Applications Coordinator A person selected in each medical center's

services who has the responsibility for the implementation/coordination of the ADP

activities.

Backup copy A copy of a file or information that is kept as a

reference in case the original file is destroyed or

unavailable.

Backup procedures Methods of accomplishing work if the computer is

not functioning.

Bit The smallest unit of storage in the computer.

Bits and Bytes The Dietetic Service quarterly computer

newsletter.

Bug An error in a program or a system.

Byte The smallest addressable unit of storage of data;

eight bits.

CAHG Clinical Ad Hoc Group.

Character A letter, digit, space, or other symbol that is used

as part of the representation of data.

Code A system of symbols and rules for use in

representing information, or a series of letters used as part of a security code system, for gaining

access to the computer system.

Glossary

Command A request entered on a terminal to have a function

performed; e.g., a printer command.

Computer An electronic device for performing high speed

arithmetic and logical operation.

Computer system A system composed of a computer, peripheral

equipment, such as disks, printers, and

terminals, and the software necessary to make

them operate together.

Convention Symbols or commands common to VA software.

CPU Central Processing Unit; a major unit of the

computer containing the arithmetic unit, main

memory, and control unit.

Crash A hardware or software failure that leads to an

abnormal cessation of processing.

CRT Cathode Ray Tube; refers to the terminal screen.

Cursor A highlighted mark appearing on the CRT. A

bright square or underscore character which indicates where the next entry on the keyboard

will be recorded on the CRT.

Data Characters arranged together in specific patterns,

to which meaning is assigned; information.

Database A large file of organized data which users can

draw upon as a common pool of information.

Data Dictionary A collection of information about the data in

each file. It includes such information as data type, minimum and maximum length of the entry, and other files which are pointed to. Also

called DD.

Default An answer or response that is entered

automatically into the computer program if no response is provided; is usually shown before the

slashes, e.g., Name: Gingerale//.

Delete To remove data from the system.

Device In Dietetic Software programs, refers to the

selection of the terminal display or the printer for receiving the output. May refer to any hardware.

DHCP Decentralized Hospital Computer Program.

Dietetic User Manual The manual provided with the Dietetics software

which explains the programs.

Disk A platter, similar to a phonograph record, coated

with a magnetic surface on which data can be

stored.

Diskette A small disk.

Documentation A collection of descriptions or procedures that

provides information about a program so that it

can be used properly and maintained.

Dump To generate a printout of a file from main memory

at a given point in time.

Edit To correct, rearrange, and validate input data. To

modify the form of output information by inserting blank spaces, special characters where needed,

etc.

Electronic mail A general term to describe the transmission of

messages by the use of computing systems and

telecommunications facilities.

Enter (key) Key on the keyboard used at the end of a data entry

or command to indicate that the user has finished

the entry. Same as the return key on some

terminals.

Field In a record, a specific area used for a particular

category of data.

File A collection of related records, treated as a unit.

File Manager A data base management system, developed by the

Veterans Administration. Also referred to as VA

FileMan.

Flag A variable used in a program to indicate whether

a condition has or has not occurred.

Global Variable) Refers to variables which are

permanently stored on disk.

Hard copy Printed copy of data stored in the computer.

Hardware The physical equipment that makes up a

computer system.

Help Enter ?, ??, or ??? and an explanation or choices

shows on the screen.

Input Data that is submitted to the computer for

processing.

Interface A shared boundary between two devices, systems,

or programs.

IRM Information Resource Management.

IRM contact person A person in the Information Resource

Management service who will help answer

questions for you.

ISC Information Systems Center; ISCs are software

development centers for VA software applications.

Job A collection of specific tasks constituting a unit of

work for a computer.

Jump A departure from sequence in executing

instructions in a computer.

Kernel The set of utilities which performs the tasks of the

VA computer system. Includes Menu Manager, Task Manager, Device Handler, the security

system and specialized routines.

Keyboard A device with an arrangement of keys like those

on a typewriter; often includes a second set of

numbers similar to a calculator pad.

K/Kilobyte 1024 bytes; refers to computer storage capacity.

LAYGO Learn as you go; allows all users to add to the

existing files.

Live account Use of the programs with real persons as opposed

to the test account.

Local variable A variable which exists only in memory and is lost

when exiting the program.

Log off/sign off The process of exiting from the computer system.

Log on/sign on The process of entering the computer system.

MailMan An electronic mail program that enables users to

send memos, letters, messages, documents from

one computer terminal to another.

Mainframe A large computer capable of supporting many

peripheral devices and users.

MAS Medical Administration Service.

MB/megabyte One million bytes; or 1000 kilobytes.

Memory A device for storage of data.

Menu A list of choices presented by the software which

represents a decision point in the running of the

program.

MIRMO Medical Information Research Management

Office at VACO.

Modem Contraction of modulator-demodulator. A device

that transmits signals over a communications

line.

MUMPS (M) Now called "M". Massachusetts General Hospital

Utility Multi-Programming System; a high level (source) computer language especially convenient

for manipulating textual data.

Null The absence of information.

Option List/menu of choices of available programs; a

single choice in the list.

Output Information that comes from the computer after

processing.

Password A code used for gaining access to the computer

system; may be referred to as access and verify

codes.

Patch The modification of a program in an expedient

wav.

Pointer An address that specifies a storage location where

data can be stored or retrieved.

Port A connection between CPU and another device, by

means of which data can enter or leave the

computer.

Printer A device to produce permanent (hard copy)

computer output.

Prompt A message on the display terminal requiring

input from the user.

Program A logically arranged set of instructions defining

the operations to be performed by the computer.

Queue Positioning behind other work; used in directing

output work to a printer.

Retrieve The process of accessing information previously

stored by the computer.

Routine Same as a program.

Sign off Process of exiting the computer system.

Sign on Process of entering the computer system.

Site parameter A setting in a program which is decided upon and

then left for the use of the program.

Sizing model A formula developed to determine the equipment

and CPU needs of a service.

Software A set of computer programs associated with the

operation of a data processing system.

Store To retain data for future use.

Terminal A device used by a person to send data and to

receive data from the computer.

Test account An account in which the software is first run

before it is used live; is used to set up files, train on

and practice.

Users Persons who use the computer system.

User manual Same as Dietetics User Manual if referring to

Dietetics programs.

Utility A program which performs many tasks of the

computer system; Kernel in DHČP. The utility provides data processing support for the software

programs.

VACO VA Central Office, Washington DC.

VAMC VA Medical Center.

VDT Video display terminal; same as terminal.

Verify code Series of letters; part of the security code used for

accessing the computer.

Version Various releases or editions of the Dietetics

software programs. Newer versions, those with a

larger number, replace earlier ones.

Word processing The use of computers to create, view, edit, store,

retrieve, and print text material.